

BADASS ADVENTURE MACHINE

The 2024 Toyota Tacoma is here and ready to take the mid-sized truck segment by storm. It has been the leader in this segment for almost two decades and will continue to keep its place at the top. This 4th generation embodies "Rugged Sophistication," enhanced off-road capability, and offers hundreds of options for customers to choose from—there truly is a Tacoma for everyone.



TRD Pro shown in Ice Cap with Black roof. Premium paint charge.

THE TOY YOU BRING TO THE SANDBOX

The new Tacoma draws inspiration from Toyota's historical dominance in off-road racing. From the 1970s on, the success of drivers like the legendary Ivan "Ironman" Stewart captured the extreme spirit of off-road adventure in purpose-built desert-racing machines.

This off-road performance knit into the Tacoma's DNA is expressed with the essence of Tacomaness-- a high-lift, big tires, slim body, and a powerful athletic stance that pays homage to its desert racing roots.



TRD Pro shown in Ice Cap with Black roof. Premium paint charge.



*See below for third party accessories disclaimer.

A TACOMA FOR EVERYONE

With eight available grades, three powertrains, three drivetrains, two transmissions, two rear suspension variants, two cabs, and two bed lengths there are more than 300 possible configurations for the new Tacoma. Additionally, owners can customize their Tacoma even more by choosing from over 200 available accessories.

SUPERIOR DRIVABILITY

The fourth-generation Tacoma is built for adventures on and off the road. A multi-link rear coil suspension comes standard on most grades, and all grades have Auto LSD. For those who like to take roads less traveled, available off-road driving technology features offer greater confidence off the beaten path:


- CRAWL Control
- Multi-Terrain Select
- Multi-Terrain Monitor
- Stabilizer Disconnect Mechanism
- Electronically locking rear differential
- Clutch Start Cancel (MT only)



ALL-NEW POWERTRAINS

This new generation brings three all-new 2.4L Turbo power-train options, including the i-FORCE and i-FORCE MAX Hybrid EV, which deliver substantial amounts of torque at low RPMs.

Gas	i-FORCE Gas Engine	i-FORCE MAX Hybrid Electric Vehicle
SR Grade <ul style="list-style-type: none"> • 228 hp @ 6000 RPM • 243 lb.-ft. of torque @ 1600 RPM • 8-Speed AT 	<ul style="list-style-type: none"> • 278 hp (270 hp MT) @ 6000 RPM • 317 lb.-ft. of torque (310 lb.-ft. MT) @ 1700 RPM • 8-Speed AT (Available 6-Speed MT) 	<ul style="list-style-type: none"> • Up to 326 hp @ 6000 RPM • 465 lb.-ft. of torque @ 1700 RPM • 288V Ni-MH battery • 8-speed AT



NEW GRADE – TRAILHUNTER

The familiar TRD Pro is the racehorse of the Tacoma lineup—built for spirited off-road driving. But the Trailhunter grade is new to the lineup and is built as the packhorse—built to go far. Designed for off-roading and overlanding adventures, the rugged yet sophisticated Trailhunter will get adventurers to remote campsites with ease.



TOYOTA AUDIO MULTIMEDIA

Latest-Generation System

- Navigation, voice recognition, music, hands-free phone, and messaging
- Standard wireless Apple CarPlay® compatibility
- Standard wireless Android Auto™ compatibility

Touchscreen Displays

- Available 14-in. multimedia touchscreen display

Speaker System

- Available 10-speaker JBL® Premium Audio system with JBL® FLEX portable speaker

Connected Services

For further details, including current pricing, please visit: <https://www.toyota.com/connected-services/>

ENHANCED CONVENIENCE

The Tacoma provides an expansive collection of available convenience technology, including:

- 12.3-in. Multi-Information Display (MID)
- Blind Spot Monitor with Rear Cross-Traffic Alert
- Pre-wired auxiliary switch panel
- Power Up + Down tailgate with pinch sensor
- 400W (gas) or 2400W (hybrid) in-bed power inverter
- LED bed scene lighting

Several trailer technology features are also available:

- Trailer Blind Spot Monitor
- Trailer Backup Guide
- Wireless Trailer Camera + eMirror



TOYOTA SAFETY SENSE™ 3.0

- Pre-Collision System with Pedestrian Detection
- Full-Speed Range Dynamic Radar Cruise Control
- Lane Departure Alert with Steering Assist
- Lane Tracing Assist
- Road Sign Assist
- Automatic High Beams
- Proactive Driving Assist



ToyotaCare covers normal factory scheduled maintenance for two years or 25,000 miles, whichever comes first, and 24-hour Roadside Assistance is included for two years, unlimited mileage. Roadside Assistance limits towing distances and locations and does not include parts and fluids, except emergency fuel delivery for certain vehicles. Excludes rental company fleet sale vehicles. See your Toyota dealer for additional restrictions and exclusions. Valid only in the continental U.S.

*Disclaimer: The accessories by Pelican and Yakima shown in this image are not designed, manufactured or evaluated by Toyota. The accessories and any damage to other components or altered performance of the vehicle that may be caused by the accessories are not covered by your vehicle's warranty and Toyota disclaims all liability therefor. For information on the applicable third-party warranty, see: <https://yakima.com/pages/lifetime-warranty>; <https://www.pelican.com/us/en/support/guarantee-of-excellence/>



SR	2.4L Turbo L4 Standard	i-FORCE 2.4L Turbo L4 Available
Torque	243 lb.-ft.	310 lb.-ft.
Horsepower	228 hp	270 hp
Transmission	8-speed automatic	6-speed manual
Drivetrain	2WD standard Part-time 4WD available	Part-time 4WD
Suspension	Leaf spring rear suspension Twin tube shocks	
Platform	TNGA-F	
Configurations	Double Cab w/ 5ft. Bed XtraCab w/ 6 ft. bed	Double Cab w/ 5ft. bed
Payload Range	1,380-1,705 lbs.	1,230-1,460 lbs.
Disc Brakes	Front: 12.6"; Rear: 12.2"	
Overall Length	213"	
Overall Width <i>with Overfenders & standard tires</i>	76.9"-77.9"	
Overall Height <i>Dependent on tire, cab, and lift heights</i>	73.8"-74.7"	
Max Running Ground Clearance	Up to 10" (D-cab) Up to 11" (XtraCab)	
Wheels	17" steel wheels	
Tires	245/70R17	
Safety	TSS 3.0	
Off-Road Tech	Auto Limited-Slip Differential	Auto Limited-Slip Differential Clutch Start Cancel
MID	7" gauge cluster	
TAMM	8" multimedia display	



SR5	Double Cab		XtraCab	
	Engine	i-FORCE 2.4L Turbo L4		
Torque	317 lb.-ft.			
Horsepower	278 hp			
Transmission	8-speed automatic			
Drivetrain	2WD standard; Part-time 4WD available			
Suspension	Coil spring multi-link rear suspension Twin tube shocks		Leaf spring rear suspension Twin tube shocks	
Platform	TNGA-F			
Configuration	w/ 5' bed; w/ 6' bed		w/ 6' bed	
Payload Range	1,380-1,705 lbs.		1,230-1,460 lbs.	
Towing Capacity	6,400 lbs.		6,500 lbs.	
Disc Brakes	Front: 12.6"; Rear: 12.2"			
Overall Length	5' bed: 213"; 6' bed: 226.2"		213"	
Overall Width <i>with Overfenders & standard tires</i>	76.9"-77.9"			
Overall Height <i>Dependent on tire, cab, and lift heights</i>	73.8"-74.7"		73.9"-74.6"	
Max Running Ground Clearance	Up to 10.8"		Up to 11"	
Wheels	17" styled alloy wheels			
Tires	245/70R17			
Safety	TSS 3.0			
Off-Road Tech	Auto Limited-Slip Differential			
Convenience Tech	Blind Spot Monitor w/ Rear Cross-Traffic Alert			
MID	7" gauge cluster standard 12.3" available			
TAMM	8" multimedia display			



TRD PreRunner

XtraCab

TRD PreRunner	XtraCab
Engine	i-FORCE 2.4L Turbo L4
Torque	317 lb.-ft.
Horsepower	278 hp
Transmission	8-speed automatic
Drivetrain	2WD
Suspension	Leaf spring rear suspension; Twin tube shocks
Lift Height	+1" front lift
Platform	TNGA-F
Configuration	w/ 6' bed
Payload Range	1,405-1,460 lbs.
Towing Capacity	6,500 lbs.
Disc Brakes	Front: 12.6"; Rear: 12.2"
Overall Length	213"
Overall Width <i>with Overfenders & standard tires</i>	76.9"-77.9"
Overall Height <i>Dependent on tire, cab, and lift heights</i>	73.9"-74.6"
Max Running Ground Clearance	Up to 11"
Wheels	17" dark grey alloy wheels
Tires	265/70R17 all-terrain tires
Safety	TSS 3.0
Off-Road Tech	Electronically Locking Rear Differential Auto Limited-Slip Differential
Convenience Tech	Blind Spot Monitor w/ Rear Cross-Traffic Alert
MID	12.3" gauge cluster
TAMM	8" multimedia display



TRD Sport	i-FORCE 2.4L Turbo L4 Standard	i-FORCE MAX 2.4L Turbo L4 Available
Torque	317 lb.-ft. (w/ std AT) 310 lb.-ft. (w/ avail MT)	465 lb.-ft.
Horsepower	278 hp (w/ std AT) 270 hp (w/ avail MT)	326 hp
Transmission	8-speed automatic 6-speed manual available	8-speed automatic
Drivetrain	2WD (std w/ AT) Part-time 4WD (avail w/ AT; std w/ MT)	2WD standard Part-time 4WD available
Suspension	Coil spring multi-link rear suspension Red TRD sport-tuned twin tube shocks	
Platform	TNGA-F	
Configurations	Double Cab w/ 5' bed (AT & MT) Double Cab w/ 6' bed (AT only)	Double Cab w/ 5' bed
Payload Range	1,380-1,705 lbs.	TBD
Towing Capacity	6,400 lbs.	TBD
Disc Brakes	Front: 13.4"; Rear: 12.2"	Front: 13.4"; Rear: 13.2"
Overall Length	5' bed: 213"; 6' bed: 226.2"	213"
Overall Width <i>with Overfenders & standard tires</i>	76.9"-77.9"	
Overall Height <i>Dependent on tire, cab, and lift heights</i>	73.7"-74.7"	
Max Running Ground Clearance	Up to 10.9"	
Wheels	18" machined alloy wheels	
Tires	265/65R18	
Safety	TSS 3.0	
Off-Road Tech	Auto Limited-Slip Differential Clutch Start Cancel (w/ avail MT)	Auto Limited-Slip Differential
Convenience Tech	Blind Spot Monitor w/ Rear Cross-Traffic Alert	
MID	12.3" gauge cluster	
TAMM	8" multimedia display; 14" available	



TRD Off-Road shown in Solar Octane. Premium paint charge.

TRD Off-Road

	i-FORCE 2.4L Turbo L4 Standard	i-FORCE MAX 2.4L Turbo L4 Available
Torque	317 lb.-ft. (w/ std AT) 310 lb.-ft. (w/ avail MT)	465 lb.-ft.
Horsepower	278 hp (w/ std AT) 270 hp (w/ avail MT)	326 hp
Transmission	8-speed automatic 6-speed manual available	8-speed automatic
Drivetrain	Part-time 4WD	
Suspension	Coil spring multi-link rear suspension Bilstein® monotube remote reservoir shocks	
Platform	TNGA-F	
Configurations	Double Cab w/ 5' bed (AT & MT) Double Cab w/ 6' bed (AT only)	Double Cab w/ 5' bed
Payload Range	1,380-1,705 lbs.	TBD
Towing Capacity	6,400 lbs.	TBD
Disc Brakes	Front: 13.4"; Rear: 12.2"	Front: 13.4"; Rear: 13.2"
Overall Length	5' bed: 213"; 6' bed: 226.2"	213"
Overall Width <i>with Overfenders & standard tires</i>	76.9"-77.9"	
Overall Height <i>Dependent on tire, cab, and lift heights</i>	73.7"-74.7"	
Max Running Ground Clearance	Up to 11.5"	
Wheels	17" machined alloy wheels	18" machine alloy wheels
Tires	265/70R17 all-terrain tires	265/70R17 all-terrain tires
Safety	TSS 3.0	
Off-Road Tech	Standard: Electronically Locking Rear Differential, Auto Limited-Slip Differential, Multi-Terrain Select, CRAWL Control, Downhill Assist Control, Clutch Start Cancel (MT only) Available: Multi-Terrain Monitor, Stabilizer Disconnect Mechanism	
Convenience Tech	Blind Spot Monitor w/ Rear Cross-Traffic Alert	
MID	12.3" gauge cluster	
TAMM	8" multimedia display; 14" available	



Limited shown in Supersonic Red. Premium paint charge.

Limited	i-FORCE 2.4L Turbo L4 Standard	i-FORCE MAX 2.4L Turbo L4 Available
Torque	317 lb.-ft.	465 lb.-ft.
Horsepower	278 hp	326 hp
Transmission	8-speed automatic	
Drivetrain	Part-time 4WD	Full-time 4X4 w/ center-locking differential
Suspension	Adaptive Variable Suspension available Coil spring multi-link rear suspension	Adaptive Variable Suspension Coil spring multi-link rear suspension
Platform	TNGA-F	
Configurations	Double Cab w/ 5' bed	
Payload Range	1,380-1,705 lbs.	TBD
Towing Capacity	6,400 lbs.	TBD
Disc Brakes	Front: 13.4"; Rear: 12.2"	Front: 13.4"; Rear: 13.2"
Overall Length	213"	
Overall Width <i>with Overfenders & standard tires</i>	76.9"-77.9"	
Overall Height <i>Dependent on tire, cab, and lift heights</i>	73.7"-74.7"	
Max Running Ground Clearance	10.8"	
Wheels	18" chrome-finished alloy wheels	
Tires	265/65R18	
Safety	TSS 3.0	
Off-Road Tech	Auto Limited-Slip Differential	
Convenience Tech	Blind Spot Monitor w/ Rear Cross-Traffic Alert, Panoramic View Monitor, Head-Up Display	
MID	12.3" gauge cluster	
TAMM	14" multimedia display	



Trailhunter

i-FORCE MAX 2.4L Turbo L4

Torque	Up to 465 lb.-ft.
Horsepower	TBD
Transmission	8-speed automatic
Drivetrain	Part-time 4WD
Suspension	Coil spring multi-link rear suspension 2.5" Old Man Emu® forged monotube position-sensitive shocks w/ rear piggyback style remote reservoirs
Lift Height	+2" front lift; +1.5" rear lift
Platform	TNGA-F
Configuration	Double Cab w/ 5' bed; Double Cab w/ 6' bed
Payload Range	TBD
Towing Capacity	TBD
Disc Brakes	Front: 13.4"; Rear: 13.2"
Overall Length	5' bed: 213"; 6' bed: 226.2"
Overall Width <i>with Overfenders & standard tires</i>	76.9"-77.9"
Overall Height <i>Dependent on tire, cab, and lift heights</i>	73.7"-74.6"
Max Running Ground Clearance	11.2"
Wheels	18" Trailhunter bronze-colored alloy wheels
Tires	33" Goodyear Territory R/T tires
Safety	TSS 3.0
Off-Road Tech	Multi-Terrain Select, CRAWL Control, Downhill Assist Control, Multi-Terrain Monitor, Stabilizer Disconnect Mechanism, Electronically Locking Rear Differential, Auto Limited-Slip Differential
Convenience Tech	Blind Spot Monitor w/ Rear Cross-Traffic Alert Head-Up Display
MID	12.3" gauge cluster
TAMM	14" multimedia display



TRD Pro shown in Ice Cap with Black roof. Premium paint charge.

TRD Pro	i-FORCE MAX 2.4L Turbo L4
Torque	465 lb.-ft.
Horsepower	326 hp
Transmission	8-speed automatic
Drivetrain	Part-time 4WD
Suspension	Coil spring multi-link rear suspension 2.5" FOX® internal bypass manual model Quick Switch (QS3) shocks w/ rear piggyback style remote reservoirs and rear FOX IFP Bump Stops
Lift Height	+2" front lift; +1.5" rear lift
Platform	TNGA-F
Configuration	Double Cab w/ 5' bed
Payload Range	TBD
Towing Capacity	TBD
Disc Brakes	Front: 13.4"; Rear: 13.2"
Overall Length	213"
Overall Width <i>with Overfenders & standard tires</i>	76.9"-77.9"
Overall Height <i>Dependent on tire, cab, and lift heights</i>	73.7"-74.6"
Max Running Ground Clearance	11.5"
Wheels	18" TRD Pro black alloy wheels
Tires	33" Goodyear Territory R/T tires
Safety	TSS 3.0
Off-Road Tech	IsoDynamic Performance Seats, Multi-Terrain Select, CRAWL Control, Downhill Assist Control, Multi-Terrain Monitor, Stabilizer Disconnect Mechanism, Electronically Locking Rear Differential, Auto Limited-Slip Differential
Convenience Tech	Blind Spot Monitor w/ Rear Cross-Traffic Alert Head-Up Display
MID	12.3" gauge cluster
TAMM	14" multimedia display