# 2024 Tacoma

## **Top 5** Facts

* Standard turbocharged engine on gas grades
* Available i-FORCE MAX Hybrid EV system
* Performance-oriented TRD Pro and Trailhunter models
* Audio Multimedia with available 14-in. display
* Toyota Safety Sense™ 3.0[1]

## What's New

Toyota Tacoma is all-new for 2024, featuring a standard turbocharged engine and an available i-FORCE MAX Hybrid EV powertrain on select grades. In addition to the TRD Pro, the Trailhunter grade joins the lineup as the model focused specifically for overlanding. On top of that, Tacoma now comes with Toyota Safety Sense™ 3.0[1] as standard, and the latest Audio Multimedia platform.

## Awards

- 2024 Toyota Tacoma is a Kelley Blue Book KBB.com **Best Buy**[13]
- 2024 Toyota Tacoma was named **Best Resale Value** in its class by Kelley Blue Book's KBB.com[15]
- 2024 Toyota Tacoma is one of the **Top 10 cars with Best Resale Value** according to Kelley Blue Book's KBB.com[15]
- **Best-Selling Vehicle** of 2023[14]
- The Toyota Tacoma has been America's **best-selling midsized pickup** for the last 19 years.[14]
- 2024 Toyota Tacoma was named a **Best New Car** by Autotrader[16]

# Models

| Model Code | Trim Name | Full Name | Engine |
|---|---|---|---|
| 7186 | SR | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | 2.4L 4-cyl. Turbo |
| 7594 | SR | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7547 | SR | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | 2.4L 4-cyl. Turbo |

| | | | |
|---|---|---|---|
| 7162 | SR | SR (2.4L Turbo 4-cyl.  6-ft. bed Xtra Cab 8AT 2WD) | 2.4L 4-cyl. Turbo |
| 7514 | SR | SR (2.4L Turbo 4-cyl.  6-ft. bed Xtra Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7146 | SR5 | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | 2.4L 4-cyl. Turbo |
| 7540 | SR5 | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7170 | SR5 | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | 2.4L 4-cyl. Turbo |
| 7570 | SR5 | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7126 | SR5 | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | 2.4L 4-cyl. Turbo |
| 7558 | SR5 | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7166 | TRD Pre-Runner | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | 2.4L 4-cyl. Turbo |
| 7148 | TRD Sport | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | 2.4L 4-cyl. Turbo |
| 7542 | TRD Sport | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7543 | TRD Sport | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | 2.4L 4-cyl. Turbo |
| 7172 | TRD Sport | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | 2.4L 4-cyl. Turbo |
| 7566 | TRD Sport | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7530 | TRD Sport | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7544 | TRD Off-Road | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7568 | TRD Off-Road | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7545 | TRD Off-Road | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | 2.4L 4-cyl. Turbo |
| 7532 | TRD Off-Road | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo HV |
| 7582 | Limited | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7534 | Limited | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7536 | Trailhunter | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7538 | Trailhunter | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |
| 7598 | TRD Pro | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | 2.4L 4-cyl. Turbo |

# Key Features

## *SR*

Tacoma's base SR grade offers plenty of standard equipment and plenty of capability to get through work and everyday tasks. With its standard turbocharged powertrain, this midsize pickup backs up its rugged good looks with capability. Should drivers want maximum control of Tacoma's turbocharged power, an available six-speed manual transmission provides just that.

- Standard turbocharged 4-cyl. engine
- Double Cab or XtraCab configurations
- Toyota Safety Sense™ 3.0[1]
- Audio Multimedia with 8-in. touchscreen
- LED headlights

## *SR5*

SR5 enhances Tacoma's value proposition with added convenience features. On top of that, an availablw 10-speaker JBL®[2] Premium Audio System elevates the listening experience to new heights.

- Available power sliding rear window with privacy glass
- Available automatic climate control
- 6-speaker audio system
- Smart Key System

## *TRD Pre-Runner*

TRD Pre-Runner is the first of four TRD performance grades. Available only in an XtraCab and rear wheel drive configuration, this Tacoma variant comes with several enhancements to improve its performance when the pavement ends like a lifted front suspension and all-terrain tires.

- 17-in. alloy wheels
- Available bed storage box
- Fold flat passenger seat
- Electronic locking rear differential

## *TRD Sport*

Tacoma TRD Sport is the street-oriented performance variant, offering a choice between gas and i-FORCE MAX hybrid EV powertrains. Additionally, the former can also be equipped with a six-speed manual transmission for drivers that want added control of its turbocharged power.

- 18-in. machined alloy wheels
- Available 6-speed manual transmission
- Qi-compatible wireless charging[25]
- Available Digital Key[8]  (requires an active Remote Connect trial[8] or subscription. 4G network dependent)

## *TRD Off-Road*

On the other end of the spectrum is Tacoma TRD Off-Road, the first of three performance models focused on off-road capability[43]. Available with either a turbocharged engine or the i-FORCE MAX hybrid EV system, this rugged pickup allows drivers to go off the beaten

path[43].
- 17-in. machined alloy wheels
- All-terrain tires
- Available 400W/120V AC power supply[4]
- Available heated front seats

## *Limited*

Tacoma's Limited grade is all about a premium experience while maintaining its legendary capability. The available Full-Time 4WD system with locking center differential ensures it puts power down effectively whether on or off the pavement. Plus, rich appointments elevate the overall experience by adding an extra layer of comfort and convenience.
- Heated and ventilated front seats
- Available i-FORCE MAX Hybrid EV system
- 14-in. Audio Multimedia display
- 10-speaker JBL®[2] Premium Audio System with JBL®[2] Flex Speaker

## *Trailhunter*

Tailored specificially for overland, a type of off-roading where the journey is the focal point, Tacoma Trailhunter is built to go far off the beaten path.[43] Together with its powerful Hybrid EV powertrain and suspension, it features unique details like an ARB®[51] sports bar and Rigid Industries®[10] fog lights that help it stand out. Plus, features like an available in-bed 2,400-watt AC power supply[4] allows drivers to remain plugged in while out in the wilderness.
- Low profile, high-mount air intake
- Lifted suspension with Old Man Emu® shocks
- 18-in. bronze-finish alloy wheels
- High-clearance trail exhaust tip

## *TRD Pro*

While Trailhunter is built to go far, Tacoma's TRD Pro grade is all about thrills. This off-road beast is all about fun on the dirt and it backs that up with the right hardware, including a standard part-time 4WD system, an electronically controlled locking rear differential, all-terrain and a TRD Pro off-road suspension with Fox® shocks.[43]
- TRD black performance exhaust
- Bed-mounted 2400W/120V AC power supply[4]
- IsoDynamic performance front seats

- 18-in. TRD Pro alloy wheels

# Colors

*Availability - X*

| Exterior Color (paint code) | Interior Color (paint code) | SR | SR5 | TRD Pre-Runner | TRD Sport | TRD Off-Road | Limited | Trailhunter | TRD Pro |
|---|---|---|---|---|---|---|---|---|---|
| Ice Cap (040) | Black Fabric (20-FA) | X | | | | | | | |
| Celestial Silver Metallic (1J9) | Black Fabric (20-FA) | X | | | | | | | |
| Underground (1L7) | Black Fabric (20-FA) | X | | | | | | | |
| Black (202) | Black Fabric (20-FA) | X | | | | | | | |
| Supersonic Red (3U5) | Black Fabric (20-FA) | X | | | | | | | |
| Ice Cap (040) | Black Fabric (20-FF) | | X | | | | | | |
| Ice Cap (040) | Black Fabric with Smoke Silver (20-FB) | | X | | | | | | |
| Ice Cap (040) | Boulder Fabric (10-FF) | | X | | | | | | |
| Celestial Silver Metallic (1J9) | Black Fabric (20-FF) | | X | | | | | | |
| Celestial Silver Metallic (1J9) | Black Fabric with Smoke Silver (20-FB) | | X | | | | | | |
| Celestial Silver Metallic (1J9) | Boulder Fabric (10-FF) | | X | | | | | | |
| Underground (1L7) | Black Fabric (20-FF) | | X | | | | | | |
| Underground (1L7) | Black Fabric with Smoke Silver (20-FB) | | X | | | | | | |
| Underground (1L7) | Boulder Fabric (10-FF) | | X | | | | | | |
| Black (202) | Black Fabric (20-FF) | | X | | | | | | |
| Black (202) | Black Fabric with Smoke Silver (20-FB) | | X | | | | | | |
| Black (202) | Boulder Fabric (10-FF) | | X | | | | | | |
| Supersonic Red (3U5) | Black Fabric (20-FF) | | X | | | | | | |
| Supersonic Red (3U5) | Black Fabric with Smoke Silver (20-FB) | | X | | | | | | |
| Supersonic Red (3U5) | Boulder Fabric (10-FF) | | X | | | | | | |
| Blue Crush Metallic (8W7) | Black Fabric (20-FF) | | X | | | | | | |
| Blue Crush Metallic (8W7) | Boulder Fabric (10-FF) | | X | | | | | | |

| Exterior Color (paint code) | Interior Color (paint code) | SR | SR5 | TRD Pre-Runner | TRD Sport | TRD Off-Road | Limited | Trailhunter | TRD Pro |
|---|---|---|---|---|---|---|---|---|---|
| Ice Cap (040) | Boulder/Black Fabric with Smoke Silver (12-FC) | | | X | | | | | |
| Ice Cap (040) | Boulder/Black Fabric with Anodized Blue (11-FC) | | | X | | | | | |
| Underground (1L7) | Boulder/Black Fabric with Smoke Silver (12-FC) | | | X | | | | | |
| Underground (1L7) | Boulder/Black Fabric with Anodized Blue (11-FC) | | | X | | | | | |
| Solar Octane (4W5) | Boulder/Black Fabric with Smoke Silver (12-FC) | | | X | | | | | |
| Black (202) | Boulder/Black Fabric with Smoke Silver (12-FC) | | | X | | | | | |
| Black (202) | Boulder/Black Fabric with Anodized Blue (11-FC) | | | X | | | | | |
| Supersonic Red (3U5) | Boulder/Black Fabric with Smoke Silver (12-FC) | | | X | | | | | |
| Celestial Silver Metallic (1J9) | Boulder/Black Fabric with Smoke Silver (12-FC) | | | X | | | | | |
| Celestial Silver Metallic (1J9) | Boulder/Black Fabric with Anodized Blue (11-FC) | | | X | | | | | |
| Ice Cap (040) | Boulder/Black Fabric with Anodized Blue (11-FE) | | | | X | | | | |
| Ice Cap (040) | Black SofTex® trim (20-EA) | | | | X | | | | |
| Ice Cap (040) | Black Fabric with White (21-FE) | | | | X | | | | |
| Ice Cap (040) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Wind Chill Pearl (089) | Boulder/Black Fabric with Anodized Blue (11-FE) | | | | X | | | | |
| Wind Chill Pearl (089) | Black SofTex® trim (20-EA) | | | | X | | | | |
| Wind Chill Pearl (089) | Black Fabric with White (21-FE) | | | | X | | | | |
| Wind Chill Pearl (089) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Celestial Silver Metallic (1J9) | Boulder/Black Fabric with Anodized Blue (11-FE) | | | | X | | | | |

| Exterior Color (paint code) | Interior Color (paint code) | SR | SR5 | TRD Pre-Runner | TRD Sport | TRD Off-Road | Limited | Trailhunter | TRD Pro |
|---|---|---|---|---|---|---|---|---|---|
| Celestial Silver Metallic (1J9) | Black SofTex® trim (20-EA) | | | | X | | | | |
| Celestial Silver Metallic (1J9) | Black Fabric with White (21-FE) | | | | X | | | | |
| Celestial Silver Metallic (1J9) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Underground (1L7) | Boulder/Black Fabric with Anodized Blue (11-FE) | | | | X | | | | |
| Underground (1L7) | Black SofTex® trim (20-EA) | | | | X | | | | |
| Underground (1L7) | Black Fabric with White (21-FE) | | | | X | | | | |
| Underground (1L7) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Solar Octane (4W5) | Black SofTex® trim (20-EA) | | | | X | | | | |
| Solar Octane (4W5) | Black Fabric with White (21-FE) | | | | X | | | | |
| Solar Octane (4W5) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Black (202) | Boulder/Black Fabric with Anodized Blue (11-FE) | | | | X | | | | |
| Black (202) | Black SofTex® trim (20-EA) | | | | X | | | | |
| Black (202) | Black Fabric with White (21-FE) | | | | X | | | | |
| Black (202) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Supersonic Red (3U5) | Black SofTex® trim (20-EA) | | | | X | | | | |
| Supersonic Red (3U5) | Black Fabric with White (21-FE) | | | | X | | | | |
| Supersonic Red (3U5) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Oxide Bronze (6X1) | Black SofTex® trim (20-EA) | | | | X | | | | |
| Oxide Bronze (6X1) | Black Fabric with White (21-FE) | | | | X | | | | |
| Oxide Bronze (6X1) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Blue Crush Metallic (8W7) | Boulder/Black Fabric with Anodized Blue (11-FE) | | | | X | | | | |
| Blue Crush Metallic | Black SofTex® trim | | | | X | | | | |

| Exterior Color (paint code) | Interior Color (paint code) | SR | SR5 | TRD Pre-Runner | TRD Sport | TRD Off-Road | Limited | Trailhunter | TRD Pro |
|---|---|---|---|---|---|---|---|---|---|
| (8W7) | (20-EA) | | | | | | | | |
| Blue Crush Metallic (8W7) | Black Fabric with White (21-FE) | | | | X | | | | |
| Blue Crush Metallic (8W7) | Boulder/Black Fabric with Smoke Silver (12-FE) | | | | X | | | | |
| Ice Cap (040) | Black Fabric with White (21-FD) | | | | | X | | | |
| Ice Cap (040) | Black SofTex® trim (20-EA) | | | | | X | | | |
| Ice Cap (040) | Boulder/Black Fabric with Smoke Silver (12-FD) | | | | | X | | | |
| Ice Cap (040) | Boulder/Black Fabric with Anodized Blue (11-FD) | | | | | X | | | |
| Celestial Silver Metallic (1J9) | Black Fabric with White (21-FD) | | | | | X | | | |
| Celestial Silver Metallic (1J9) | Black SofTex® trim (20-EA) | | | | | X | | | |
| Celestial Silver Metallic (1J9) | Boulder/Black Fabric with Smoke Silver (12-FD) | | | | | X | | | |
| Celestial Silver Metallic (1J9) | Boulder/Black Fabric with Anodized Blue (11-FD) | | | | | X | | | |
| Underground (1L7) | Black Fabric with White (21-FD) | | | | | X | | | |
| Underground (1L7) | Black SofTex® trim (20-EA) | | | | | X | | | |
| Underground (1L7) | Boulder/Black Fabric with Smoke Silver (12-FD) | | | | | X | | | |
| Underground (1L7) | Boulder/Black Fabric with Anodized Blue (11-FD) | | | | | X | | | |
| Solar Octane (4W5) | Black Fabric with White (21-FD) | | | | | X | | | |
| Solar Octane (4W5) | Black SofTex® trim (20-EA) | | | | | X | | | |
| Solar Octane (4W5) | Boulder/Black Fabric with Smoke Silver (12-FD) | | | | | X | | | |
| Solar Octane (4W5) | Boulder/Black Fabric with Anodized Blue (11-FD) | | | | | X | | | |
| Black (202) | Black Fabric with White (21-FD) | | | | | X | | | |
| Black (202) | Black SofTex® trim (20-EA) | | | | | X | | | |
| Black (202) | Boulder/Black Fabric with Smoke Silver | | | | | X | | | |

| Exterior Color (paint code) | Interior Color (paint code) | SR | SR5 | TRD Pre-Runner | TRD Sport | TRD Off-Road | Limited | Trailhunter | TRD Pro |
|---|---|---|---|---|---|---|---|---|---|
| | (12-FD) | | | | | | | | |
| Black (202) | Boulder/Black Fabric with Anodized Blue (11-FD) | | | | | X | | | |
| Supersonic Red (3U5) | Black Fabric with White (21-FD) | | | | | X | | | |
| Supersonic Red (3U5) | Black SofTex® trim (20-EA) | | | | | X | | | |
| Supersonic Red (3U5) | Boulder/Black Fabric with Smoke Silver (12-FD) | | | | | X | | | |
| Supersonic Red (3U5) | Boulder/Black Fabric with Anodized Blue (11-FD) | | | | | X | | | |
| Oxide Bronze (6X1) | Black Fabric with White (21-FD) | | | | | X | | | |
| Oxide Bronze (6X1) | Black SofTex® trim (20-EA) | | | | | X | | | |
| Oxide Bronze (6X1) | Boulder/Black Fabric with Smoke Silver (12-FD) | | | | | X | | | |
| Oxide Bronze (6X1) | Boulder/Black Fabric with Anodized Blue (11-FD) | | | | | X | | | |
| Blue Crush Metallic (8W7) | Black Fabric with White (21-FD) | | | | | X | | | |
| Blue Crush Metallic (8W7) | Black SofTex® trim (20-EA) | | | | | X | | | |
| Blue Crush Metallic (8W7) | Boulder/Black Fabric with Smoke Silver (12-FD) | | | | | X | | | |
| Blue Crush Metallic (8W7) | Boulder/Black Fabric with Anodized Blue (11-FD) | | | | | X | | | |
| Oxide Bronze (6X1) | Black SofTex® trim (20-EB) | | | | | | X | | |
| Oxide Bronze (6X1) | Boulder SofTex® trim (10-EB) | | | | | | X | | |
| Wind Chill Pearl (089) | Black SofTex® trim (20-EB) | | | | | | X | | |
| Wind Chill Pearl (089) | Boulder SofTex® trim (10-EB) | | | | | | X | | |
| Celestial Silver Metallic (1J9) | Black SofTex® trim (20-EB) | | | | | | X | | |
| Celestial Silver Metallic (1J9) | Boulder SofTex® trim (10-EB) | | | | | | X | | |
| Underground (1L7) | Black SofTex® trim (20-EB) | | | | | | X | | |
| Underground (1L7) | Boulder SofTex® trim (10-EB) | | | | | | X | | |
| Black (202) | Black SofTex® trim (20-EB) | | | | | | X | | |

| Exterior Color (paint code) | Interior Color (paint code) | SR | SR5 | TRD Pre-Runner | TRD Sport | TRD Off-Road | Limited | Trailhunter | TRD Pro |
|---|---|---|---|---|---|---|---|---|---|
| Black (202) | Boulder SofTex® trim (10-EB) | | | | | | X | | |
| Supersonic Red (3U5) | Black SofTex® trim (20-EB) | | | | | | X | | |
| Supersonic Red (3U5) | Boulder SofTex® trim (10-EB) | | | | | | X | | |
| Blue Crush Metallic (8W7) | Black SofTex® trim (20-EB) | | | | | | X | | |
| Blue Crush Metallic (8W7) | Boulder SofTex® trim (10-EB) | | | | | | X | | |
| Ice Cap (040) | Mineral SofTex® trim (60-EC) | | | | | | | X | |
| Celestial Silver Metallic (1J9) | Mineral SofTex® trim (60-EC) | | | | | | | X | |
| Underground (1L7) | Mineral SofTex® trim (60-EC) | | | | | | | X | |
| Black (202) | Mineral SofTex® trim (60-EC) | | | | | | | X | |
| Oxide Bronze (6X1) | Mineral SofTex® trim (60-EC) | | | | | | | X | |
| Black (202) | Black SofTex® trim (22-ED) | | | | | | | | X |
| Black (202) | Cockpit Red SofTex® trim (30-ED) | | | | | | | | X |
| Terra w/ Black Roof (2ZX) | Black SofTex® trim (22-ED) | | | | | | | | X |
| Ice Cap w/ Black Roof (2MQ) | Black SofTex® trim (22-ED) | | | | | | | | X |
| Ice Cap w/ Black Roof (2MQ) | Cockpit Red SofTex® trim (30-ED) | | | | | | | | X |
| Underground w/ Black Roof (2ZW) | Black SofTex® trim (22-ED) | | | | | | | | X |
| Underground w/ Black Roof (2ZW) | Cockpit Red SofTex® trim (30-ED) | | | | | | | | X |

# Factory Options

# Features

*S - Standard | O - Optional | P - Package*

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| **Safety/Convenience** | | | | | | |
| **Airbags** | | | | | | |
| Driver and front passenger Advanced Airbag System[28] | S | S | S | S | S | S |
| Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28] | S | S | S | S | S | S |
| **Backup Camera** | | | | | | |
| Backup Guide Monitor[29] | S | S | S | S | S | S |
| 3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views | – | – | – | – | – | – |
| 3D Panoramic View Monitor[7] with selectable front, side and rear views | – | – | – | – | – | – |
| **Braking Systems** | | | | | | |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S | S | S | S |
| Hill Start Assist Control (HAC) [30] | S | S | S | S | S | S |
| Active Traction Control (A-TRAC) | – | S | – | – | – | – |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49] | – | – | – | – | – | – |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Smart Stop Technology®[32] – part of Star Safety System™ | S | S | S | S | S | S |
| Traction Control – part of Star Safety System™ | S | S | S | S | S | S |
| Vehicle Stability Control (VSC) [33] – part of Star Safety System™ | S | S | S | S | S | S |
| **Convenience** | | | | | | |
| Smart Key System on driver | S | S | S | S | S | – |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| door with Push Button Start | | | | | | |
| Smart Key System on driver and front passenger doors with Push Button Start | – | – | – | – | – | S |
| Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent) | P | P | P | P | P | P |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | S | S | S | P | P | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[9]; Trailer Blind Spot Monitor: Trailer Camera | – | – | – | – | – | – |
| **Cruise Control** | | | | | | |
| Full-Speed Range Dynamic Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| **Safety & Security** | | | | | | |
| Star Safety System™ | S | S | S | S | S | S |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S | S | S | S |
| Smart Stop Technology® (SST) [32] – part of Star Safety System™ | S | S | S | S | S | S |
| Traction Control (TRAC) – part of Star Safety System™ | S | S | S | S | S | S |
| Vehicle Stability Control (VSC) [33] – part of Star Safety System™ | S | S | S | S | S | S |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S | S | S | S |
| Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Automatic High Beams (AHB) [35] – part of Toyota Safety Sense™ P (TSS 3.0)[1] | S | S | S | S | S | S |
| Full-Speed Range Dynamic | S | S | S | S | S | S |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | | | | | | |
| Lane Departure Alert with Steering Assist (LDA w/ SA) [36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Proactive Driving Assist (PDA) [46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Lane Tracing Assist (LTA)[48] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37] | P | P | P | P | P | S |
| Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls | – | – | – | – | – | P |
| Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection | – | – | – | – | – | – |
| Front and Rear Parking Assist Sonar[50] | – | – | P | – | – | – |
| Child-protector rear door locks | – | – | S | – | – | S |
| Engine immobilizer[38] | S | S | S | S | S | S |
| Tire Pressure Monitor System (TPMS)[40] | S | S | S | S | S | S |
| Tire Pressure Monitor System (TPMS)[40] with individual tire location alert | – | – | – | – | – | – |
| **Seatbelts & Child Restraint System** | | | | | | |
| 3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/ Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | S | S | S | S | S | S |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab | S | S | S | S | S | S |
| **Seats** | | | | | | |
| Driver and front passenger active headrests | S | S | S | S | S | S |
| **Windows, Glass & Wipers** | | | | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S | S | S | S |
| Power sliding rear window with privacy glass | – | – | – | – | – | P |
| **Interior** | | | | | | |
| **Air Conditioner, Heater & Defroster** | | | | | | |
| Automatic climate control with air filtration and combined temperature settings for driver and front passenger | – | – | – | – | – | P |
| Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger | – | – | – | – | – | – |
| **Audio, Entertainment & Navigation** | | | | | | |
| 8-in. Audio Multimedia Display | S | S | S | S | S | S |
| 14-in. Audio Multimedia Display | – | – | – | – | – | – |
| Wireless Apple CarPlay® compatibility[13] | S | S | S | S | S | S |
| Wireless Android Auto™ compatibility[14] | S | S | S | S | S | S |
| Hands-free phone capability & music streaming via *Bluetooth*® wireless technology[3] | S | S | S | S | S | S |
| 3-month SiriusXM® trial subscription[15] | S | S | S | S | S | S |
| 4 speakers | – | – | – | S | – | – |
| 6 speakers | S | S | S | – | S | S |
| 10 JBL®[2] speakers including JBL FLEX®[2] portable *Bluetooth* speaker | – | – | – | – | – | P |
| Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G | – | – | – | – | – | – |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| network dependent | | | | | | |
| Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| **Cup & Bottle Holders** | | | | | | |
| Five cup and bottle holders | S | – | S | S | – | S |
| **Drive Modes** | | | | | | |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49] | – | – | – | – | – | – |
| **Instrumentation** | | | | | | |
| 12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages | – | – | – | – | – | O |
| Head-Up Display (HUD) | – | – | – | – | – | – |
| **Lights** | | | | | | |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S | S | S | S |
| **Mirrors** | | | | | | |
| Manual day/night rearview mirror | S | S | S | S | S | – |
| Auto-dimming day/night rearview mirror | – | – | – | – | – | S |
| Auto-dimming day/night rearview mirror with HomeLink®[23] universal | – | – | – | – | – | – |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| transceiver | | | | | | |
| Digital rearview mirror with HomeLink®[23] universal transceiver | – | – | – | – | – | – |
| **Power Outlets** | | | | | | |
| Dual USB-C ports with power delivery[24] | S | S | S | S | S | S |
| Qi-compatible wireless smartphone charging[25] with charge indicator light | – | – | – | – | – | – |
| Bed-mounted 400W/120V AC power inverter[4] | – | – | – | – | – | – |
| Bed-mounted 2400W/120V AC power inverter[11] | – | – | – | – | – | – |
| Prewired DC power auxiliary switches | – | – | – | – | – | – |
| **Seats** | | | | | | |
| 6-way adjustable driver's seat with lumbar support | S | S | S | S | S | S |
| 8-way power adjustable driver's seat including 4-way lumbar support | – | – | – | – | – | – |
| 6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support | – | – | – | – | – | – |
| 6-way adjustable front passenger seat | S | S | S | S | S | S |
| 8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support | – | – | – | – | – | – |
| Fabric-trimmed seats | S | S | S | S | S | S |
| SofTex®-trimmed seats[6] | – | – | – | – | – | – |
| Heated front seats | – | – | – | – | – | P |
| Heated and ventilated front seats | – | – | – | – | – | – |
| TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts | – | – | – | – | – | – |
| 60/40 split, folding rear seat with behind and under-seat storage | S | S | S | – | – | S |
| Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and | – | – | – | S | S | – |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| lockable deep storage compartment | | | | | | |
| **Steering Wheel** | | | | | | |
| Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | S | S | S | S | S | S |
| Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | – | – | – | – | – | P |
| TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls | – | – | – | – | – | – |
| Heated steering wheel | – | – | – | – | – | P |
| **Storage Areas** | | | | | | |
| Center console with covered armrest and storage compartment | S | – | S | S | – | S |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S | S | S | S |
| **Trim** | | | | | | |
| Leather-trimmed shift lever | – | – | – | – | – | – |
| TRD Pro shift knob | – | – | – | – | – | – |
| TRD Pro floor mats[26] | – | – | – | – | – | – |
| **Exterior** | | | | | | |
| **Lights** | | | | | | |
| LED headlights | S | S | S | S | S | S |
| LED Daytime Running Lights (DRL) | S | S | S | S | S | S |
| Sequential LED turn signals | – | – | – | – | – | – |
| Backlight logos | – | – | – | – | – | – |
| Manual leveling adjustment | S | S | S | S | S | S |
| Integrated bed scene lighting | – | – | – | – | – | – |
| LED bed lighting | P | P | P | P | P | P |
| LED fog lights | – | – | – | – | – | S |
| Rigid Industries®[10] LED fog lights | – | – | – | – | – | – |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| Rigid Industries®[10] white-and-amber-color switching LED fog lights | – | – | – | – | – | – |
| **Mirrors** | | | | | | |
| Color-keyed, heated, power outside mirrors | S | S | S | S | S | S |
| Outside mirrors with turn signal indicators | – | – | – | – | – | – |
| **Moonroof** | | | | | | |
| Power tilt/slide moonroof and sliding sunshade | – | – | – | – | – | – |
| **Power Outlets** | | | | | | |
| 400W/120V AC power inverter[4] | – | – | – | – | – | – |
| **Racks** | | | | | | |
| Four fixed cargo bed tie-down points | S | S | S | S | S | – |
| Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points | P | P | P | P | P | S |
| **Skid Plates** | | | | | | |
| Composite underbody transfer case and fuel tank protection | – | – | – | – | – | – |
| TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection | – | – | – | – | – | – |
| High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, and composite fuel tank protector | – | – | – | – | – | – |
| **Trim** | | | | | | |
| Heritage-inspired "TOYOTA" front grille with integrated light bar | – | – | – | – | – | – |
| High-clearance front bumper | – | – | – | – | – | – |
| Color-keyed rear bumper | – | – | – | – | – | S |
| ARB®[51] steel rear bumper and red rear recovery hooks | – | – | – | – | – | – |
| Frame-mounted steel rock rails | – | – | – | – | – | – |
| Power running boards | – | – | – | – | – | – |
| Bed storage box | – | – | – | – | – | – |
| Lightweight "TACOMA" | – | – | – | – | – | P |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| stamped tailgate with damper | | | | | | |
| Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection | – | – | – | – | – | – |
| Lightweight "TACOMA" stamped tailgate | S | S | S | S | S | S |
| "TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection | – | – | – | – | – | – |
| Chrome-finished exhaust tip | – | – | – | – | – | – |
| Front and rear mudguards | O | O | O | O | O | O |
| High-clearance trail exhaust tip | – | – | – | – | – | – |
| High clearance front bumper | – | – | – | – | – | – |
| TRD black performance exhaust | – | – | – | – | – | – |
| Passenger-side front recovery point | – | – | – | – | – | – |
| Driver-side and passenger-side front recovery points | – | – | – | – | – | – |
| ARB®[51] steel rear bumper with red-painted recovery points | – | – | – | – | – | – |
| ARB®[51] modular bed utility bar with removable MOLLE panels | – | – | – | – | – | – |
| Active grille shutters | S | S | S | S | S | S |
| Reinforced rocker protector | – | – | – | – | – | – |
| Aluminum-reinforced composite bed | S | S | S | S | S | S |
| Low-profile, rear-facing, high-mount air intake | – | – | – | – | – | – |
| **Wheels & Tires** | | | | | | |
| 17-in. steel wheels with 245/70R17 tires | – | – | – | S | S | – |
| 17-in. styled alloy wheels with 265/70R17 all-terrain tires | S | S | S | – | – | S |
| 17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | – |
| 18-in. TRD Sport alloy wheels with 265/65R18 tires | – | – | – | – | – | – |
| 17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | – |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| 18-in. Limited chrome-finished alloy wheels with 265/65R18 tires | – | – | – | – | – | – |
| 18-in. TRD Off-Road alloy wheels with 265/70R18 tires | – | – | – | – | – | – |
| 18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires | – | – | – | – | – | – |
| 18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires | – | – | – | – | – | – |
| **Windows, Glass & Wipers** | | | | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S | S | S | S |
| Power sliding rear window with privacy glass | – | – | – | – | – | P |

# Additional Features...

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| **Safety/Convenience** | | | | | | |
| **Airbags** | | | | | | |
| Driver and front passenger Advanced Airbag System[28] | S | S | S | S | S | S |
| Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28] | S | S | S | S | S | S |
| **Backup Camera** | | | | | | |
| Backup Guide Monitor[29] | S | S | S | S | S | S |
| 3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views | – | – | – | – | – | – |
| 3D Panoramic View Monitor[7] with selectable front, side and | – | – | – | – | – | – |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| rear views | | | | | | |
| **Braking Systems** | | | | | | |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S | S | S | S |
| Hill Start Assist Control (HAC) [30] | S | S | S | S | S | S |
| Active Traction Control (A-TRAC) | S | – | – | – | – | – |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49] | – | – | – | – | – | – |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Smart Stop Technology®[32] – part of Star Safety System™ | S | S | S | S | S | S |
| Traction Control – part of Star Safety System™ | S | S | S | S | S | S |
| Vehicle Stability Control (VSC) [33] – part of Star Safety System™ | S | S | S | S | S | S |
| **Convenience** | | | | | | |
| Smart Key System on driver door with Push Button Start | – | – | – | – | – | – |
| Smart Key System on driver and front passenger doors with Push Button Start | S | S | S | S | S | S |
| Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent) | P | P | P | P | P | P |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | S | S | S | S | S | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[9]; Trailer Blind Spot Monitor: Trailer Camera | – | – | – | – | – | – |
| **Cruise Control** | | | | | | |
| Full-Speed Range Dynamic | S | S | S | S | S | S |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | | | | | | |
| **Safety & Security** | | | | | | |
| Star Safety System™ | S | S | S | S | S | S |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S | S | S | S |
| Smart Stop Technology® (SST) [32] – part of Star Safety System™ | S | S | S | S | S | S |
| Traction Control (TRAC) – part of Star Safety System™ | S | S | S | S | S | S |
| Vehicle Stability Control (VSC) [33] – part of Star Safety System™ | S | S | S | S | S | S |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S | S | S | S |
| Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Automatic High Beams (AHB) [35] – part of Toyota Safety Sense™ P (TSS 3.0)[1] | S | S | S | S | S | S |
| Full-Speed Range Dynamic Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Lane Departure Alert with Steering Assist (LDA w/ SA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Proactive Driving Assist (PDA) [46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Lane Tracing Assist (LTA)[48] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37] | S | S | S | S | S | S |
| Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls | P | P | P | P | P | P |
| Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection | – | – | – | – | – | – |
| Front and Rear Parking Assist Sonar[50] | – | – | – | – | – | – |
| Child-protector rear door locks | – | – | S | S | S | – |
| Engine immobilizer[38] | S | S | S | S | S | S |
| Tire Pressure Monitor System (TPMS)[40] | – | – | – | – | – | – |
| Tire Pressure Monitor System (TPMS)[40] with individual tire location alert | S | S | S | S | S | S |
| **Seatbelts & Child Restraint System** | | | | | | |
| 3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/ Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | S | S | S | S | S | S |
| LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab | S | S | S | S | S | S |
| **Seats** | | | | | | |
| Driver and front passenger active headrests | S | S | S | S | S | S |
| **Windows, Glass & Wipers** | | | | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S | S | S | S |
| Power sliding rear window with privacy glass | P | P | P | – | – | – |
| **Interior** | | | | | | |
| **Air Conditioner, Heater & Defroster** | | | | | | |
| Automatic climate control with | P | P | P | P | P | S |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| air filtration and combined temperature settings for driver and front passenger | | | | | | |
| Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger | – | – | – | – | – | P |
| **Audio, Entertainment & Navigation** | | | | | | |
| 8-in. Audio Multimedia Display | S | S | S | S | S | S |
| 14-in. Audio Multimedia Display | – | – | – | – | – | – |
| Wireless Apple CarPlay® compatibility[13] | S | S | S | S | S | S |
| Wireless Android Auto™ compatibility[14] | S | S | S | S | S | S |
| Hands-free phone capability & music streaming via *Bluetooth*® wireless technology[3] | S | S | S | S | S | S |
| 3-month SiriusXM® trial subscription[15] | S | S | S | S | S | S |
| 4 speakers | – | – | – | S | S | S |
| 6 speakers | S | S | S | – | – | – |
| 10 JBL®[2] speakers including JBL FLEX®[2] portable *Bluetooth* speaker | P | P | P | – | – | – |
| Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G network dependent | – | – | – | – | – | – |
| Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| **Cup & Bottle Holders** | | | | | | |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| Five cup and bottle holders | S | S | S | S | S | S |
| **Drive Modes** | | | | | | |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49] | – | – | – | – | – | – |
| **Instrumentation** | | | | | | |
| 12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages | O | O | O | O | O | S |
| Head-Up Display (HUD) | – | – | – | – | – | – |
| **Lights** | | | | | | |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S | S | S | S |
| **Mirrors** | | | | | | |
| Manual day/night rearview mirror | – | – | – | – | – | – |
| Auto-dimming day/night rearview mirror | S | S | S | S | S | S |
| Auto-dimming day/night rearview mirror with HomeLink®[23] universal transceiver | – | – | – | – | – | – |
| Digital rearview mirror with HomeLink®[23] universal transceiver | – | – | – | – | – | – |
| **Power Outlets** | | | | | | |
| Dual USB-C ports with power delivery[24] | S | S | S | S | S | S |
| Qi-compatible wireless smartphone charging[25] with charge indicator light | – | – | – | – | – | – |
| Bed-mounted 400W/120V AC power inverter[4] | – | – | – | – | – | – |
| Bed-mounted 2400W/120V AC power inverter[11] | – | – | – | – | – | – |
| Prewired DC power auxiliary switches | – | – | – | – | – | – |
| **Seats** | | | | | | |
| 6-way adjustable driver's seat with lumbar support | S | S | S | S | S | S |
| 8-way power adjustable | – | – | – | – | – | – |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| driver's seat including 4-way lumbar support | | | | | | |
| 6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support | – | – | – | – | – | – |
| 6-way adjustable front passenger seat | S | S | S | S | S | S |
| 8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support | – | – | – | – | – | – |
| Fabric-trimmed seats | S | S | S | S | S | S |
| SofTex®-trimmed seats[6] | – | – | – | – | – | – |
| Heated front seats | P | P | P | P | P | – |
| Heated and ventilated front seats | – | – | – | – | – | – |
| TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts | – | – | – | – | – | – |
| 60/40 split, folding rear seat with behind and under-seat storage | S | S | S | – | – | – |
| Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment | – | – | – | S | S | S |
| **Steering Wheel** | | | | | | |
| Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | S | S | S | S | S | – |
| Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | P | P | P | P | P | S |
| TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls | – | – | – | – | – | – |
| Heated steering wheel | P | P | P | P | P | – |
| **Storage Areas** | | | | | | |
| Center console with covered | S | S | S | S | S | S |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| armrest and storage compartment | | | | | | |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S | S | S | S |
| **Trim** | | | | | | |
| Leather-trimmed shift lever | – | – | – | P | – | – |
| TRD Pro shift knob | – | – | – | – | – | – |
| TRD Pro floor mats[26] | – | – | – | – | – | – |
| **Exterior** | | | | | | |
| **Lights** | | | | | | |
| LED headlights | S | S | S | S | S | S |
| LED Daytime Running Lights (DRL) | S | S | S | S | S | S |
| Sequential LED turn signals | – | – | – | – | – | – |
| Backlight logos | – | – | – | – | – | – |
| Manual leveling adjustment | S | S | S | S | S | S |
| Integrated bed scene lighting | – | – | – | – | – | – |
| LED bed lighting | P | P | P | P | P | P |
| LED fog lights | S | S | S | S | S | S |
| Rigid Industries®[10] LED fog lights | – | – | – | – | – | – |
| Rigid Industries®[10] white-and-amber-color switching LED fog lights | – | – | – | – | – | – |
| **Mirrors** | | | | | | |
| Color-keyed, heated, power outside mirrors | S | S | S | S | S | S |
| Outside mirrors with turn signal indicators | – | – | – | – | – | – |
| **Moonroof** | | | | | | |
| Power tilt/slide moonroof and sliding sunshade | – | – | – | – | – | – |
| **Power Outlets** | | | | | | |
| 400W/120V AC power inverter[4] | – | – | – | – | – | – |
| **Racks** | | | | | | |
| Four fixed cargo bed tie-down points | – | – | – | – | – | – |
| Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points | S | S | S | S | S | S |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| **Skid Plates** | | | | | | |
| Composite underbody transfer case and fuel tank protection | – | – | – | – | – | – |
| TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection | – | – | – | – | – | – |
| High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, and composite fuel tank protector | – | – | – | – | – | – |
| **Trim** | | | | | | |
| Heritage-inspired "TOYOTA" front grille with integrated light bar | – | – | – | – | – | – |
| High-clearance front bumper | – | – | – | – | – | – |
| Color-keyed rear bumper | S | S | S | S | S | S |
| ARB®[51] steel rear bumper and red rear recovery hooks | – | – | – | – | – | – |
| Frame-mounted steel rock rails | – | – | – | – | – | – |
| Power running boards | – | – | – | – | – | – |
| Bed storage box | – | – | – | – | – | – |
| Lightweight "TACOMA" stamped tailgate with damper | P | P | P | P | P | P |
| Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection | – | – | – | – | – | – |
| Lightweight "TACOMA" stamped tailgate | S | S | S | S | S | S |
| "TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection | – | – | – | – | – | – |
| Chrome-finished exhaust tip | – | – | – | – | – | – |
| Front and rear mudguards | O | O | O | O | O | O |
| High-clearance trail exhaust tip | – | – | – | – | – | – |
| High clearance front bumper | – | – | – | – | – | – |
| TRD black performance exhaust | – | – | – | – | – | – |
| Passenger-side front recovery point | – | – | – | – | – | – |
| Driver-side and passenger-side front recovery points | – | – | – | – | – | – |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| ARB®[51] steel rear bumper with red-painted recovery points | – | – | – | – | – | – |
| ARB®[51] modular bed utility bar with removable MOLLE panels | – | – | – | – | – | – |
| Active grille shutters | S | S | S | S | S | S |
| Reinforced rocker protector | – | – | – | – | – | – |
| Aluminum-reinforced composite bed | S | S | S | S | S | S |
| Low-profile, rear-facing, high-mount air intake | – | – | – | – | – | – |
| **Wheels & Tires** | | | | | | |
| 17-in. steel wheels with 245/70R17 tires | – | – | – | – | – | – |
| 17-in. styled alloy wheels with 265/70R17 all-terrain tires | S | S | S | S | S | – |
| 17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | – |
| 18-in. TRD Sport alloy wheels with 265/65R18 tires | – | – | – | – | – | – |
| 17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | S |
| 18-in. Limited chrome-finished alloy wheels with 265/65R18 tires | – | – | – | – | – | – |
| 18-in. TRD Off-Road alloy wheels with 265/70R18 tires | – | – | – | – | – | – |
| 18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires | – | – | – | – | – | – |
| 18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires | – | – | – | – | – | – |
| **Windows, Glass & Wipers** | | | | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S | S | S | S |
| Power sliding rear window with privacy glass | P | P | P | – | – | – |

# Additional Features...

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| **Safety/Convenience** | | | | | | |
| **Airbags** | | | | | | |
| Driver and front passenger Advanced Airbag System[28] | S | S | S | S | S | S |
| Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28] | S | S | S | S | S | S |
| **Backup Camera** | | | | | | |
| Backup Guide Monitor[29] | S | S | S | S | S | S |
| 3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views | – | – | – | – | – | P |
| 3D Panoramic View Monitor[7] with selectable front, side and rear views | P | P | P | P | P | – |
| **Braking Systems** | | | | | | |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S | S | S | S |
| Hill Start Assist Control (HAC)[30] | S | S | S | S | S | S |
| Active Traction Control (A-TRAC) | – | – | – | – | – | S |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49] | – | – | – | – | – | P |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Smart Stop Technology®[32] – part of Star Safety System™ | S | S | S | S | S | S |
| Traction Control – part of Star Safety System™ | S | S | S | S | S | S |
| Vehicle Stability Control | S | S | S | S | S | S |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| (VSC)[33] – part of Star Safety System™ | | | | | | |
| **Convenience** | | | | | | |
| Smart Key System on driver door with Push Button Start | – | – | – | – | – | – |
| Smart Key System on driver and front passenger doors with Push Button Start | S | S | S | S | S | S |
| Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent) | P | P | P | P | P | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | S | S | S | S | S | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[9]; Trailer Blind Spot Monitor: Trailer Camera | P | P | P | P | P | P |
| **Cruise Control** | | | | | | |
| Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| **Safety & Security** | | | | | | |
| Star Safety System™ | S | S | S | S | S | S |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S | S | S | S |
| Smart Stop Technology® (SST)[32] – part of Star Safety System™ | S | S | S | S | S | S |
| Traction Control (TRAC) – part of Star Safety System™ | S | S | S | S | S | S |
| Vehicle Stability Control (VSC)[33] – part of Star Safety System™ | S | S | S | S | S | S |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S | S | S | S |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Automatic High Beams (AHB)[35] – part of Toyota Safety Sense™ P (TSS 3.0)[1] | S | S | S | S | S | S |
| Full-Speed Range Dynamic Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Lane Departure Alert with Steering Assist (LDA w/ SA) [36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1] | S | S | S | S | S | S |
| Proactive Driving Assist (PDA)[46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1] | S | S | S | S | S | S |
| Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Lane Tracing Assist (LTA)[48] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37] | S | S | S | S | S | S |
| Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls | P | P | P | P | P | P |
| Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection | P | P | – | P | P | P |
| Front and Rear Parking Assist Sonar[50] | – | – | P | – | – | – |
| Child-protector rear door locks | – | S | S | S | – | – |
| Engine immobilizer[38] | S | S | S | S | S | S |
| Tire Pressure Monitor System (TPMS)[40] | – | – | – | – | – | – |
| Tire Pressure Monitor System (TPMS)[40] with individual tire location alert | S | S | S | S | S | S |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| **Seatbelts & Child Restraint System** | | | | | | |
| 3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | S | S | S | S | S | S |
| LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab | S | S | S | S | S | S |
| **Seats** | | | | | | |
| Driver and front passenger active headrests | S | S | S | S | S | S |
| **Windows, Glass & Wipers** | | | | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S | S | S | S |
| Power sliding rear window with privacy glass | P | P | P | P | P | S |
| **Interior** | | | | | | |
| **Air Conditioner, Heater & Defroster** | | | | | | |
| Automatic climate control with air filtration and combined temperature settings for driver and front passenger | S | S | S | S | S | S |
| Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger | P | P | P | P | P | P |
| **Audio, Entertainment & Navigation** | | | | | | |
| 8-in. Audio Multimedia Display | S | S | S | S | S | S |
| 14-in. Audio Multimedia Display | P | P | – | P | P | P |
| Wireless Apple CarPlay® compatibility[13] | S | S | S | S | S | S |
| Wireless Android Auto™ compatibility[14] | S | S | S | S | S | P |
| Hands-free phone capability & music streaming via *Bluetooth*® wireless technology[3] | S | S | S | S | S | S |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| 3-month SiriusXM® trial subscription[15] | S | S | S | S | S | P |
| 4 speakers | – | – | – | – | – | – |
| 6 speakers | S | S | S | S | S | S |
| 10 JBL®[2] speakers including JBL FLEX®[2] portable *Bluetooth* speaker | P | P | P | P | P | P |
| Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G network dependent | – | – | – | – | – | P |
| Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | P |
| Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | S |
| Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | P |
| **Cup & Bottle Holders** | | | | | | |
| Five cup and bottle holders | S | S | S | – | S | TBD |
| **Drive Modes** | | | | | | |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49] | – | – | – | – | – | – |
| **Instrumentation** | | | | | | |
| 12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages | S | S | S | S | S | P |
| Head-Up Display (HUD) | – | – | – | – | – | – |
| **Lights** | | | | | | |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S | S | S | S |
| **Mirrors** | | | | | | |
| Manual day/night rearview mirror | – | – | – | – | – | – |
| Auto-dimming day/night rearview mirror | S | S | S | S | S | S |
| Auto-dimming day/night rearview mirror with HomeLink®[23] universal transceiver | P | P | P | P | P | P |
| Digital rearview mirror with HomeLink®[23] universal transceiver | P | P | P | P | P | P |
| **Power Outlets** | | | | | | |
| Dual USB-C ports with power delivery[24] | S | S | S | S | S | S |
| Qi-compatible wireless smartphone charging[25] with charge indicator light | P | P | P | P | P | P |
| Bed-mounted 400W/120V AC power inverter[4] | P | P | P | P | P | – |
| Bed-mounted 2400W/120V AC power inverter[11] | – | – | – | – | – | S |
| Prewired DC power auxiliary switches | P | P | P | P | P | S |
| **Seats** | | | | | | |
| 6-way adjustable driver's seat with lumbar support | S | S | S | S | S | S |
| 8-way power adjustable driver's seat including 4-way lumbar support | P | P | P | P | P | P |
| 6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support | – | – | – | – | – | S |
| 6-way adjustable front passenger seat | S | S | S | S | S | P |
| 8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support | P | P | P | P | P | S |
| Fabric-trimmed seats | S | S | S | S | S | P |
| SofTex®-trimmed seats[6] | P | P | P | P | P | P |
| Heated front seats | P | P | P | P | P | P |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Heated and ventilated front seats | P | P | P | P | P | – |
| TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts | – | – | – | – | – | – |
| 60/40 split, folding rear seat with behind and under-seat storage | S | S | S | S | S | – |
| Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment | – | – | – | – | – | – |
| **Steering Wheel** | | | | | | |
| Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | – | – | – | – | – | – |
| Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | S | S | S | S | S | S |
| TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls | – | – | – | – | – | – |
| Heated steering wheel | P | P | P | P | P | P |
| **Storage Areas** | | | | | | |
| Center console with covered armrest and storage compartment | S | S | S | | S | S |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S | S | S | S |
| **Trim** | | | | | | |
| Leather-trimmed shift lever | – | P | – | – | S | S |
| TRD Pro shift knob | – | – | – | – | – | – |
| TRD Pro floor mats[26] | – | – | – | – | – | – |
| **Exterior** | | | | | | |
| **Lights** | | | | | | |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| LED headlights | S | S | S | S | S | S |
| LED Daytime Running Lights (DRL) | S | S | S | S | S | S |
| Sequential LED turn signals | – | – | – | – | – | – |
| Backlight logos | – | – | – | – | – | – |
| Manual leveling adjustment | S | S | S | S | S | S |
| Integrated bed scene lighting | – | – | – | – | – | – |
| LED bed lighting | S | S | S | S | S | S |
| LED fog lights | S | S | S | S | S | S |
| Rigid Industries®[10] LED fog lights | – | – | – | – | – | – |
| Rigid Industries®[10] white-and-amber-color switching LED fog lights | – | – | – | – | – | – |
| **Mirrors** | | | | | | |
| Color-keyed, heated, power outside mirrors | S | S | S | S | S | S |
| Outside mirrors with turn signal indicators | – | – | – | – | S | S |
| **Moonroof** | | | | | | |
| Power tilt/slide moonroof and sliding sunshade | P | P | P | P | P | P |
| **Power Outlets** | | | | | | |
| 400W/120V AC power inverter[4] | P | P | P | P | P | – |
| **Racks** | | | | | | |
| Four fixed cargo bed tie-down points | – | – | – | – | – | – |
| Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points | S | S | S | S | S | S |
| **Skid Plates** | | | | | | |
| Composite underbody transfer case and fuel tank protection | – | – | – | – | – | – |
| TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection | – | – | – | – | – | – |
| High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, | – | – | – | – | – | – |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| and composite fuel tank protector | | | | | | |
| **Trim** | | | | | | |
| Heritage-inspired "TOYOTA" front grille with integrated light bar | – | – | – | – | – | – |
| High-clearance front bumper | – | – | – | – | – | – |
| Color-keyed rear bumper | S | S | S | S | S | S |
| ARB®[51] steel rear bumper and red rear recovery hooks | – | – | – | – | – | – |
| Frame-mounted steel rock rails | – | – | – | – | – | – |
| Power running boards | – | – | – | – | – | – |
| Bed storage box | P | P | P | P | P | P |
| Lightweight "TACOMA" stamped tailgate with damper | P | P | P | P | P | S |
| Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection | P | P | P | P | P | P |
| Lightweight "TACOMA" stamped tailgate | S | S | S | S | S | – |
| "TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection | – | – | – | – | – | – |
| Chrome-finished exhaust tip | – | – | – | – | – | – |
| Front and rear mudguards | O | O | O | O | O | O |
| High-clearance trail exhaust tip | – | – | – | – | – | – |
| High clearance front bumper | – | – | – | – | – | – |
| TRD black performance exhaust | – | – | – | – | – | – |
| Passenger-side front recovery point | – | – | – | – | – | – |
| Driver-side and passenger-side front recovery points | – | – | – | – | – | – |
| ARB®[51] steel rear bumper with red-painted recovery points | – | – | – | – | – | – |
| ARB®[51] modular bed utility bar with removable MOLLE panels | – | – | – | – | – | – |
| Active grille shutters | S | S | S | S | S | S |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Reinforced rocker protector | – | – | – | – | – | – |
| Aluminum-reinforced composite bed | S | S | S | S | S | S |
| Low-profile, rear-facing, high-mount air intake | – | – | – | – | – | – |
| **Wheels & Tires** | | | | | | |
| 17-in. steel wheels with 245/70R17 tires | – | – | – | – | – | – |
| 17-in. styled alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | – |
| 17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | – |
| 18-in. TRD Sport alloy wheels with 265/65R18 tires | S | S | S | S | S | S |
| 17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | – |
| 18-in. Limited chrome-finished alloy wheels with 265/65R18 tires | – | – | – | – | – | – |
| 18-in. TRD Off-Road alloy wheels with 265/70R18 tires | – | – | – | – | – | – |
| 18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires | – | – | – | – | – | – |
| 18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires | – | – | – | – | – | – |
| **Windows, Glass & Wipers** | | | | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S | S | S | TBD |
| Power sliding rear window with privacy glass | P | P | P | P | P | P |

## Additional Features...

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| **Safety/Convenience** | | | | | | |
| **Airbags** | | | | | | |
| Driver and front passenger Advanced Airbag System[28] | S | S | S | S | S | S |
| Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28] | S | S | S | S | S | S |
| **Backup Camera** | | | | | | |
| Backup Guide Monitor[29] | S | S | S | S | S | S |
| 3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views | P | P | P | – | – | – |
| 3D Panoramic View Monitor[7] with selectable front, side and rear views | – | – | – | P | S | S |
| **Braking Systems** | | | | | | |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S | S | S | S |
| Hill Start Assist Control (HAC)[30] | S | S | S | S | – | – |
| Active Traction Control (A-TRAC) | – | – | – | S | S | S |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49] | S | S | – | P | – | P |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Smart Stop Technology®[32] – part of Star Safety System™ | S | S | S | S | S | S |
| Traction Control – part of Star Safety System™ | S | S | S | S | S | S |
| Vehicle Stability Control (VSC)[33] – part of Star | S | S | S | S | S | S |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Safety System™ | | | | | | |
| **Convenience** | | | | | | |
| Smart Key System on driver door with Push Button Start | – | – | – | – | – | – |
| Smart Key System on driver and front passenger doors with Push Button Start | S | S | S | S | S | S |
| Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent) | P | P | P | P | S | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | S | S | S | S | S | – |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [9]; Trailer Blind Spot Monitor: Trailer Camera | P | P | P | P | S | S |
| **Cruise Control** | | | | | | |
| Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1] | S | S | S | S | S | S |
| **Safety & Security** | | | | | | |
| Star Safety System™ | S | S | S | S | S | S |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S | S | S | S |
| Smart Stop Technology® (SST)[32] – part of Star Safety System™ | S | S | S | S | S | S |
| Traction Control (TRAC) – part of Star Safety System™ | S | S | S | S | S | S |
| Vehicle Stability Control (VSC)[33] – part of Star Safety System™ | S | S | S | S | S | S |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S | S | S | S |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Automatic High Beams (AHB)[35] – part of Toyota Safety Sense™ P (TSS 3.0)[1] | S | S | S | S | S | S |
| Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Lane Departure Alert with Steering Assist (LDA w/ SA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Proactive Driving Assist (PDA)[46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Lane Tracing Assist (LTA)[48] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S | S | S | S |
| Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37] | S | S | S | S | S | S |
| Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls | P | P | P | P | S | S |
| Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection | P | P | – | P | S | – |
| Front and Rear Parking Assist Sonar[50] | – | – | P | – | – | – |
| Child-protector rear door locks | S | S | – | – | – | – |
| Engine immobilizer[38] | S | S | S | S | S | S |
| Tire Pressure Monitor System (TPMS)[40] | – | – | – | – | – | – |
| Tire Pressure Monitor System (TPMS)[40] with | S | S | S | S | S | S |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| individual tire location alert | | | | | | |
| **Seatbelts & Child Restraint System** | | | | | | |
| 3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | S | S | S | S | S | S |
| LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab | S | S | S | S | S | S |
| **Seats** | | | | | | |
| Driver and front passenger active headrests | S | S | S | S | S | S |
| **Windows, Glass & Wipers** | | | | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S | S | S | S |
| Power sliding rear window with privacy glass | P | P | P | S | S | S |
| **Interior** | | | | | | |
| **Air Conditioner, Heater & Defroster** | | | | | | |
| Automatic climate control with air filtration and combined temperature settings for driver and front passenger | S | S | S | S | – | – |
| Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger | P | P | P | P | S | S |
| **Audio, Entertainment & Navigation** | | | | | | |
| 8-in. Audio Multimedia Display | S | S | S | S | – | – |
| 14-in. Audio Multimedia Display | P | P | P | P | S | S |
| Wireless Apple CarPlay® compatibility[13] | S | S | S | S | S | – |
| Wireless Android Auto™ compatibility[14] | S | S | S | P | S | S |
| Hands-free phone capability & music streaming via *Bluetooth*® | S | S | S | S | S | – |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| wireless technology[3] | | | | | | |
| 3-month SiriusXM® trial subscription[15] | S | S | S | P | S | S |
| 4 speakers | – | – | – | – | – | – |
| 6 speakers | S | S | S | S | S | – |
| 10 JBL®[2] speakers including JBL FLEX®[2] portable *Bluetooth* speaker | P | P | P | P | – | S |
| Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G network dependent | – | – | – | P | S | S |
| Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | – |
| Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | P | S | S |
| Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | S | S | – |
| Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S | P | S | S |
| **Cup & Bottle Holders** | | | | | | |
| Five cup and bottle holders | S | S | S | TBD | – | TBD |
| **Drive Modes** | | | | | | |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49] | S | S | – | S | – | S |
| **Instrumentation** | | | | | | |
| 12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages | S | S | S | P | S | S |
| Head-Up Display (HUD) | – | – | – | – | S | S |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| **Lights** | | | | | | |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S | S | S | S |
| **Mirrors** | | | | | | |
| Manual day/night rearview mirror | – | – | – | – | – | – |
| Auto-dimming day/night rearview mirror | S | S | S | S | – | – |
| Auto-dimming day/night rearview mirror with HomeLink®[23] universal transceiver | P | P | P | P | S | S |
| Digital rearview mirror with HomeLink®[23] universal transceiver | P | P | P | P | – | S |
| **Power Outlets** | | | | | | |
| Dual USB-C ports with power delivery[24] | S | S | S | S | S | S |
| Qi-compatible wireless smartphone charging[25] with charge indicator light | P | P | P | P | S | S |
| Bed-mounted 400W/120V AC power inverter[4] | P | P | P | – | S | – |
| Bed-mounted 2400W/120V AC power inverter[11] | – | – | – | S | – | S |
| Prewired DC power auxiliary switches | P | P | P | P | S | – |
| **Seats** | | | | | | |
| 6-way adjustable driver's seat with lumbar support | S | S | S | S | – | – |
| 8-way power adjustable driver's seat including 4-way lumbar support | P | P | P | P | – | – |
| 6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support | – | – | – | S | – | – |
| 6-way adjustable front passenger seat | S | S | S | P | – | – |
| 8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support | P | P | P | S | S | – |
| Fabric-trimmed seats | S | S | S | P | S | S |
| SofTex®-trimmed seats[6] | P | P | P | P | S | – |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Heated front seats | P | P | P | P | – | S |
| Heated and ventilated front seats | P | P | P | – | S | – |
| TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts | – | – | – | – | – | – |
| 60/40 split, folding rear seat with behind and under-seat storage | S | S | S | – | S | – |
| Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment | – | – | – | – | – | – |
| **Steering Wheel** | | | | | | |
| Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | – | – | – | – | – | – |
| Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | S | S | S | S | S | S |
| TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls | – | – | – | – | – | – |
| Heated steering wheel | P | P | P | P | S | S |
| **Storage Areas** | | | | | | |
| Center console with covered armrest and storage compartment | S | S | S | S | S | S |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S | S | S | S |
| **Trim** | | | | | | |
| Leather-trimmed shift lever | S | S | S | S | S | S |
| TRD Pro shift knob | – | – | – | – | – | – |
| TRD Pro floor mats[26] | – | – | – | – | – | – |
| **Exterior** | | | | | | |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| **Lights** | | | | | | |
| LED headlights | S | S | S | S | S | S |
| LED Daytime Running Lights (DRL) | S | S | S | S | S | S |
| Sequential LED turn signals | – | – | – | – | S | S |
| Backlight logos | – | – | – | – | S | S |
| Manual leveling adjustment | S | S | S | S | S | S |
| Integrated bed scene lighting | – | – | – | – | – | – |
| LED bed lighting | S | S | S | S | S | S |
| LED fog lights | S | S | S | S | S | S |
| Rigid Industries®[10] LED fog lights | – | – | – | – | – | – |
| Rigid Industries®[10] white-and-amber-color switching LED fog lights | – | – | – | – | – | – |
| **Mirrors** | | | | | | |
| Color-keyed, heated, power outside mirrors | S | S | S | S | S | S |
| Outside mirrors with turn signal indicators | S | S | S | S | S | S |
| **Moonroof** | | | | | | |
| Power tilt/slide moonroof and sliding sunshade | P | P | P | P | S | S |
| **Power Outlets** | | | | | | |
| 400W/120V AC power inverter[4] | P | P | P | – | S | – |
| **Racks** | | | | | | |
| Four fixed cargo bed tie-down points | – | – | – | – | – | – |
| Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points | S | S | S | S | S | S |
| **Skid Plates** | | | | | | |
| Composite underbody transfer case and fuel tank protection | S | S | S | S | – | – |
| TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection | – | – | – | – | – | – |
| High strength underbody protection, including steel front skid plate, steel transfer case protector, | – | – | – | – | – | – |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| steel rear differential protector, and composite fuel tank protector | | | | | | |
| **Trim** | | | | | | |
| Heritage-inspired "TOYOTA" front grille with integrated light bar | – | – | – | – | – | – |
| High-clearance front bumper | – | – | – | – | – | – |
| Color-keyed rear bumper | S | S | S | S | S | S |
| ARB®[51] steel rear bumper and red rear recovery hooks | – | – | – | – | – | – |
| Frame-mounted steel rock rails | – | – | – | – | – | – |
| Power running boards | – | – | – | – | S | S |
| Bed storage box | P | P | P | P | S | S |
| Lightweight "TACOMA" stamped tailgate with damper | P | P | P | S | – | – |
| Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection | P | P | P | P | S | S |
| Lightweight "TACOMA" stamped tailgate | S | S | S | – | – | – |
| "TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection | – | – | – | – | – | – |
| Chrome-finished exhaust tip | – | – | – | – | S | S |
| Front and rear mudguards | O | O | O | O | O | O |
| High-clearance trail exhaust tip | – | – | – | – | – | – |
| High clearance front bumper | – | – | – | – | – | – |
| TRD black performance exhaust | – | – | – | – | – | – |
| Passenger-side front recovery point | – | – | – | – | – | – |
| Driver-side and passenger-side front recovery points | – | – | – | – | – | – |
| ARB®[51] steel rear bumper with red-painted recovery points | – | – | – | – | – | – |
| ARB®[51] modular bed | – | – | – | – | – | – |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| utility bar with removable MOLLE panels | | | | | | |
| Active grille shutters | S | S | S | S | S | S |
| Reinforced rocker protector | – | – | – | – | – | – |
| Aluminum-reinforced composite bed | S | S | S | S | S | S |
| Low-profile, rear-facing, high-mount air intake | – | – | – | | – | – |
| **Wheels & Tires** | | | | | | |
| 17-in. steel wheels with 245/70R17 tires | – | – | – | – | – | – |
| 17-in. styled alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | – |
| 17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires | S | S | S | - | – | – |
| 18-in. TRD Sport alloy wheels with 265/65R18 tires | – | – | – | – | – | – |
| 17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires | – | – | – | – | – | – |
| 18-in. Limited chrome-finished alloy wheels with 265/65R18 tires | – | – | – | – | S | S |
| 18-in. TRD Off-Road alloy wheels with 265/70R18 tires | – | – | – | S | – | – |
| 18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires | – | – | – | – | – | – |
| 18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires | – | – | – | – | – | – |
| **Windows, Glass & Wipers** | | | | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S | TBD | S | TBD |
| Power sliding rear window with privacy glass | P | P | P | P | S | S |

# Additional Features...

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| **Safety/Convenience** | | | |
| **Airbags** | | | |
| Driver and front passenger Advanced Airbag System[28] | S | S | S |
| Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28] | S | S | S |
| **Backup Camera** | | | |
| Backup Guide Monitor[29] | S | S | S |
| 3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views | S | S | S |
| 3D Panoramic View Monitor[7] with selectable front, side and rear views | – | – | – |
| **Braking Systems** | | | |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S |
| Hill Start Assist Control (HAC)[30] | S | S | S |
| Active Traction Control (A-TRAC) | S | S | S |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC) [49] | S | S | S |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| Smart Stop Technology®[32] – part of Star Safety System™ | S | S | S |
| Traction Control – part of Star Safety System™ | S | S | S |
| Vehicle Stability Control (VSC)[33] – part of Star Safety System™ | S | S | S |
| **Convenience** | | | |
| Smart Key System on driver door with Push Button Start | – | – | – |
| Smart Key System on driver and front passenger doors with Push Button Start | S | S | S |
| Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent) | S | S | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | – | – | – |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[9]; Trailer Blind Spot Monitor: Trailer Camera | S | S | S |

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| **Cruise Control** | | | |
| Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| **Safety & Security** | | | |
| Star Safety System™ | S | S | S |
| Anti-lock Brake System (ABS) – part of Star Safety System™ | S | S | S |
| Brake Assist (BA) – part of Star Safety System™ | S | S | S |
| Electronic Brake-force Distribution (EBD) – part of Star Safety System™ | S | S | S |
| Smart Stop Technology® (SST)[32] – part of Star Safety System™ | S | S | S |
| Traction Control (TRAC) – part of Star Safety System™ | S | S | S |
| Vehicle Stability Control (VSC)[33] – part of Star Safety System™ | S | S | S |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S |
| Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| Automatic High Beams (AHB)[35] – part of Toyota Safety Sense™ P (TSS 3.0)[1] | S | S | S |
| Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| Lane Departure Alert with Steering Assist (LDA w/ SA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| Proactive Driving Assist (PDA)[46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| Lane Tracing Assist (LTA)[48] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1] | S | S | S |
| Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37] | S | S | S |
| Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls | S | S | S |
| Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection | – | – | – |
| Front and Rear Parking Assist Sonar[50] | – | – | – |
| Child-protector rear door locks | – | – | – |

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| Engine immobilizer[38] | S | S | S |
| Tire Pressure Monitor System (TPMS)[40] | – | – | – |
| Tire Pressure Monitor System (TPMS)[40] with individual tire location alert | S | S | S |
| **Seatbelts & Child Restraint System** | | | |
| 3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | S | S | S |
| LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab | S | S | S |
| **Seats** | | | |
| Driver and front passenger active headrests | S | S | S |
| **Windows, Glass & Wipers** | | | |
| Variable intermittent windshield wipers with mist cycle | S | S | S |
| Power sliding rear window with privacy glass | S | S | S |
| **Interior** | | | |
| **Air Conditioner, Heater & Defroster** | | | |
| Automatic climate control with air filtration and combined temperature settings for driver and front passenger | – | – | – |
| Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger | S | S | S |
| **Audio, Entertainment & Navigation** | | | |
| 8-in. Audio Multimedia Display | – | – | – |
| 14-in. Audio Multimedia Display | S | S | S |
| Wireless Apple CarPlay® compatibility[13] | – | – | – |
| Wireless Android Auto™ compatibility[14] | S | S | S |
| Hands-free phone capability & music streaming via *Bluetooth*® wireless technology[3] | – | – | – |
| 3-month SiriusXM® trial subscription[15] | S | S | S |
| 4 speakers | – | – | – |
| 6 speakers | – | – | – |
| 10 JBL®[2] speakers including JBL FLEX®[2] portable *Bluetooth* speaker | S | S | S |
| Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G network dependent | S | S | S |
| Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | – | – | – |
| Safety Connect® with up to a 10-year trial. | S | S | S |

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| Subscription required after trial. 4G network dependent. – part of Connected Services[17] | | | |
| Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | – | – | – |
| Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17] | S | S | S |
| **Cup & Bottle Holders** | | | |
| Five cup and bottle holders | TBD | TBD | TBD |
| **Drive Modes** | | | |
| Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC) [49] | S | S | S |
| **Instrumentation** | | | |
| 12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages | S | S | S |
| Head-Up Display (HUD) | S | S | S |
| **Lights** | | | |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S |
| **Mirrors** | | | |
| Manual day/night rearview mirror | – | – | – |
| Auto-dimming day/night rearview mirror | – | – | – |
| Auto-dimming day/night rearview mirror with HomeLink®[23] universal transceiver | S | S | S |
| Digital rearview mirror with HomeLink®[23] universal transceiver | S | S | S |
| **Power Outlets** | | | |
| Dual USB-C ports with power delivery[24] | S | S | S |
| Qi-compatible wireless smartphone charging[25] with charge indicator light | S | S | S |
| Bed-mounted 400W/120V AC power inverter[4] | – | – | – |
| Bed-mounted 2400W/120V AC power inverter[11] | S | S | S |
| Prewired DC power auxiliary switches | S | S | S |
| **Seats** | | | |
| 6-way adjustable driver's seat with lumbar support | – | – | – |
| 8-way power adjustable driver's seat including 4-way lumbar support | – | – | – |
| 6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support | – | – | – |
| 6-way adjustable front passenger seat | – | – | – |

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| 8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support | – | – | – |
| Fabric-trimmed seats | S | S | – |
| SofTex®-trimmed seats[6] | – | – | – |
| Heated front seats | S | S | S |
| Heated and ventilated front seats | – | – | S |
| TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts | – | – | – |
| 60/40 split, folding rear seat with behind and under-seat storage | – | – | – |
| Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment | – | – | – |
| **Steering Wheel** | | | |
| Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | – | – | – |
| Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls | S | S | – |
| TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls | – | – | S |
| Heated steering wheel | S | S | S |
| **Storage Areas** | | | |
| Center console with covered armrest and storage compartment | S | S | S |
| Overhead console with maplights, garage door opener compartment and sunglasses storage | S | S | S |
| **Trim** | | | |
| Leather-trimmed shift lever | S | S | S |
| TRD Pro shift knob | – | – | S |
| TRD Pro floor mats[26] | – | – | S |
| **Exterior** | | | |
| **Lights** | | | |
| LED headlights | S | S | S |
| LED Daytime Running Lights (DRL) | S | S | S |
| Sequential LED turn signals | S | S | S |
| Backlight logos | S | S | S |
| Manual leveling adjustment | S | S | S |
| Integrated bed scene lighting | S | S | O |
| LED bed lighting | S | S | S |
| LED fog lights | – | – | – |

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| Rigid Industries®[10] LED fog lights | – | – | S |
| Rigid Industries®[10] white-and-amber-color switching LED fog lights | S | S | – |
| **Mirrors** | | | |
| Color-keyed, heated, power outside mirrors | S | S | S |
| Outside mirrors with turn signal indicators | S | S | S |
| **Moonroof** | | | |
| Power tilt/slide moonroof and sliding sunshade | – | – | S |
| **Power Outlets** | | | |
| 400W/120V AC power inverter[4] | – | – | – |
| **Racks** | | | |
| Four fixed cargo bed tie-down points | – | – | – |
| Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points | S | S | S |
| **Skid Plates** | | | |
| Composite underbody transfer case and fuel tank protection | – | – | – |
| TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection | – | – | S |
| High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, and composite fuel tank protector | S | S | – |
| **Trim** | | | |
| Heritage-inspired "TOYOTA" front grille with integrated light bar | S | S | S |
| High-clearance front bumper | S | S | S |
| Color-keyed rear bumper | – | – | – |
| ARB®[51] steel rear bumper and red rear recovery hooks | S | S | S |
| Frame-mounted steel rock rails | S | S | – |
| Power running boards | – | – | – |
| Bed storage box | S | S | S |
| Lightweight "TACOMA" stamped tailgate with damper | – | – | – |
| Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection | S | S | S |
| Lightweight "TACOMA" stamped tailgate | – | – | – |
| "TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection | – | – | S |
| Chrome-finished exhaust tip | – | – | – |
| Front and rear mudguards | O | O | O |
| High-clearance trail exhaust tip | S | S | – |

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| High clearance front bumper | S | S | S |
| TRD black performance exhaust | – | – | S |
| Passenger-side front recovery point | S | S | S |
| Driver-side and passenger-side front recovery points | S | S | – |
| ARB®[51] steel rear bumper with red-painted recovery points | – | – | S |
| ARB®[51] modular bed utility bar with removable MOLLE panels | S | S | – |
| Active grille shutters | S | S | S |
| Reinforced rocker protector | – | – | S |
| Aluminum-reinforced composite bed | S | S | S |
| Low-profile, rear-facing, high-mount air intake | S | S | – |
| **Wheels & Tires** | | | |
| 17-in. steel wheels with 245/70R17 tires | – | – | – |
| 17-in. styled alloy wheels with 265/70R17 all-terrain tires | – | – | – |
| 17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires | – | – | – |
| 18-in. TRD Sport alloy wheels with 265/65R18 tires | – | – | – |
| 17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires | – | – | – |
| 18-in. Limited chrome-finished alloy wheels with 265/65R18 tires | – | – | – |
| 18-in. TRD Off-Road alloy wheels with 265/70R18 tires | – | – | – |
| 18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires | S | S | – |
| 18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires | – | – | S |
| **Windows, Glass & Wipers** | | | |
| Variable intermittent windshield wipers with mist cycle | TBD | TBD | TBD |
| Power sliding rear window with privacy glass | S | S | S |

# Specs

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| **Body Construction** | | | | | | |
| Type | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| **Brakes** | | | | | | |
| Front | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc |
| Rear | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc |
| **Dimensions – Exterior** | | | | | | |
| Approach / departure (with tow hitch) / breakover angle (degrees) | – | – | – | – | – | – |
| Ground clearance (in.) | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.4 |
| Overall length (in.) | 213 | 213 | 213 | 213 | 213 | 213 |
| Overall width (in.) | 76.9 | 76.9 | 76.9 | 76.9 | 76.9 | 76.9 |
| Overall height (in.) | 73.8 | 73.8 | 73.8 | 74 | 74 | 73.8 |
| Bed length (in.) | 213.0 | 213.0 | 213.0 | 213.0 | 213.0 | 213.0 |
| Bed width – between wheel wells (in.) | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 |
| Bed width – between accessory rail (in.) | 56.4 | 56.4 | 56.4 | 56.4 | 56.4 | 56.4 |
| Inside bed depth (in.) | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 |
| Inside bed width (at tailgate) (in.) | 53 | 53 | 53 | 53 | 53 | 53 |
| Inside bed length (in.) | 73.5 | 60.3 | 73.5 | 60.3 | 60.3 | 73.5 |
| Bed height (in.) | – | – | – | – | – | – |
| Track – front (in.) | – | – | – | – | – | – |
| Track – rear (in.) | – | – | – | – | – | – |
| Wheelbase (in.) | 131.9 | 131.9 | 131.9 | 131.9 | 131.9 | 131.9 |
| **Dimensions – Interior** | | | | | | |
| Head room – front/rear (in.) | 39.7/- | 39.7/38.4 | 39.7/38.4 | 39.7/- | 39.7/- | 39.7/38.4 |
| Head room with moonroof – front/rear (in.) | – | – | – | – | – | – |
| Shoulder room – front/rear (in.) | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 | 58.3/- | 58.3/- | 58.3/57.8 |
| Hip room – front/rear (in.) | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 | 56.8/- | 56.8/- | 56.8/56.3 |
| Leg room – front/rear (in.) | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 | 41.8/- | 41.8/- | 41.8/33.7 |
| **Drive Systems & Differentials** | | | | | | |
| Drivetrain layout | Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41] | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41] | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41] |
| Differential ring gear size – front (in.) | – | – | – | 8.0 | – | 8.0 |
| Differential ring gear size – rear (in.) | 8.9 | 8.9 | 8.9 | 8.9 | 8.9 | 8.9 |
| Differential ratio (Automatic Transmission) | 3.58 | 3.58 | – | 3.58 | 3.58 | 3.58 |
| Differential ratio (Manual Transmission) | – | – | 4.3 | – | – | – |
| 4x4 transfer case ratio – high/low | – | 1.00:1/2.57:1 | 1.00:1/2.57:1 | – | 1.00:1/2.57:1 | – |
| **Engines** | | | | | | |
| Type | 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i |
| Horsepower | 228 hp 6000 rpm | 228 hp 6000 rpm | 270 hp 5400 rpm | 228 hp 6000 rpm | 228 hp 6000 rpm | 278 hp 6000 rpm |
| Torque (lb.-ft.) | 243 lb.-ft. 1600 rpm | 243 lb.-ft. 1600 rpm | 310 lb.-ft. 2800 rpm | 243 lb.-ft. 1600 rpm | 243 lb.-ft. 1600 rpm | 317 lb.-ft. 1700 rpm |
| Injection system | D-4S | D-4S | D-4S | D-4S | D-4S | D-4S |
| Ignition system | Direct | Direct | Direct | Direct | Direct | Direct |
| Oil classification | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 |
| Oil type / weight | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 |
| TRD performance cold air intake | – | – | – | – | – | – |
| **Fuel Facts** | | | | | | |
| Manufacturer-estimated MPG (city/hwy/combined) | 20/26/23 | 19/24/21 | 18/23/20 | 20/26/23 | 19/24/21 | 21/26/23 |
| Fuel tank capacity (gal.) | 18.2 | 18.2 | 18.2 | 18.2 | 18.2 | 18.2 |
| Octane number | 87 or higher | 87 or higher | 87 or higher | 87 or higher | 87 or higher | 87 or higher |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| Federal emissions rating | Tier 3, SFTP | Tier 2-Bin 5, SFTP | Tier 3, SFTP | Tier 3, SFTP | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP |
| California emissions rating | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) |
| **Safety** | | | | | | |
| Total number of airbags[28] | 8 | 8 | 8 | 8 | 8 | 8 |
| Advanced Airbag System[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Seat-mounted side airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Knee airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Side curtain airbags[28] | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) |
| Driver seatbelt | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) |
| Front passenger seatbelt | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) |
| Rear passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts |
| LATCH locations | Lower anchors for front passenger seat | Lower anchors for front passenger seat | Lower anchors for front passenger seat and outboard rear seats | Lower anchors for front passenger seat | Lower anchors for front passenger seat | Lower anchors for front passenger seat and outboard rear seats |
| **Steering** | | | | | | |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S | S | S | S |
| Turning circle diameter – curb-to-curb (ft.) | 40.6 | 40.6 | 40.6 | 40.6 | 40.6 | 40.6 |
| **Suspension** | | | | | | |
| Front | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension |
| Rear | Leaf spring rear suspension | Leaf spring rear suspension | Leaf spring rear suspension | Leaf spring rear suspension | Leaf spring rear suspension | Coil spring multi-link rear suspension |
| Stabilizer Disconnect Mechanism (SDM) | – | – | – | – | – | – |
| Front stabilizer | S | S | S | S | S | – |
| Front and rear stabilizer | – | – | – | – | – | S |
| **Towing** | | | | | | |
| Maximum towing capacity (lb.)[18] | 3,500 | 3,500 | 6,400 | 3,500 | 3,500 | 6,400 |
| Tongue load (lb.) | 640 | 640 | 640 | 650 | 650 | 640 |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | S | S | S | P | P | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [19]; Trailer Blind Spot Monitor: Trailer Camera[5] | – | – | – | – | – | – |
| Passenger-side front and rear towing hooks | S | S | S | S | S | S |
| Driver's-side and passenger-side front and rear towing hooks | – | – | – | – | – | – |
| **Transmissions** | | | | | | |
| Type | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 6-speed intelligent Manual Transmission (iMT) with automatic rev-matching and anti-stall technology | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic |
| Gear Ratios | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27 | 1st: 4.79<br>2nd: 2,42<br>3rd: 1.44<br>4th: 1.00<br>5th: 0.78 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27 |

| | SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD) | SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD) | SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD) | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| | 6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 6th: 0.64<br>Reverse: 4.07 | 6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 |
| **Warranties & Maintenance** | | | | | | |
| Basic Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Powertrain Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| Corrosion Perforation Warranty | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles |
| Emissions Warranty | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide |
| Accessories Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Hybrid System Warranty | – | – | – | – | – | – |
| Hybrid Battery Warranty | – | – | – | – | – | – |
| Restraint Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| ToyotaCare Maintenance Plan[20] | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first |
| ToyotaCare Roadside Assistance Coverage[20] | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles |
| **Weights & Capacities** | | | | | | |
| Seating capacity | 5 | 5 | 5 | 2 | 2 | 5 |
| Manufacturer-estimated passenger volume (cu. ft.) – front/rear | 57.5/28.1 | 57.5/28.1 | 57.5/42.6 | 57.5/28.1 | 57.5/28.1 | 57.5/42.6 |
| Cooling system (qt.) | 12.8 | 12.8 | 12.8 | 12.8 | 12.8 | 12.8 |
| Engine oil (qt.) | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 |
| Curb weight (lb.) | 4280 | 4505 | 4485 | 4145 | 4375 | 4265 |
| GVWR (lb.) | 5,775 | 6,005 | 5,865 | 5,605 | 5,605 | 5,775 |
| GCWR (lb.) | 8,210 | 8,210 | 8,335 | 8,105 | 8,210 | 11,105 |
| Maximum payload (lb.)[21] | 1495 | 1500 | 1380 | 1460 | 1230 | 1510 |
| Maximum tongue weight (lb.) | 640 | 640 | 640 | 650 | 650 | 640 |
| **Wheels & Tires** | | | | | | |
| Wheel type | Alloy | Styled steel | Styled steel | Styled steel | Styled steel | Styled steel |
| Wheel size (in.) | 17 | 17 | 17 | 17 | 17 | 17 |
| Tire type | P245/70R17 all-season | P245/70R17 all-season | P245/70R17 all-season | P245/70R17 all-season | P245/70R17 all-season | P245/70R17 all-season |
| Spare | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Available Full-size, mounted under body |

# Additional Specs...

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| **Body Construction** | | | | | | |
| Type | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame |
| **Brakes** | | | | | | |
| Front | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc | Ventilated 12.6-in. disc |
| Rear | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc |
| **Dimensions – Exterior** | | | | | | |
| Approach / departure (with tow hitch) / breakover angle (degrees) | – | – | – | – | 32.8 / 26.2 (22.1) / 23.8 | 34.4 / 25.5 (21.4) / 25 |
| Ground clearance (in.) | 10.4 | 10.4 | 10.4 | 10.4 | 10.4 | 10.8 |
| Overall length (in.) | 213 | 226.2 | 226.2 | 213 | 213 | 213 |
| Overall width (in.) | 76.9 | 76.9 | 76.9 | 76.9 | 76.9 | 77.9 |
| Overall height (in.) | 73.9 | 73.8 | 73.8 | 73.9 | 73.9 | 74.6 |
| Bed length (in.) | 213.0 | 226.2 | 226.2 | 213.0 | 213.0 | 213.0 |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| Bed width – between wheel wells (in.) | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 |
| Bed width – between accessory rail (in.) | 56.4 | 56.4 | 56.4 | 56.4 | 56.4 | 56.4 |
| Inside bed depth (in.) | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 |
| Inside bed width (at tailgate) (in.) | 53 | 53 | 53 | 53 | 53 | 53 |
| Inside bed length (in.) | 60.3 | 73.5 | 73.5 | 60.3 | 73.5 | 73.5 |
| Bed height (in.) | – | – | – | – | – | – |
| Track – front (in.) | – | – | – | – | – | – |
| Track – rear (in.) | – | – | – | – | – | – |
| Wheelbase (in.) | 131.9 | 145.1 | 145.1 | 131.9 | 131.9 | 131.9 |
| **Dimensions – Interior** | | | | | | |
| Head room – front/rear (in.) | 39.7/38.4 | 39.7/38.4 | 39.7/38.4 | 39.7/- | 39.7/- | 39.7/- |
| Head room with moonroof – front/rear (in.) | – | – | – | – | – | – |
| Shoulder room – front/rear (in.) | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 | 58.3/- | 58.3/- | 58.3/- |
| Hip room – front/rear (in.) | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 | 56.8/- | 56.8/- | 56.8/- |
| Leg room – front/rear (in.) | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 | 41.8/- | 41.8/- | 41.8/- |
| **Drive Systems & Differentials** | | | | | | |
| Drivetrain layout | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41] | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41] | Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41] | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41] |
| Differential ring gear size – front (in.) | – | – | – | – | – | 8.0 |
| Differential ring gear size – rear (in.) | 8.9 | 8.9 | 8.9 | 8.9 | 8.9 | 8.9 |
| Differential ratio (Automatic Transmission) | 3.58 | 3.58 | 3.58 | 3.58 | 3.58 | 3.58 |
| Differential ratio (Manual Transmission) | – | – | – | – | – | – |
| 4x4 transfer case ratio – high/low | 1.00:1/2.57:1 | – | 1.00:1/2.57:1 | – | 1.00:1/2.57:1 | – |
| **Engines** | | | | | | |
| Type | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i |
| Horsepower | 278 hp 6000 rpm | 278 hp 6000 rpm | 278 hp 6000 rpm | 278 hp 6000 rpm | 278 hp 6000 rpm | 278 hp 6000 rpm |
| Torque (lb.-ft.) | 317 lb.-ft. 1700 rpm | 317 lb.-ft. 1700 rpm | 317 lb.-ft. 1700 rpm | 317 lb.-ft. 1700 rpm | 317 lb.-ft. 1700 rpm | 317 lb.-ft. 1700 rpm |
| Injection system | D-4S | D-4S | D-4S | D-4S | D-4S | D-4S |
| Ignition system | Direct | Direct | Direct | Direct | Direct | Direct |
| Oil classification | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 |
| Oil type / weight | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 |
| TRD performance cold air intake | – | – | – | – | – | – |
| **Fuel Facts** | | | | | | |
| Manufacturer-estimated MPG (city/hwy/combined) | 19/24/21 | 21/26/23 | 19/24/21 | 21/26/23 | 19/24/21 | 20/24/22 |
| Fuel tank capacity (gal.) | 18.2 | 18.2 | 18.2 | 18.2 | 18.2 | 18.2 |
| Octane number | 87 or higher | 87 or higher | 87 or higher | 87 or higher | 87 or higher | 87 or higher |
| Federal emissions rating | Tier 3, SFTP | Tier 2-Bin 5, SFTP | Tier 3, SFTP | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP | Tier 3, SFTP |
| California emissions rating | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) |
| **Safety** | | | | | | |
| Total number of airbags[28] | 8 | 8 | 8 | 8 | 8 | 8 |
| Advanced Airbag System[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Seat-mounted side airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Knee airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Side curtain airbags[28] | All-row Roll-sensing Side | All-row Roll-sensing Side | All-row Roll-sensing Side | All-row Roll-sensing Side | All-row Roll-sensing Side | All-row Roll-sensing Side |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| | Curtain Airbags (RSCA) | Curtain Airbags (RSCA) | Curtain Airbags (RSCA) | Curtain Airbags (RSCA) | Curtain Airbags (RSCA) | Curtain Airbags (RSCA) |
| Driver seatbelt | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) |
| Front passenger seatbelt | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) |
| Rear passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ ELR) on all passenger seatbelts |
| LATCH locations | Lower anchors for front passenger seat | Lower anchors for front passenger seat | Lower anchors for front passenger seat and outboard rear seats | Lower anchors for front passenger seat and outboard rear seats | Lower anchors for front passenger seat and outboard rear seats | Lower anchors for front passenger seat |
| **Steering** | | | | | | |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S | S | S | S |
| Turning circle diameter – curb-to-curb (ft.) | 40.6 | 40.6 | 40.6 | 40.6 | 44.1 | 40.6 |
| **Suspension** | | | | | | |
| Front | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension |
| Rear | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Leaf spring rear suspension | Leaf spring rear suspension | Leaf spring rear suspension |
| Stabilizer Disconnect Mechanism (SDM) | – | – | – | – | – | – |
| Front stabilizer | – | – | – | S | S | S |
| Front and rear stabilizer | S | S | S | – | – | – |
| **Towing** | | | | | | |
| Maximum towing capacity (lb.)[18] | 6,400 | 6,400 | 6,400 | 6,500 | 6,500 | 6,500 |
| Tongue load (lb.) | 640 | 640 | 640 | 650 | 650 | 650 |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | S | S | S | S | S | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [19]; Trailer Blind Spot Monitor: Trailer Camera[5] | – | – | – | – | – | – |
| Passenger-side front and rear towing hooks | S | S | S | S | S | S |
| Driver's-side and passenger-side front and rear towing hooks | – | – | – | – | – | P |
| **Transmissions** | | | | | | |
| Type | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic |
| Gear Ratios | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 |
| **Warranties & Maintenance** | | | | | | |
| Basic Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Powertrain Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| Corrosion Perforation Warranty | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles |
| Emissions Warranty | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide |
| Accessories Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |

| | SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) | SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD) | TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD) |
|---|---|---|---|---|---|---|
| Hybrid System Warranty | – | – | – | – | – | – |
| Hybrid Battery Warranty | – | – | – | – | – | – |
| Restraint Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| ToyotaCare Maintenance Plan[20] | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first |
| ToyotaCare Roadside Assistance Coverage[20] | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles |
| **Weights & Capacities** | | | | | | |
| Seating capacity | 5 | 5 | 5 | 2 | 2 | 2 |
| Manufacturer-estimated passenger volume (cu. ft.) – front/rear | 57.5/28.1 | 57.5/28.1 | 57.5/42.6 | 57.5/42.6 | 57.5/42.6 | 57.5/28.1 |
| Cooling system (qt.) | 12.8 | 12.8 | 12.8 | 12.8 | 12.8 | 12.8 |
| Engine oil (qt.) | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 |
| Curb weight (lb.) | 4500 | 4365 | 4600 | 4145 | 4375 | 4200 |
| GVWR (lb.) | 6,005 | 5,970 | 6,005 | 5,605 | 5,605 | 5,605 |
| GCWR (lb.) | 11,105 | 11,200 | 11,200 | 11,335 | 11,115 | 11,155 |
| Maximum payload (lb.)[21] | 1505 | 1605 | 1405 | 1460 | 1203 | 1405 |
| Maximum tongue weight (lb.) | 640 | 640 | 640 | 650 | 650 | 650 |
| **Wheels & Tires** | | | | | | |
| Wheel type | Styled steel; available Dark-gray alloy | Dark-gray alloy; available Black alloy | Styled steel; available Dark-gray alloy | Dark-gray alloy; available Black alloy; available chrome (18-in.) | Dark-gray alloy; available Black alloy; available chrome (18-in.) | Dark-gray alloy |
| Wheel size (in.) | 17 | 17 | 17 | 17 | 17 | 17 |
| Tire type | P245/70R17 all-season | P245/70R17 all-season | P245/70R17 all-season | P245/70R17 all-season | P245/70R17 all-season | P265/70R17 all-season |
| Spare | Available Full-size, mounted under body | Available Full-size, mounted under body | Available Full-size, mounted under body | Available Full-size, mounted under body | Available Full-size, mounted under body | Full-size, mounted under body |

# Additional Specs...

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| **Body Construction** | | | | | | |
| Type | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame |
| **Brakes** | | | | | | |
| Front | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc |
| Rear | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 13.2-in. disc |
| **Dimensions – Exterior** | | | | | | |
| Approach / departure (with tow hitch) / breakover angle (degrees) | – | – | – | – | – | – |
| Ground clearance (in.) | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 |
| Overall length (in.) | 213 | 213 | 213 | 226.2 | 226.2 | 213 |
| Overall width (in.) | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 |
| Overall height (in.) | 74.7 | 74.6 | 74.4 | 74.7 | 74.5 | 74.6 |
| Bed length (in.) | 213.0 | 213.0 | 213.0 | 226.2 | 226.2 | – |
| Bed width – between wheel wells (in.) | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 |
| Bed width – between accessory rail (in.) | 56.4 | 56.4 | 56.4 | 56.4 | 56.4 | 56.4 |
| Inside bed depth (in.) | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 |
| Inside bed width (at tailgate) (in.) | 53 | 53 | 53 | 53 | 53 | 53 |
| Inside bed length (in.) | 60.3 | 73.5 | 60.3 | 60.3 | 73.5 | 60.3 |
| Bed height (in.) | – | – | – | – | – | – |
| Track – front (in.) | – | – | – | – | – | – |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Track – rear (in.) | – | – | – | – | – | – |
| Wheelbase (in.) | 131.9 | 131.9 | 131.9 | 145.1 | 145.1 | 131.9 |
| **Dimensions – Interior** | | | | | | |
| Head room – front/rear (in.) | 39.7/38.4 | 39.7/38.4 | 39.7/38.4 | 39.7/38.4 | 39.7/38.4 | 39.7/38.4 |
| Head room with moonroof – front/rear (in.) | 38.0/38.4 | 38.0/38.4 | 38.0/38.4 | 38.0/38.4 | 38.0/38.4 | 38.0/38.4 |
| Shoulder room – front/rear (in.) | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 |
| Hip room – front/rear (in.) | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 |
| Leg room – front/rear (in.) | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 |
| **Drive Systems & Differentials** | | | | | | |
| Drivetrain layout | Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41] | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41] | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) |
| Differential ring gear size – front (in.) | 8.0 | 8.0 | 8.0 | – | – | – |
| Differential ring gear size – rear (in.) | 8.9 | 8.9 | 8.9 | – | 8.9 | – |
| Differential ratio (Automatic Transmission) | 3.58 | 3.58 | – | 3.58 | 3.58 | 3.583 |
| Differential ratio (Manual Transmission) | – | – | 4.3 | – | – | – |
| 4x4 transfer case ratio – high/low | – | 1.00:1/2.57:1 | 1.00:1/2.57:1 | – | 1.00:1/2.57:1 | 1.00:1/2.57:1 |
| **Engines** | | | | | | |
| Type | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine |
| Horsepower | 278 hp 6000 rpm | 278 hp 6000 rpm | 270 hp 5400 rpm | 278 hp 6000 rpm | 278 hp 6000 rpm | 326 6000 rpm |
| Torque (lb.-ft.) | 317 lb.-ft. 1700 rpm | 317 lb.-ft. 1700 rpm | 310 lb.-ft. 2800 rpm | 317 lb.-ft. 1700 rpm | 317 lb.-ft. 1700 rpm | 465 1700 rpm |
| Injection system | D-4S | D-4S | D-4S | – | D-4S | D-4S |
| Ignition system | Direct | Direct | Direct | – | Direct | Direct |
| Oil classification | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | – | ILSAC GF-5 | ILSAC GF-5 |
| Oil type / weight | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | – | Synthetic 0W-20 | Synthetic 0W-20 |
| TRD performance cold air intake | – | – | – | – | – | – |
| **Fuel Facts** | | | | | | |
| Manufacturer-estimated MPG (city/hwy/combined) | 20/24/22 | 19/23/20 | 18/23/20 | 20/24/22 | 19/23/20 | 22/24/23 |
| Fuel tank capacity (gal.) | 18.2 | 18.2 | 18.2 | 18.2 | 18.2 | 18.2 |
| Octane number | 87 or higher | 87 or higher | 87 or higher | – | 87 or higher | 87 or higher |
| Federal emissions rating | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP | – | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP |
| California emissions rating | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) |
| **Safety** | | | | | | |
| Total number of airbags[28] | 8 | 8 | 8 | 8 | 8 | 8 |
| Advanced Airbag System[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Seat-mounted side airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Knee airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Side curtain airbags[28] | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) |
| Driver seatbelt | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) |
| Front passenger seatbelt | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) |
| Rear passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts |
| LATCH locations | Lower anchors for front passenger seat | Lower anchors for front passenger seat and | Lower anchors for front passenger seat and | Lower anchors for front passenger seat and | Lower anchors for front passenger seat | Lower anchors for front passenger seat |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| | | outboard rear seats | outboard rear seats | outboard rear seats | | |
| **Steering** | | | | | | |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S | S | S | S |
| Turning circle diameter – curb-to-curb (ft.) | 40.6 | 40.6 | 44.1 | 40.6 | 40.6 | 40.6 |
| **Suspension** | | | | | | |
| Front | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension |
| Rear | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension |
| Stabilizer Disconnect Mechanism (SDM) | – | – | – | – | – | – |
| Front stabilizer | – | – | – | – | – | – |
| Front and rear stabilizer | S | S | S | S | S | S |
| **Towing** | | | | | | |
| Maximum towing capacity (lb.)[18] | 6,400 | 6,400 | 6,400 | 6,400 | 6,400 | 6,000 |
| Tongue load (lb.) | 640 | 640 | 640 | 640 | 640 | 640 |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | S | S | S | S | S | S |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[19]; Trailer Blind Spot Monitor: Trailer Camera[5] | P | P | P | P | P | P |
| Passenger-side front and rear towing hooks | S | S | S | S | S | S |
| Driver's-side and passenger-side front and rear towing hooks | – | – | – | – | – | – |
| **Transmissions** | | | | | | |
| Type | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 6-speed intelligent Manual Transmission (iMT) with automatic rev-matching and anti-stall technology | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic |
| Gear Ratios | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.79<br>2nd: 2,42<br>3rd: 1.44<br>4th: 1.00<br>5th: 0.78<br>6th: 0.64<br>Reverse: 4.07 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 |
| **Warranties & Maintenance** | | | | | | |
| Basic Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Powertrain Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| Corrosion Perforation Warranty | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles |
| Emissions Warranty | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide |
| Accessories Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Hybrid System Warranty | – | – | – | – | – | 8 years / 100,000 miles |
| Hybrid Battery Warranty | – | – | – | – | – | 10 years / 150,000 miles |
| Restraint Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| ToyotaCare Maintenance Plan[20] | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first |
| ToyotaCare Roadside Assistance Coverage[20] | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles |
| **Weights & Capacities** | | | | | | |
| Seating capacity | 5 | 5 | 5 | 5 | 5 | 5 |
| Manufacturer-estimated passenger volume (cu. ft.) – front/rear | 57.5/28.1 | 57.5/42.6 | 57.5/42.6 | 57.5/42.6 | 57.5/28.1 | TBD |

| | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD) | TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Cooling system (qt.) | 12.8 | 12.8 | 12.8 | 12.8 | 12.8 | TBD |
| Engine oil (qt.) | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 | TBD |
| Curb weight (lb.) | 4330 | 4575 | 4605 | 4345 | 4600 | 5,030 |
| GVWR (lb.) | 5,775 | 6,005 | 6,175 | 6,025 | 6,300 | 6,665 |
| GCWR (lb.) | 11,165 | 11,165 | 11,165 | 11,470 | 11,470 | 11,545 |
| Maximum payload (lb.)[21] | 1445 | 1430 | 1570 | 1680 | 1700 | 1,620 |
| Maximum tongue weight (lb.) | 640 | 640 | 640 | 640 | 640 | TBD |
| **Wheels & Tires** | | | | | | |
| Wheel type | Machined alloy | Machined alloy | Machined alloy | Machined alloy | Machined alloy | Machined alloy |
| Wheel size (in.) | 18 | 18 | 18 | 18 | 18 | 18 |
| Tire type | P265/65R18 all-season | P265/65R18 all-season | P265/65R18 all-season | P265/65R18 all-season | P265/65R18 all-season | P265/65R18 all-season |
| Spare | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body |

# Additional Specs...

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| **Body Construction** | | | | | | |
| Type | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame | Body-on-frame |
| **Brakes** | | | | | | |
| Front | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc |
| Rear | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 12.2-in. disc | Ventilated 13.2-in. disc | Ventilated 12.2-in. disc | Ventilated 13.2-in. disc |
| **Dimensions – Exterior** | | | | | | |
| Approach / departure (with tow hitch) / breakover angle (degrees) | 32.5 / 26.6 (22.2) / 24.7 | 32.5 / 26.6 (22.2) / 24.7 | 32.5 / 26.6 (22.2) / 24.7 | – | – | – |
| Ground clearance (in.) | 11.0 | 11.0 | 11.0 | 11.0 | 10.8 | 10.8 |
| Overall length (in.) | 213 | 226.2 | 213 | 213 | 213 | 213 |
| Overall width (in.) | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 |
| Overall height (in.) | 74.6 | 74.7 | 74.6 | 75.3 | 74.6 | 74.6 |
| Bed length (in.) | 213.0 | 213.0 | 213.0 | – | 213.0 | – |
| Bed width – between wheel wells (in.) | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 |
| Bed width – between accessory rail (in.) | 56.4 | 56.4 | 56.4 | 56.4 | 56.4 | 56.4 |
| Inside bed depth (in.) | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 |
| Inside bed width (at tailgate) (in.) | 53 | 53 | 53 | 53 | 53 | 53 |
| Inside bed length (in.) | 60.3 | 60.3 | 73.5 | 60.3 | 60.3 | 60.3 |
| Bed height (in.) | – | – | – | – | – | – |
| Track – front (in.) | – | – | – | – | – | – |
| Track – rear (in.) | – | – | – | – | – | – |
| Wheelbase (in.) | 131.9 | 131.9 | 131.9 | 131.9 | 131.9 | 131.9 |
| **Dimensions – Interior** | | | | | | |
| Head room – front/rear (in.) | 39.7/38.4 | 39.7/38.4 | 39.7/38.4 | 39.7/38.4 | – | – |
| Head room with moonroof – front/rear (in.) | 38.0/38.4 | 38.0/38.4 | 38.0/38.4 | 38.0/38.4 | 38.0/38.4 | 38.0/38.4 |
| Shoulder room – front/rear (in.) | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 |
| Hip room – front/rear (in.) | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 |
| Leg room – front/rear (in.) | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 |
| **Drive Systems & Differentials** | | | | | | |
| Drivetrain layout | 4WDemand part-time 4-Wheel Drive with | 4WDemand part-time 4-Wheel Drive with | 4WDemand part-time 4-Wheel Drive with | 4WDemand part-time 4-Wheel Drive with | 4WDemand part-time 4-Wheel Drive with | Full-time 4-Wheel Drive with center locking |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| | electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | differential and Active Traction Control (A-TRAC) |
| Differential ring gear size – front (in.) | – | – | 8.0 | – | 8.0 | – |
| Differential ring gear size – rear (in.) | 8.9 | 8.9 | 8.9 | – | 8.9 | – |
| Differential ratio (Automatic Transmission) | 3.58 | 3.58 | – | 3.583 | 3.58 | 3.583 |
| Differential ratio (Manual Transmission) | – | – | 4.3 | – | – | – |
| 4x4 transfer case ratio – high/low | 1.00:1/2.57:1 | 1.00:1/2.57:1 | 1.00:1/2.57:1 | 1.00:1/2.57:1 | 1.00:1/2.57:1 | 1.00:1/2.57:1 |
| **Engines** | | | | | | |
| Type | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine | i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i | i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine |
| Horsepower | 278 hp 6000 rpm | 278 hp 6000 rpm | 270 hp 5400 rpm | 326 6000 rpm | 278 hp 6000 rpm | 326 6000 rpm |
| Torque (lb.-ft.) | 317 lb.-ft. 1700 rpm | 317 lb.-ft. 1700 rpm | 310 lb.-ft. 2800 rpm | 465 1700 rpm | 317 lb.-ft. 1700 rpm | 465 1700 rpm |
| Injection system | D-4S | D-4S | D-4S | D-4S | D-4S | D-4S |
| Ignition system | Direct | Direct | Direct | Direct | Direct | Direct |
| Oil classification | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 |
| Oil type / weight | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 |
| TRD performance cold air intake | – | – | – | – | – | – |
| **Fuel Facts** | | | | | | |
| Manufacturer-estimated MPG (city/hwy/combined) | 19/23/21 | 19/23/20 | 18/23/20 | 22/24/23 | 20/23/21 | 23/24/24 |
| Fuel tank capacity (gal.) | 18.2 | 18.2 | 18.2 | 18.2 | 18.2 | 18.2 |
| Octane number | 87 or higher | 87 or higher | 87 or higher | 87 or higher | 87 or higher | 87 or higher |
| Federal emissions rating | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP |
| California emissions rating | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) |
| **Safety** | | | | | | |
| Total number of airbags[28] | 8 | 8 | 8 | 8 | 8 | 8 |
| Advanced Airbag System[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Seat-mounted side airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Knee airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Side curtain airbags[28] | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) |
| Driver seatbelt | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) |
| Front passenger seatbelt | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/ Emergency Locking Retractor (ALR/ELR) |
| Rear passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts |
| LATCH locations | Lower anchors for front passenger seat and outboard rear seats | Lower anchors for front passenger seat and outboard rear seats | Lower anchors for front passenger seat | Lower anchors for front passenger seat | Lower anchors for front passenger seat | Lower anchors for front passenger seat |
| **Steering** | | | | | | |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S | S | S | S |
| Turning circle diameter – curb-to-curb (ft.) | 40.6 | 44.1 | 40.6 | 40.6 | 40.6 | 40.6 |
| **Suspension** | | | | | | |
| Front | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension | Independent double-wishbone front suspension; available Adaptive Variable Suspension (AVS) system | Independent double-wishbone front suspension; Adaptive Variable Suspension (AVS) system |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Rear | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension | Coil spring multi-link rear suspension; available Adaptive Variable Suspension (AVS) system | Coil spring multi-link rear suspension; Adaptive Variable Suspension (AVS) system |
| Stabilizer Disconnect Mechanism (SDM) | P | P | P | P | – | – |
| Front stabilizer | – | – | – | – | – | – |
| Front and rear stabilizer | S | S | S | S | S | S |
| **Towing** | | | | | | |
| Maximum towing capacity (lb.)[18] | 6,400 | 6,400 | 6,400 | 6,000 | 6,400 | 6,000 |
| Tongue load (lb.) | 640 | 640 | 640 | 640 | 640 | 640 |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | S | S | S | S | – | – |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[19]; Trailer Blind Spot Monitor: Trailer Camera[5] | P | P | P | P | S | S |
| Passenger-side front and rear towing hooks | S | S | S | S | S | S |
| Driver's-side and passenger-side front and rear towing hooks | P | P | P | – | – | – |
| **Transmissions** | | | | | | |
| Type | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 6-speed intelligent Manual Transmission (iMT) with automatic rev-matching and anti-stall technology | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic |
| Gear Ratios | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.79<br>2nd: 2,42<br>3rd: 1.44<br>4th: 1.00<br>5th: 0.78<br>6th: 0.64<br>Reverse: 4.07 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 |
| **Warranties & Maintenance** | | | | | | |
| Basic Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Powertrain Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| Corrosion Perforation Warranty | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles |
| Emissions Warranty | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide |
| Accessories Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Hybrid System Warranty | – | – | – | 8 years / 100,000 miles | – | 8 years / 100,000 miles |
| Hybrid Battery Warranty | – | – | – | 10 years / 150,000 miles | – | 10 years / 150,000 miles |
| Restraint Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| ToyotaCare Maintenance Plan[20] | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first |
| ToyotaCare Roadside Assistance Coverage[20] | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles |
| **Weights & Capacities** | | | | | | |
| Seating capacity | 5 | 5 | 5 | 5 | 5 | 5 |
| Manufacturer-estimated passenger volume (cu. ft.) – front/rear | 57.5/42.6 | 57.5/42.6 | 57.5/28.1 | TBD | 57.5/28.1 | TBD |
| Cooling system (qt.) | 12.8 | 12.8 | 12.8 | TBD | 12.8 | TBD |
| Engine oil (qt.) | 5.6 | 5.6 | 5.6 | TBD | 5.6 | TBD |
| Curb weight (lb.) | 4630 | 4650 | 4650 | 5,045 | 4715 | 5,170 |
| GVWR (lb.) | 6,240 | 6,305 | 6,175 | 6,735 | 6,305 | 6,780 |
| GCWR (lb.) | 11,515 | 11,550 | 11,515 | 11,655 | 11,455 | 11,675 |
| Maximum payload (lb.)[21] | 1610 | 1655 | 1525 | 1,705 | 1590 | 1,610 |
| Maximum tongue weight (lb.) | 640 | 640 | 640 | TBD | 640 | TBD |
| **Wheels & Tires** | | | | | | |

| | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD) | TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD) | TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD) | Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|---|---|---|
| Wheel type | Machined alloy | Machined alloy | Machined alloy | Machined alloy | Chrome-finish | Chrome-finish |
| Wheel size (in.) | 17 | 17 | 17 | 18 | 18 | 18 |
| Tire type | P265/70R17 all-terrain tires | P265/70R17 all-terrain tires | P265/70R17 all-terrain tires | P265/70R18 all-terrain tires | P265/65R18 all-season | P265/65R18 all-season |
| Spare | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body |

# Additional Specs...

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| **Body Construction** | | | |
| Type | Body-on-frame | Body-on-frame | Body-on-frame |
| **Brakes** | | | |
| Front | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc | Ventilated 13.4-in. disc |
| Rear | Ventilated 13.2-in. disc | Ventilated 13.2-in. disc | Ventilated 13.2-in. disc |
| **Dimensions – Exterior** | | | |
| Approach / departure (with tow hitch) / breakover angle (degrees) | – | – | – |
| Ground clearance (in.) | 11.2 | 11.2 | 11.5 |
| Overall length (in.) | 213 | 226.2 | 213 |
| Overall width (in.) | 79.9 | 79.9 | 79.9 |
| Overall height (in.) | 75.8 | 75.5 | 75.8 |
| Bed length (in.) | – | – | – |
| Bed width – between wheel wells (in.) | 44.7 | 44.7 | 44.7 |
| Bed width – between accessory rail (in.) | 56.4 | 56.4 | 56.4 |
| Inside bed depth (in.) | 21.2 | 21.2 | 21.2 |
| Inside bed width (at tailgate) (in.) | 53 | 53 | 53 |
| Inside bed length (in.) | 60.3 | 73.5 | 60.3 |
| Bed height (in.) | – | – | – |
| Track – front (in.) | – | – | – |
| Track – rear (in.) | – | – | – |
| Wheelbase (in.) | 131.9 | 145.1 | 131.9 |
| **Dimensions – Interior** | | | |
| Head room – front/rear (in.) | 39.7/38.4 | 39.7/38.4 | – |
| Head room with moonroof – front/rear (in.) | – | – | 38.0/38.4 |
| Shoulder room – front/rear (in.) | 58.3/57.8 | 58.3/57.8 | 58.3/57.8 |
| Hip room – front/rear (in.) | 56.8/56.3 | 56.8/56.3 | 56.8/56.3 |
| Leg room – front/rear (in.) | 41.8/33.7 | 41.8/33.7 | 41.8/33.7 |
| **Drive Systems & Differentials** | | | |
| Drivetrain layout | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) | 4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC) |
| Differential ring gear size – front (in.) | – | – | – |
| Differential ring gear size – rear (in.) | – | – | – |
| Differential ratio (Automatic Transmission) | 3.583 | 3.583 | 3.583 |
| Differential ratio (Manual Transmission) | – | – | – |
| 4x4 transfer case ratio – high/low | 1.00:1/2.57:1 | 1.00:1/2.57:1 | 1.00:1/2.57:1 |
| **Engines** | | | |
| Type | i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine | i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine | i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine |
| Horsepower | 323 6000 rpm | 323 6000 rpm | 326 6000 rpm |
| Torque (lb.-ft.) | 465 1700 rpm | 465 1700 rpm | 465 1700 rpm |
| Injection system | D-4S | D-4S | D-4S |
| Ignition system | Direct | Direct | Direct |
| Oil classification | ILSAC GF-5 | ILSAC GF-5 | ILSAC GF-5 |

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| Oil type / weight | Synthetic 0W-20 | Synthetic 0W-20 | Synthetic 0W-20 |
| TRD performance cold air intake | – | – | S |
| **Fuel Facts** | | | |
| Manufacturer-estimated MPG (city/hwy/combined) | 22/24/23 | 22/24/23 | 22/24/23 |
| Fuel tank capacity (gal.) | 18.2 | 18.2 | 18.2 |
| Octane number | 87 or higher | 87 or higher | 87 or higher |
| Federal emissions rating | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP | Tier 2-Bin 5, SFTP |
| California emissions rating | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) | Low Emission Vehicle III (LEV-III) |
| **Safety** | | | |
| Total number of airbags[28] | 8 | 8 | 8 |
| Advanced Airbag System[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Seat-mounted side airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Knee airbags[28] | Driver and front passenger | Driver and front passenger | Driver and front passenger |
| Side curtain airbags[28] | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) | All-row Roll-sensing Side Curtain Airbags (RSCA) |
| Driver seatbelt | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) | 3-point with Emergency Locking Retractor (ELR) |
| Front passenger seatbelt | 3-point with Automatic/Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/Emergency Locking Retractor (ALR/ELR) | 3-point with Automatic/Emergency Locking Retractor (ALR/ELR) |
| Rear passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | 3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts |
| LATCH locations | Lower anchors for front passenger seat | Lower anchors for front passenger seat | Lower anchors for front passenger seat |
| **Steering** | | | |
| Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42] | S | S | S |
| Turning circle diameter – curb-to-curb (ft.) | 40.6 | 44.1 | 40.6 |
| **Suspension** | | | |
| Front | Independent double-wishbone front suspension; Trailhunter off-road suspension, including Old Man Emu forged monotube position-sensitive coil-overs and rear remote-reservoir shocks with 1-in. front lift | Independent double-wishbone front suspension; Trailhunter off-road suspension, including Old Man Emu forged monotube position-sensitive coil-overs and rear remote-reservoir shocks with 1-in. front lift | Independent double-wishbone front suspension; TRD Pro off-road suspension, including FOX QS3 adjustable Internal Bypass coil-overs and rear remote-reservoir shocks with 1-in. front |
| Rear | Coil spring multi-link rear suspension; Trailhunter off-road suspension, including Old Man Emu forged monotube position-sensitive coil-overs and rear remote-reservoir shocks with 0.5-in. rear lift | Coil spring multi-link rear suspension; Trailhunter off-road suspension, including Old Man Emu forged monotube position-sensitive coil-overs and rear remote-reservoir shocks with 0.5-in. rear lift | Coil spring multi-link rear suspension; TRD Pro off-road suspension, including FOX QS3 adjustable Internal Bypass coil-overs and rear remote-reservoir shocks with 0.5-in. rear lift |
| Stabilizer Disconnect Mechanism (SDM) | S | S | S |
| Front stabilizer | – | – | – |
| Front and rear stabilizer | S | S | S |
| **Towing** | | | |
| Maximum towing capacity (lb.)[18] | 6,000 | 5,950 | 6,000 |
| Tongue load (lb.) | 640 | 640 | 640 |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector | – | – | – |
| Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[19]; Trailer Blind Spot Monitor: Trailer Camera[5] | S | S | S |
| Passenger-side front and rear towing hooks | S | S | S |
| Driver's-side and passenger-side front and rear towing hooks | – | – | – |
| **Transmissions** | | | |
| Type | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic | 8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic |
| Gear Ratios | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 | 1st: 4.41<br>2nd: 2.81<br>3rd: 1.95<br>4th: 1.51<br>5th: 1.27<br>6th: 1.00<br>7th: 0.79<br>8th: 0.65<br>Reverse: 3.65 |
| **Warranties & Maintenance** | | | |
| Basic Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Powertrain Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |

| | Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) | Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD) | TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD) |
|---|---|---|---|
| Corrosion Perforation Warranty | 5 years / Unlimited miles | 5 years / Unlimited miles | 5 years / Unlimited miles |
| Emissions Warranty | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide | Refer to Vehicle Warranty & Maintenance Guide |
| Accessories Warranty | 3 years / 36,000 miles | 3 years / 36,000 miles | 3 years / 36,000 miles |
| Hybrid System Warranty | 8 years / 100,000 miles | 8 years / 100,000 miles | 8 years / 100,000 miles |
| Hybrid Battery Warranty | 10 years / 150,000 miles | 10 years / 150,000 miles | 10 years / 150,000 miles |
| Restraint Warranty | 5 years / 60,000 miles | 5 years / 60,000 miles | 5 years / 60,000 miles |
| ToyotaCare Maintenance Plan[20] | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first | 2 years / 25,000 miles, whichever comes first |
| ToyotaCare Roadside Assistance Coverage[20] | 2 years / Unlimited miles | 2 years / Unlimited miles | 2 years / Unlimited miles |
| **Weights & Capacities** | | | |
| Seating capacity | 5 | 5 | 5 |
| Manufacturer-estimated passenger volume (cu. ft.) – front/rear | TBD | TBD | TBD |
| Cooling system (qt.) | TBD | TBD | TBD |
| Engine oil (qt.) | TBD | TBD | TBD |
| Curb weight (lb.) | 5,360 | 5,410 | 5,100 |
| GVWR (lb.) | 6,835 | 6,835 | 6,735 |
| GCWR (lb.) | 11,825 | 11,835 | 11,800 |
| Maximum payload (lb.)[21] | 1,475 | 1,425 | 1,680 |
| Maximum tongue weight (lb.) | TBD | TBD | TBD |
| **Wheels & Tires** | | | |
| Wheel type | Machined alloy | Machined alloy | Machined alloy |
| Wheel size (in.) | 18 | 18 | 18 |
| Tire type | P265/70R18 all-terrain tires | P265/70R18 all-terrain tires | P265/70R18 all-terrain tires |
| Spare | Full-size, mounted under body | Full-size, mounted under body | Full-size, mounted under body |

# Disclaimers

1. Toyota Safety Sense effectiveness depends on many factors including road, weather and vehicle conditions. Drivers are responsible for their own safe driving. Always pay attention to your surroundings and drive safely. See *Owner's Manual* for limitations.
2. JBL is a registered trademark of Harman International Industries, Inc.
3. A compatible *Bluetooth* enabled phone must be paired. Phone performance depends on software, coverage and carrier. The *Bluetooth* word mark and logos are registered trademarks of *Bluetooth* SIG, Inc. Use of such marks by Toyota is under license.
4. Do not exceed 120V. See *Owner's Manual* for additional limitations and details.
5. Do not rely exclusively on Blind Spot Monitor. Look over shoulder and use turn signal. See *Owner's Manual* for limitations.
6. SofTex is a registered trademark of Toyota Motor Sales, U.S.A., Inc.
7. The Panoramic View Monitor does not provide a comprehensive view of the area surrounding your vehicle. Look around to confirm clearance. See *Owner's Manual* for limitations.
8. Digital Key requires an active Remote Connect trial or subscription. Remote start/stop and/or lock/unlock and other features of Remote Connect are only available on select models. Use only if aware of circumstances surrounding vehicle it is legal safe to do so (e.g., do not remotely start a gas engine vehicle in an enclosed space or if vehicle is occupied by a child). Remote Connect depends on certain factors outside of Toyota's control in order to operate, including 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Services subject to change at any time without notice. Digital Key also requires *Bluetooth* connectivity. Remote Connect is included with select paid Connected Services packages. See your Toyota dealer for details. Terms of Use apply. Data charges may apply. See *Owner's Manual* and www.toyota.com/connected-services/ for additional details. To learn about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. Trial period begins on original purchase or lease date of new vehicle. Paid subscription required after trial (if applicable). Terms of Use apply.
9. Integrated Trailer Brake Controller is an electronic system that operates in tandem with a trailer equipped with an electric braking system. It is designed to help the driver maintain trailer control by increasing or reducing trailer braking based on trailer weight. It is not a substitute for safe towing practices. Factors including speed, weather, road conditions and driver input can all affect trailer braking control. See *Owner's Manual* for limitations.
10. Rigid Industries is a registered trademark of JST Performance, LLC d/b/a Rigid Industries.
11. Rated for 2400 watts for a single three-prong outlet. See *Owner's Manual* for limitations.
12. Goodyear is a registered trademark of The Goodyear Tire & Rubber Company.
13. Apple CarPlay requires a compatible iPhone with an active data plan. Check compatibility at www.apple.com/ios/carplay/. Operability depends on network availability, a cellular connection and GPS signal. Services vary by vehicle and are subject to

change at any time without notice. Data charges may apply. To learn more, go to www.toyota.com/audio-multimedia/. To learn more about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. Apple CarPlay is a registered trademark of Apple Inc.

14. Wireless use of Android Auto requires a compatible Android 11.0+ phone and compatible active data plan. Check androidauto/ requirements for compatibility. Operability depends on network availability, a cellular connection and GPS signal. Services subject to change at any time without notice. Data charges may apply. To learn more, go to www.toyota.com/audio-multimedia/. To learn more about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy- rights/. Android and Android Auto are trademarks of Google LLC.
15. Service will automatically stop at the end of your trial subscription period unless you decide to continue service. Trial is non-transferable. If you do not wish to enjoy your trial, you can cancel by calling the number below. All SiriusXM services require a subscription, each sold separately by SiriusXM after the trial period. Service subject to the SiriusXM Customer Agreement and Privacy Policy, visit siriusxm.com for complete terms and how to cancel which includes online methods or calling 1-866-635-2349. Some services and features are subject to device capabilities and location availability. Satellite service not available in AK & HI. Content varies by SiriusXM subscription plan. All fees, content and features are subject to change. SiriusXM and related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries.
16. Drive Connect availability and accuracy depend on certain factors outside of Toyota's control in order to operate, including 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Services subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data charges may apply. See *Owner's Manual* and www.toyota.com/connected-services/ for limitations. To learn about Toyota's connected services data collection, use, sharing and retention practices, visit www.toyota.com/support/privacy-rights/. Trial period begins on original purchase or lease date of new vehicle. Paid subscription required after trial (if applicable). Terms of Use apply.
17. Toyota Connected Services depend on certain factors outside of Toyota's control in order to operate, including 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded, including access to response center and emergency support. Services vary by vehicle and are subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data charges may apply. See *Owner's Manual* and www.toyota.com/connected-services/. For Toyota's Connected Services' data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. All trials begin on original purchase or lease date of new vehicle, with the exception of Wi-Fi for which trial begins at time of activation. Paid subscription required after trial (if applicable). For Safety Connect, stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. For Remote Connect, start/stop and/or lock/unlock and other features of Remote Connect are only available on select models. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start a gas engine vehicle in an enclosed space or if vehicle is occupied by a child). Drive Connect service not available in every city or roadway. For Service Connect, information provided is based on the last time data was collected from vehicle and is not real time data. Wi-Fi Connect service not available everywhere or in every vehicle. Valid in contiguous U.S. and Alaska. Up to 5 devices supported. Integrated Streaming requires subscription for third-party provider services. Wi-Fi Connect trial (if applicable) begins at time of enrollment and expires the earlier of 3GB of data is used or 30 days after enrollment.
18. Never tow beyond a vehicle's published towing capacities. Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. Follow all instructions in your *Owner's Manual*.
19. The backup camera does not provide a comprehensive view of the rear area of the vehicle/trailer. When using straight path assist, driver should confirm clearance and is still responsible for safe operation. See *Owner's Manual* for limitations.
20. ToyotaCare covers normal factory scheduled maintenance for 2 years or 25,000 miles, whichever comes first, and 24/7 Roadside Assistance is for 2 years/unlimited mileage. Roadside Assistance does not include parts and fluids, except limited emergency gas delivery. Towing distance up to 25 miles. Restrictions apply. Available in the continental U.S. and Canada. See Toyota dealer for details and exclusions.
21. Payload includes the weight of occupants, cargo and options and is limited by weight distribution.
22. Crawl Control is designed for driving on difficult terrain at low speeds and assists driver by controlling acceleration and braking, allowing the driver to focus on steering. See *Owner's Manual* for additional limitations.
23. HomeLink and HomeLink® house icon are registered trademarks of Gentex Corporation.
24. Charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models.
25. Wireless charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models.
26. This floor mat was designed specifically for use in your model and model year vehicle and SHOULD NOT be used in any other vehicle. To avoid potential interference with pedal operation, each mat must be secured with its fasteners. Do not install a floor mat on top of an existing floor mat.
27. Extra-cost color.
28. Airbag systems supplement the seatbelts and are designed to inflate only under certain conditions and in certain types of severe collisions. Always wear seatbelt, sit upright in middle and as far back in seat as possible to help decrease risk of injury. Do not put objects in front of an airbag See *Owner's Manual* for limitations.
29. The backup camera does not provide a comprehensive view. Always look over shoulder and use outside mirrors. See *Owner's Manual* for limitations.
30. Hill Start Assist Control is designed to minimize backward rolling on steep ascents. Not a substitute for safe driving practices. Speed, grade, surface conditions, driver input, etc. can affect HAC function. See *Owner's Manual*.
31. The Pre-Collision System (PCS) with Pedestrian Detection (PD) is designed to help reduce the crash speed and damage in certain

frontal collisions involving a vehicle, a pedestrian, bicyclist or motorcyclist. PCS w/PD is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of vehicle, pedestrian, bicyclist or motorcyclist and weather, light and road conditions. See *Owner's Manual* for limitations.

32. Smart Stop Technology will reduce power to help the brakes bring vehicle to a stop during certain contemporaneous brake and accelerator pedal applications. See *Owner's Manual* for limitations.
33. Vehicle Stability Control is not a substitute for safe and attentive driving practices. Factors including speed, road conditions, weather and steering input can affect whether VSC will be effective. See *Owner's Manual* for limitations.
34. Dynamic Radar Cruise Control is not a substitute for safe and attentive driving. See *Owner's Manual* for instructions and limitations.
35. Automatic high beams operate at speeds above 21 mph. See *Owner's Manual* for instructions and limitations.
36. Lane Departure Alert with Steering Assist is designed to read visible lane markers under certain conditions. It provides a visual/audible alert and slight steering force when lane departure is detected. It is not a collision-avoidance system or substitute for safe and attentive driving. Effectiveness depends on many factors including road, weather and vehicle conditions. See *Owner's Manual* for limitations.
37. Do not rely exclusively on the Rear Cross-Traffic Alert. Visually confirm clearance during use. See *Owner's Manual* for limitations.
38. The engine immobilizer is a state-of-the-art anti-theft system initiated when key is inserted into ignition switch or a Smart Key fob is in/near vehicle. Engine will only start if the code in transponder chip inside the key/fob matches code in vehicle's immobilizer. The transponder chip is embedded in the key/fob and can be costly to replace. For lost key or FOB, see a Toyota dealer or go to www.aloa.org to find a qualified locksmith for high-security key service.
39. Rear Parking Assist Sonar is designed to warn drivers of potential rear collisions with certain objects at low speeds. Drivers should visually confirm clearance during use. See *Owner's Manual* for instructions and limitations.
40. The Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See *Owner's Manual* for limitations and details.
41. Auto LSD is an electronic, brake-actuated limited-slip differential that automatically activates when VSC is disengaged at low speeds. See *Owner's Manual* for additional limitations and details.
42. When system is on, Electric Parking Brake is designed to engage Parking Brake under limited conditions and may not hold vehicle under all conditions. See *Owner's Manual* for additional limitations.
43. The Toyota Tacoma is designed to meet most off-road driving requirements, but off-roading is inherently dangerous and may result in personal injury or vehicle damage. Toyota encourages responsible operation to help protect you, your vehicle and the environment.
44. For more information, visit Kelley Blue Book's KBB.com. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc.
45. Front and Rear Parking Assist with Automatic Braking (PA w/AB) may warn drivers of, and potentially brake for front and rear collisions with certain objects when traveling at low speeds. Drivers should visually confirm clearance during use. See *Owner's Manual* for instructions and limitations.
46. Proactive Driving Assist (PDA) is designed to detect certain objects or curves in the road and provide gentle braking and/or steering support. PDA is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of detected objects and weather, light and road conditions. See *Owner's Manual* for additional limitations and details.
47. Road Sign Assist only recognizes certain road signs. See *Owner's Manual* for limitations.
48. The Lane Tracing Assist (LTA) lane centering function is designed to read visible lane markers and detect other vehicles under certain conditions. It is only operational when DRCC is engaged. Not available on vehicles with manual transmissions. See *Owner's Manual* for limitations.
49. Downhill Assist Control is designed to help driver maintain vehicle control and speed on steep, downhill descents and Hill-Start Assist Control is designed to help minimize backward rolling on steep ascents. Neither system is a substitute for safe driving judgment and practices. Factors including speed, grade, surface conditions and driver input can affect the ability of the DAC and HAC to prevent a loss of control. See *Owner's Manual* for additional limitations.
50. Front and Rear Parking Assist Sonar is designed to warn drivers of potential front and rear collisions with certain objects at low speeds. Drivers should visually confirm clearance during use. See *Owner's Manual* for instructions and limitations.
51. This product is not a Genuine Toyota part or accessory and was not designed or manufactured by Toyota. Toyota has not fully evaluated this product to determine its overall impact on the performance or safety of any Toyota vehicle onto which it is installed or to determine whether installation would render the vehicle illegal for operation on public roadways in any states. Installation of this product may impact your vehicles' warranty. This product is not warranted by Toyota, and Toyota expressly disclaims any warranty for this product, including without limitation, any implied warranties of merchantability and of fitness for particular purpose. Toyota also disclaims all liability for direct, indirect, special, incidental or consequential damages, including but not limited to, damage to or loss of personal or commercial property, loss of use, cost of purchase of replacement goods, or claims of customers of any Toyota dealer that result from the use of this product. This product is not available in Hawaii. Shipping charges not included.