

2024 Tacoma

Top 5 Facts

- * Standard turbocharged engine on gas grades
- * Available i-FORCE MAX Hybrid EV system
- * Performance-oriented TRD Pro and Trailhunter models
- * Audio Multimedia with available 14-in. display
- * Toyota Safety Sense™ 3.0[1]

What's New

Toyota Tacoma is all-new for 2024, featuring a standard turbocharged engine and an available i-FORCE MAX Hybrid EV powertrain on select grades. In addition to the TRD Pro, the Trailhunter grade joins the lineup as the model focused specifically for overlanding. On top of that, Tacoma now comes with Toyota Safety Sense™ 3.0[1] as standard, and the latest Audio Multimedia platform.

Awards

- 2024 Toyota Tacoma is a Kelley Blue Book KBB.com **Best Buy**[13]
- 2024 Toyota Tacoma was named **Best Resale Value** in its class by Kelley Blue Book's KBB.com[15]
- 2024 Toyota Tacoma is one of the **Top 10 cars with Best Resale Value** according to Kelley Blue Book's KBB.com[15]
- **Best-Selling Vehicle** of 2023[14]
- The Toyota Tacoma has been America's **best-selling midsize pickup** for the last 19 years.[14]
- 2024 Toyota Tacoma was named a **Best New Car** by Autotrader[16]

Models

Model Code	Trim Name	Full Name	Engine
7186	SR	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7594	SR	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7547	SR	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	2.4L 4-cyl. Turbo

7162	SR	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7514	SR	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7146	SR5	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7540	SR5	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7170	SR5	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7570	SR5	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7126	SR5	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7558	SR5	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7166	TRD Pre-Runner	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7148	TRD Sport	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7542	TRD Sport	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7543	TRD Sport	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	2.4L 4-cyl. Turbo
7172	TRD Sport	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7566	TRD Sport	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7530	TRD Sport	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7544	TRD Off-Road	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7568	TRD Off-Road	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7545	TRD Off-Road	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	2.4L 4-cyl. Turbo
7532	TRD Off-Road	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo HV
7582	Limited	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7534	Limited	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7536	Trailhunter	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7538	Trailhunter	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7598	TRD Pro	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo

Key Features

SR

Tacoma's base SR grade offers plenty of standard equipment and plenty of capability to get through work and everyday tasks. With its standard turbocharged powertrain, this midsize pickup backs up its rugged good looks with capability. Should drivers want maximum control of Tacoma's turbocharged power, an available six-speed manual transmission provides just that.

- Standard turbocharged 4-cyl. engine
- Double Cab or XtraCab configurations
- Toyota Safety Sense™ 3.0[1]
- Audio Multimedia with 8-in. touchscreen
- LED headlights

SR5

SR5 enhances Tacoma's value proposition with added convenience features. On top of that, an available 10-speaker JBL®[2] Premium Audio System elevates the listening experience to new heights.

- Available power sliding rear window with privacy glass
- Available automatic climate control
- 6-speaker audio system
- Smart Key System

TRD Pre-Runner

TRD Pre-Runner is the first of four TRD performance grades. Available only in an XtraCab and rear wheel drive configuration, this Tacoma variant comes with several enhancements to improve its performance when the pavement ends like a lifted front suspension and all-terrain tires.

- 17-in. alloy wheels
- Available bed storage box
- Fold flat passenger seat
- Electronic locking rear differential

TRD Sport

Tacoma TRD Sport is the street-oriented performance variant, offering a choice between gas and i-FORCE MAX hybrid EV powertrains. Additionally, the former can also be equipped with a six-speed manual transmission for drivers that want added control of its turbocharged power.

- 18-in. machined alloy wheels
- Available 6-speed manual transmission
- Qi-compatible wireless charging[25]
- Available Digital Key[8] (requires an active Remote Connect trial[8] or subscription. 4G network dependent)

TRD Off-Road

On the other end of the spectrum is Tacoma TRD Off-Road, the first of three performance models focused on off-road capability[43]. Available with either a turbocharged engine or the i-FORCE MAX hybrid EV system, this rugged pickup allows drivers to go off the beaten

path[43].

- 17-in. machined alloy wheels
- All-terrain tires
- Available 400W/120V AC power supply[4]
- Available heated front seats

Limited

Tacoma's Limited grade is all about a premium experience while maintaining its legendary capability. The available Full-Time 4WD system with locking center differential ensures it puts power down effectively whether on or off the pavement. Plus, rich appointments elevate the overall experience by adding an extra layer of comfort and convenience.

- Heated and ventilated front seats
- Available i-FORCE MAX Hybrid EV system
- 14-in. Audio Multimedia display
- 10-speaker JBL®[2] Premium Audio System with JBL®[2] Flex Speaker

Trailhunter

Tailored specifically for overland, a type of off-roading where the journey is the focal point, Tacoma Trailhunter is built to go far off the beaten path.[43] Together with its powerful Hybrid EV powertrain and suspension, it features unique details like an ARB®[51] sports bar and Rigid Industries®[10] fog lights that help it stand out. Plus, features like an available in-bed 2,400-watt AC power supply[4] allows drivers to remain plugged in while out in the wilderness.

- Low profile, high-mount air intake
- Lifted suspension with Old Man Emu® shocks
- 18-in. bronze-finish alloy wheels
- High-clearance trail exhaust tip

TRD Pro

While Trailhunter is built to go far, Tacoma's TRD Pro grade is all about thrills. This off-road beast is all about fun on the dirt and it backs that up with the right hardware, including a standard part-time 4WD system, an electronically controlled locking rear differential, all-terrain and a TRD Pro off-road suspension with Fox® shocks.[43]

- TRD black performance exhaust
- Bed-mounted 2400W/120V AC power supply[4]
- IsoDynamic performance front seats

- 18-in. TRD Pro alloy wheels

Colors

Availability - X

Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD Pre-Runner	TRD Sport	TRD Off-Road	Limited	Trailhunter	TRD Pro
Ice Cap (040)	Black Fabric (20-FA)	X							
Celestial Silver Metallic (1J9)	Black Fabric (20-FA)	X							
Underground (1L7)	Black Fabric (20-FA)	X							
Black (202)	Black Fabric (20-FA)	X							
Supersonic Red (3U5)	Black Fabric (20-FA)	X							
Ice Cap (040)	Black Fabric (20-FF)		X						
Ice Cap (040)	Black Fabric with Smoke Silver (20-FB)		X						
Ice Cap (040)	Boulder Fabric (10-FF)		X						
Celestial Silver Metallic (1J9)	Black Fabric (20-FF)		X						
Celestial Silver Metallic (1J9)	Black Fabric with Smoke Silver (20-FB)		X						
Celestial Silver Metallic (1J9)	Boulder Fabric (10-FF)		X						
Underground (1L7)	Black Fabric (20-FF)		X						
Underground (1L7)	Black Fabric with Smoke Silver (20-FB)		X						
Underground (1L7)	Boulder Fabric (10-FF)		X						
Black (202)	Black Fabric (20-FF)		X						
Black (202)	Black Fabric with Smoke Silver (20-FB)		X						
Black (202)	Boulder Fabric (10-FF)		X						
Supersonic Red (3U5)	Black Fabric (20-FF)		X						
Supersonic Red (3U5)	Black Fabric with Smoke Silver (20-FB)		X						
Supersonic Red (3U5)	Boulder Fabric (10-FF)		X						
Blue Crush Metallic (8W7)	Black Fabric (20-FF)		X						
Blue Crush Metallic (8W7)	Boulder Fabric (10-FF)		X						
Ice Cap (040)	Boulder/Black Fabric with Smoke Silver (12-FC)			X					

Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD Pre- Runner	TRD Sport	TRD Off- Road	Limited	Trailhunter	TRD Pro
Ice Cap (040)	Boulder/Black Fabric with Anodized Blue (11-FC)			X					
Underground (1L7)	Boulder/Black Fabric with Smoke Silver (12- FC)			X					
Underground (1L7)	Boulder/Black Fabric with Anodized Blue (11-FC)			X					
Solar Octane (4W5)	Boulder/Black Fabric with Smoke Silver (12- FC)			X					
Black (202)	Boulder/Black Fabric with Smoke Silver (12- FC)			X					
Black (202)	Boulder/Black Fabric with Anodized Blue (11-FC)			X					
Supersonic Red (3U5)	Boulder/Black Fabric with Smoke Silver (12- FC)			X					
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Smoke Silver (12- FC)			X					
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Anodized Blue (11-FC)			X					
Ice Cap (040)	Boulder/Black Fabric with Anodized Blue (11-FE)				X				
Ice Cap (040)	Black SofTex® trim (20- EA)				X				
Ice Cap (040)	Black Fabric with White (21-FE)				X				
Ice Cap (040)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				
Wind Chill Pearl (089)	Boulder/Black Fabric with Anodized Blue (11-FE)				X				
Wind Chill Pearl (089)	Black SofTex® trim (20- EA)				X				
Wind Chill Pearl (089)	Black Fabric with White (21-FE)				X				
Wind Chill Pearl (089)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Anodized Blue (11-FE)				X				
Celestial Silver Metallic (1J9)	Black SofTex® trim (20- EA)				X				
Celestial Silver Metallic (1J9)	Black Fabric with White (21-FE)				X				

Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD Pre- Runner	TRD Sport	TRD Off- Road	Limited	Trailhunter	TRD Pro
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				
Underground (1L7)	Boulder/Black Fabric with Anodized Blue (11-FE)				X				
Underground (1L7)	Black SofTex® trim (20- EA)				X				
Underground (1L7)	Black Fabric with White (21-FE)				X				
Underground (1L7)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				
Solar Octane (4W5)	Black SofTex® trim (20- EA)				X				
Solar Octane (4W5)	Black Fabric with White (21-FE)				X				
Solar Octane (4W5)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				
Black (202)	Boulder/Black Fabric with Anodized Blue (11-FE)				X				
Black (202)	Black SofTex® trim (20- EA)				X				
Black (202)	Black Fabric with White (21-FE)				X				
Black (202)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				
Supersonic Red (3U5)	Black SofTex® trim (20- EA)				X				
Supersonic Red (3U5)	Black Fabric with White (21-FE)				X				
Supersonic Red (3U5)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				
Oxide Bronze (6X1)	Black SofTex® trim (20- EA)				X				
Oxide Bronze (6X1)	Black Fabric with White (21-FE)				X				
Oxide Bronze (6X1)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				
Blue Crush Metallic (8W7)	Boulder/Black Fabric with Anodized Blue (11-FE)				X				
Blue Crush Metallic (8W7)	Black SofTex® trim (20- EA)				X				
Blue Crush Metallic (8W7)	Black Fabric with White (21-FE)				X				
Blue Crush Metallic (8W7)	Boulder/Black Fabric with Smoke Silver (12- FE)				X				

Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD Pre- Runner	TRD Sport	TRD Off- Road	Limited	Trailhunter	TRD Pro
	FE)								
Ice Cap (040)	Black Fabric with White (21-FD)					X			
Ice Cap (040)	Black SofTex® trim (20- EA)					X			
Ice Cap (040)	Boulder/Black Fabric with Smoke Silver (12- FD)					X			
Ice Cap (040)	Boulder/Black Fabric with Anodized Blue (11-FD)					X			
Celestial Silver Metallic (1J9)	Black Fabric with White (21-FD)					X			
Celestial Silver Metallic (1J9)	Black SofTex® trim (20- EA)					X			
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Smoke Silver (12- FD)					X			
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Anodized Blue (11-FD)					X			
Underground (1L7)	Black Fabric with White (21-FD)					X			
Underground (1L7)	Black SofTex® trim (20- EA)					X			
Underground (1L7)	Boulder/Black Fabric with Smoke Silver (12- FD)					X			
Underground (1L7)	Boulder/Black Fabric with Anodized Blue (11-FD)					X			
Solar Octane (4W5)	Black Fabric with White (21-FD)					X			
Solar Octane (4W5)	Black SofTex® trim (20- EA)					X			
Solar Octane (4W5)	Boulder/Black Fabric with Smoke Silver (12- FD)					X			
Solar Octane (4W5)	Boulder/Black Fabric with Anodized Blue (11-FD)					X			
Black (202)	Black Fabric with White (21-FD)					X			
Black (202)	Black SofTex® trim (20- EA)					X			
Black (202)	Boulder/Black Fabric with Smoke Silver (12- FD)					X			
Black (202)	Boulder/Black Fabric with Anodized Blue (11-FD)					X			
Supersonic Red (3U5)	Black Fabric with White (21-FD)					X			

Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD Pre- Runner	TRD Sport	TRD Off- Road	Limited	Trailhunter	TRD Pro
Supersonic Red (3U5)	Black SofTex® trim (20- EA)					X			
Supersonic Red (3U5)	Boulder/Black Fabric with Smoke Silver (12- FD)					X			
Supersonic Red (3U5)	Boulder/Black Fabric with Anodized Blue (11-FD)					X			
Oxide Bronze (6X1)	Black Fabric with White (21-FD)					X			
Oxide Bronze (6X1)	Black SofTex® trim (20- EA)					X			
Oxide Bronze (6X1)	Boulder/Black Fabric with Smoke Silver (12- FD)					X			
Oxide Bronze (6X1)	Boulder/Black Fabric with Anodized Blue (11-FD)					X			
Blue Crush Metallic (8W7)	Black Fabric with White (21-FD)					X			
Blue Crush Metallic (8W7)	Black SofTex® trim (20- EA)					X			
Blue Crush Metallic (8W7)	Boulder/Black Fabric with Smoke Silver (12- FD)					X			
Blue Crush Metallic (8W7)	Boulder/Black Fabric with Anodized Blue (11-FD)					X			
Oxide Bronze (6X1)	Black SofTex® trim (20- EB)						X		
Oxide Bronze (6X1)	Boulder SofTex® trim (10-EB)						X		
Wind Chill Pearl (089)	Black SofTex® trim (20- EB)						X		
Wind Chill Pearl (089)	Boulder SofTex® trim (10-EB)						X		
Celestial Silver Metallic (1J9)	Black SofTex® trim (20- EB)						X		
Celestial Silver Metallic (1J9)	Boulder SofTex® trim (10-EB)						X		
Underground (1L7)	Black SofTex® trim (20- EB)						X		
Underground (1L7)	Boulder SofTex® trim (10-EB)						X		
Black (202)	Black SofTex® trim (20- EB)						X		
Black (202)	Boulder SofTex® trim (10-EB)						X		
Supersonic Red (3U5)	Black SofTex® trim (20- EB)						X		
Supersonic Red (3U5)	Boulder SofTex® trim (10-EB)						X		

Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD Pre-Runner	TRD Sport	TRD Off-Road	Limited	Trailhunter	TRD Pro
Blue Crush Metallic (8W7)	Black SofTex® trim (20-EB)						X		
Blue Crush Metallic (8W7)	Boulder SofTex® trim (10-EB)						X		
Ice Cap (040)	Mineral SofTex® trim (60-EC)							X	
Celestial Silver Metallic (1J9)	Mineral SofTex® trim (60-EC)							X	
Underground (1L7)	Mineral SofTex® trim (60-EC)							X	
Black (202)	Mineral SofTex® trim (60-EC)							X	
Oxide Bronze (6X1)	Mineral SofTex® trim (60-EC)							X	
Black (202)	Black SofTex® trim (22-ED)								X
Black (202)	Cockpit Red SofTex® trim (30-ED)								X
Terra w/ Black Roof (2ZX)	Black SofTex® trim (22-ED)								X
Ice Cap w/ Black Roof (2MQ)	Black SofTex® trim (22-ED)								X
Ice Cap w/ Black Roof (2MQ)	Cockpit Red SofTex® trim (30-ED)								X
Underground w/ Black Roof (2ZW)	Black SofTex® trim (22-ED)								X
Underground w/ Black Roof (2ZW)	Cockpit Red SofTex® trim (30-ED)								X

Factory Options

SR

Deck Rail + Cleats - \$70

- Code: DS
- Deck rail system with four adjustable tie-down cleats and fixed cargo bed tie-down points

Mud Guards - \$60

- Code: MG
- Mudguards

SR5

Heated Seats - \$585

- Code: CY
- Heated front seats

Deck Rail + Cleats - \$70

- Code: DS
- Deck rail system with four adjustable tie-down cleats and fixed cargo bed tie-down points

Mud Guards - \$60

- Code: MG
- Mudguards

*TRD Pre-Runner***Mud Guards - \$60**

- Code: MG
- Mudguards

*TRD Sport***Heated Seats - \$585**

- Code: CY
- Heated front seats

Toyota Audio Multimedia Upgrade (with TRD Sport Upgrade Package) - \$840

- Code: EE
- 14-in. Audio Multimedia Display

Mud Guards - \$60

- Code: MG
- Mudguards

Moonroof - \$850

- Code: MR
- Power moonroof

*TRD Off-Road***Heated Seats - \$585**

- Code: CY

- Heated front seats

Toyota Audio Multimedia Upgrade (with TRD Off-Road Upgrade Package) - TBD

- Code: EF
- 14-in. Audio Multimedia Display

Mud Guards - \$60

- Code: MG
- Mudguards

Moonroof - \$850

- Code: MR
- Power moonroof

Stabilizer Disconnect Mechanism - \$1,230

- Code: SF
- Stabilizer Disconnect Mechanism (SDM)

Limited

Mud Guards - \$60

- Code: MG
- Mudguards

Adaptive Variable Suspension - \$395

- Code: LT
- Adaptive Variable Suspension (AVS)

Trailhunter

Mud Guards - \$60

- Code: MG
- Mudguards

TRD Pro

Mud Guards - \$60

- Code: MG
- Mudguards

Packages

SR

SR Upgrade Package (A/T) - \$1,500

- Code: LL
- Available Blind Spot Monitor[5], available Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45], available LED bed lights, available deck rail and cleats. Digital Key capability[8]

SR5

SR5 Upgrade Package (Double Cab) - \$3,005

- Code: SM
- Available leather-trimmed steering wheel and shift knob, available JBL®[2] Premium Audio with JBL FLEX®[2] portable speaker, available HomeLink®[23] universal transceiver, available Qi-compatible wireless charging[25], available automatic climate control, available Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45], Available LED bed lights, available easy lower tailgate, available Integrated Trailer Brake Controller (ITBC)[9], available power horizontal rear window, and available Digital Key capability[8]

SR5 Upgrade Package + Cold Weather Package (Double Cab) - \$3,740

- Code: SP
- Available heated front seats, available leather-trimmed heated steering wheel, available leather-trimmed shift knob, available JBL®[2] Premium Audio with JBL FLEX®[2] portable speaker, available HomeLink®[23] universal transceiver, available Qi-compatible wireless charging[25], available automatic climate control, available Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45], available rear underseat storage compartment, available LED bed lights, available easy lower tailgate, and available Integrated Trailer Brake Controller (ITBC)[9], available power horizontal rear window, and available Digital Key capability[8]

TRD Pre-Runner

TRD PreRunner Upgrade Package - \$1,330

- Code: SM
- Available HomeLink®[23] universal transceiver, available Qi-compatible wireless charging[25], available Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45], available LED bed lights, available Integrated Trailer Brake Controller (ITBC)[9], and available Digital Key capability[8]

TRD Sport

TRD Sport Premium Package (2WD) - \$8,835

- Code: PQ
- Available SofTex®-trimmed[6] seats with heated and ventilated 8-way power-adjustable front seats, available leather-trimmed heated steering wheel, available 14-in. Audio Multimedia Display, available Panoramic View Monitor (PVM)[7], available JBL®[2] Premium Audio with JBL FLEX®[2] portable speaker, available power moonroof, available Qi-compatible wireless charging[25], available dual-zone automatic climate control, available Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection, available 400W/120V AC power inverter[4], available digital rearview mirror, available Towing Technology Package, including Integrated Trailer Brake Controller (ITBC)[9], available power tailgate, available power horizontal rear window, and available Digital Key capability[8]

TRD Sport Upgrade Package (2WD) - TBD

- Code: PU
- Available fabric-trimmed heated 8-way power-adjustable front seats, available leather-trimmed heated steering wheel, available JBL®[2] Premium Audio with JBL FLEX®[2] portable speaker, available Qi-compatible wireless charging[25], available dual-zone automatic climate control, available Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45], available prewired auxiliary switches, available 400W/120V AC power inverter[4], available Integrated Trailer Brake Controller (ITBC)[9], available power horizontal rear window, and available Digital Key capability[8]

TRD Off-Road

TRD Off-Road Premium Package (A/T) - \$8,800

- Code: OF
- Available SofTex®-trimmed[6] seats with heated and ventilated 8-way power-adjustable front seats, available leather-trimmed heated steering wheel, available 14-in. Audio Multimedia Display, available Multi-Terrain Monitor (MTM), available JBL®[2] Premium Audio with JBL FLEX®[2] portable speaker, available power moonroof, available Qi-compatible wireless charging[25], available dual-zone automatic climate control, available Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection, available prewired auxiliary switches, available 400W/120V AC power inverter[4], available digital rearview mirror, available Towing Technology Package, including available Integrated Trailer Brake Controller (ITBC)[9], available power tailgate, available power horizontal rear window, and available Digital Key capability[8]

TRD Off-Road Upgrade Package (A/T) - \$4,640

- Code: OU

- Available fabric-trimmed heated 8-way power-adjustable front seats, available leather-trimmed heated steering wheel, available JBL®[2] Premium Audio with JBL FLEX®[2] portable speaker, available Qi-compatible wireless charging[25], available Front and Rear Parking Assist Sonar[50], available prewired auxiliary switches, available 400W/120V AC power inverter[4], available Integrated Trailer Brake Controller (ITBC)[9], available power horizontal rear window, and and available Digital Key capability[8]

Limited

No packages available at this time

Trailhunter

No packages available at this time

TRD Pro

No packages available at this time

Features

S - Standard | O - Optional | P - Package

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Safety/Convenience						
Airbags						
Driver and front passenger Advanced Airbag System[28]	S	S	S	S	S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]	S	S	S	S	S	S
Backup Camera						
Backup Guide Monitor[29]	S	S	S	S	S	S
3D Multi-Terrain Monitor (MTM)	–	–	–	–	–	–

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
with selectable front, side and rear views						
3D Panoramic View Monitor[7] with selectable front, side and rear views	–	–	–	–	–	–
Braking Systems						
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Hill Start Assist Control (HAC) [30]	S	S	S	S	S	S
Active Traction Control (A-TRAC)	–	S	–	–	–	–
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	–	–	–	–	–	–
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Smart Stop Technology®[32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC) [33] – part of Star Safety System™	S	S	S	S	S	S
Convenience						
Smart Key System on driver door with Push Button Start	S	S	S	S	S	–
Smart Key System on driver and front passenger doors with Push Button Start	–	–	–	–	–	S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	P	P	P	P	P	P
Class-IV towing hitch receiver and wiring harness with 7-pin/ 4-pin connector	S	S	S	P	P	S
Class-IV towing hitch receiver and wiring harness with 7-pin/ 4-pin connector; Trailer Backup Guide (TBG)[9]; Trailer Blind Spot Monitor: Trailer Camera	–	–	–	–	–	–

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Cruise Control						
Full-Speed Range Dynamic Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Safety & Security						
Star Safety System™	S	S	S	S	S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Smart Stop Technology® (SST) [32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC) [33] – part of Star Safety System™	S	S	S	S	S	S
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Automatic High Beams (AHB) [35] – part of Toyota Safety Sense™ P (TSS 3.0)[1]	S	S	S	S	S	S
Full-Speed Range Dynamic Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Departure Alert with Steering Assist (LDA w/ SA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Proactive Driving Assist (PDA) [46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Tracing Assist (LTA)[48] –	S	S	S	S	S	S

[illegible]

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Air Conditioner, Heater & Defroster						
Automatic climate control with air filtration and combined temperature settings for driver and front passenger	–	–	–	–	–	P
Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger	–	–	–	–	–	–
Audio, Entertainment & Navigation						
8-in. Audio Multimedia Display	S	S	S	S	S	S
14-in. Audio Multimedia Display	–	–	–	–	–	–
Wireless Apple CarPlay® compatibility[13]	S	S	S	S	S	S
Wireless Android Auto™ compatibility[14]	S	S	S	S	S	S
Hands-free phone capability & music streaming via <i>Bluetooth</i> ® wireless technology[3]	S	S	S	S	S	S
3-month SiriusXM® trial subscription[15]	S	S	S	S	S	S
4 speakers	–	–	–	S	–	–
6 speakers	S	S	S	–	S	S
10 JBL®[2] speakers including JBL FLEX®[2] portable <i>Bluetooth</i> speaker	–	–	–	–	–	P
Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G network dependent	–	–	–	–	–	–
Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Cup & Bottle Holders						
Five cup and bottle holders	S	–	S	S	–	S
Drive Modes						
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	–	–	–	–	–	–
Instrumentation						
12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	–	–	–	–	–	O
Head-Up Display (HUD)	–	–	–	–	–	–
Lights						
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Mirrors						
Manual day/night rearview mirror	S	S	S	S	S	–
Auto-dimming day/night rearview mirror	–	–	–	–	–	S
Auto-dimming day/night rearview mirror with HomeLink® [23] universal transceiver	–	–	–	–	–	–
Digital rearview mirror with HomeLink®[23] universal transceiver	–	–	–	–	–	–
Power Outlets						
Dual USB-C ports with power delivery[24]	S	S	S	S	S	S
Qi-compatible wireless smartphone charging[25] with charge indicator light	–	–	–	–	–	–
Bed-mounted 400W/120V AC power inverter[4]	–	–	–	–	–	–
Bed-mounted 2400W/120V AC power inverter[11]	–	–	–	–	–	–
Prewired DC power auxiliary switches	–	–	–	–	–	–
Seats						
6-way adjustable driver's seat with lumbar support	S	S	S	S	S	S
8-way power adjustable driver's	–	–	–	–	–	–

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
seat including 4-way lumbar support						
6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support	–	–	–	–	–	–
6-way adjustable front passenger seat	S	S	S	S	S	S
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	–	–	–	–	–	–
Fabric-trimmed seats	S	S	S	S	S	S
SofTex®-trimmed seats[6]	–	–	–	–	–	–
Heated front seats	–	–	–	–	–	P
Heated and ventilated front seats	–	–	–	–	–	–
TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	–	–	–	–	–	–
60/40 split, folding rear seat with behind and under-seat storage	S	S	S	–	–	S
Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment	–	–	–	S	S	–
Steering Wheel						
Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	S	S	S	S	S	S
Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	–	–	–	–	–	P
TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls	–	–	–	–	–	–
Heated steering wheel	–	–	–	–	–	P
Storage Areas						
Center console with covered	S	–	S	S	–	S

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
armrest and storage compartment						
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Trim						
Leather-trimmed shift lever	–	–	–	–	–	–
TRD Pro shift knob	–	–	–	–	–	–
TRD Pro floor mats[26]	–	–	–	–	–	–
Exterior						
Lights						
LED headlights	S	S	S	S	S	S
LED Daytime Running Lights (DRL)	S	S	S	S	S	S
Sequential LED turn signals	–	–	–	–	–	–
Backlight logos	–	–	–	–	–	–
Manual leveling adjustment	S	S	S	S	S	S
Integrated bed scene lighting	–	–	–	–	–	–
LED bed lighting	P	P	P	P	P	P
LED fog lights	–	–	–	–	–	S
Rigid Industries®[10] LED fog lights	–	–	–	–	–	–
Rigid Industries®[10] white-and-amber-color switching LED fog lights	–	–	–	–	–	–
Mirrors						
Color-keyed, heated, power outside mirrors	S	S	S	S	S	S
Outside mirrors with turn signal indicators	–	–	–	–	–	–
Moonroof						
Power tilt/slide moonroof and sliding sunshade	–	–	–	–	–	–
Power Outlets						
400W/120V AC power inverter [4]	–	–	–	–	–	–
Racks						
Four fixed cargo bed tie-down points	S	S	S	S	S	–
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points	P	P	P	P	P	S

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Skid Plates						
Composite underbody transfer case and fuel tank protection	-	-	-	-	-	-
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	-	-	-	-	-	-
High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, and composite fuel tank protector	-	-	-	-	-	-
Trim						
Heritage-inspired "TOYOTA" front grille with integrated light bar	-	-	-	-	-	-
High-clearance front bumper	-	-	-	-	-	-
Color-keyed rear bumper	-	-	-	-	-	S
ARB®[51] steel rear bumper and red rear recovery hooks	-	-	-	-	-	-
Frame-mounted steel rock rails	-	-	-	-	-	-
Power running boards	-	-	-	-	-	-
Bed storage box	-	-	-	-	-	-
Lightweight "TACOMA" stamped tailgate with damper	-	-	-	-	-	P
Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection	-	-	-	-	-	-
Lightweight "TACOMA" stamped tailgate	S	S	S	S	S	S
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection	-	-	-	-	-	-
Chrome-finished exhaust tip	-	-	-	-	-	-
Front and rear mudguards	O	O	O	O	O	O
High-clearance trail exhaust tip	-	-	-	-	-	-
High clearance front bumper	-	-	-	-	-	-
TRD black performance exhaust	-	-	-	-	-	-
Passenger-side front recovery point	-	-	-	-	-	-
Driver-side and passenger-side front recovery points	-	-	-	-	-	-
ARB®[51] steel rear bumper with red-painted recovery points	-	-	-	-	-	-

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
ARB®[51] modular bed utility bar with removable MOLLE panels	–	–	–	–	–	–
Active grille shutters	S	S	S	S	S	S
Reinforced rocker protector	–	–	–	–	–	–
Aluminum-reinforced composite bed	S	S	S	S	S	S
Low-profile, rear-facing, high-mount air intake	–	–	–	–	–	–
Wheels & Tires						
17-in. steel wheels with 245/70R17 tires	–	–	–	S	S	–
17-in. styled alloy wheels with 265/70R17 all-terrain tires	S	S	S	–	–	S
17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	–
18-in. TRD Sport alloy wheels with 265/65R18 tires	–	–	–	–	–	–
17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	–
18-in. Limited chrome-finished alloy wheels with 265/65R18 tires	–	–	–	–	–	–
18-in. TRD Off-Road alloy wheels with 265/70R18 tires	–	–	–	–	–	–
18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires	–	–	–	–	–	–
18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires	–	–	–	–	–	–
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Power sliding rear window with privacy glass	–	–	–	–	–	P

Additional Features...

	SR5 (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	TRD Pre- Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Safety/Convenience						
Airbags						
Driver and front passenger Advanced Airbag System[28]	S	S	S	S	S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]	S	S	S	S	S	S
Backup Camera						
Backup Guide Monitor[29]	S	S	S	S	S	S
3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views	–	–	–	–	–	–
3D Panoramic View Monitor[7] with selectable front, side and rear views	–	–	–	–	–	–
Braking Systems						
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Hill Start Assist Control (HAC) [30]	S	S	S	S	S	S
Active Traction Control (A- TRAC)	S	–	–	–	–	–
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	–	–	–	–	–	–
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Smart Stop Technology®[32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC) [33] – part of Star Safety System™	S	S	S	S	S	S
Convenience						
Smart Key System on driver	–	–	–	–	–	–

	SR5 (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	TRD Pre- Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
door with Push Button Start						
Smart Key System on driver and front passenger doors with Push Button Start	S	S	S	S	S	S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	P	P	P	P	P	P
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	S	S	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[9]; Trailer Blind Spot Monitor: Trailer Camera	–	–	–	–	–	–
Cruise Control						
Full-Speed Range Dynamic Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Safety & Security						
Star Safety System™	S	S	S	S	S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Smart Stop Technology® (SST) [32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC) [33] – part of Star Safety System™	S	S	S	S	S	S
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Automatic High Beams (AHB) [35] – part of Toyota Safety Sense™ P (TSS 3.0)[1]	S	S	S	S	S	S
Full-Speed Range Dynamic Radar Cruise Control (DRCC)	S	S	S	S	S	S

	SR5 (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	TRD Pre- Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]						
Lane Departure Alert with Steering Assist (LDA w/ SA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Proactive Driving Assist (PDA) [46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Tracing Assist (LTA)[48] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37]	S	S	S	S	S	S
Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	P	P	P	P	P	P
Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection	–	–	–	–	–	–
Front and Rear Parking Assist Sonar[50]	–	–	–	–	–	–
Child-protector rear door locks	–	–	S	S	S	–
Engine immobilizer[38]	S	S	S	S	S	S
Tire Pressure Monitor System (TPMS)[40]	–	–	–	–	–	–
Tire Pressure Monitor System (TPMS)[40] with individual tire location alert	S	S	S	S	S	S
Seatbelts & Child Restraint System						
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/ Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	S	S	S	S	S	S
LATCH (Lower Anchors and Tethers for CHildren) includes	S	S	S	S	S	S

	SR5 (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	TRD Pre- Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab						
Seats						
Driver and front passenger active headrests	S	S	S	S	S	S
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Power sliding rear window with privacy glass	P	P	P	–	–	–
Interior						
Air Conditioner, Heater & Defroster						
Automatic climate control with air filtration and combined temperature settings for driver and front passenger	P	P	P	P	P	S
Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger	–	–	–	–	–	P
Audio, Entertainment & Navigation						
8-in. Audio Multimedia Display	S	S	S	S	S	S
14-in. Audio Multimedia Display	–	–	–	–	–	–
Wireless Apple CarPlay® compatibility[13]	S	S	S	S	S	S
Wireless Android Auto™ compatibility[14]	S	S	S	S	S	S
Hands-free phone capability & music streaming via Bluetooth® wireless technology[3]	S	S	S	S	S	S
3-month SiriusXM® trial subscription[15]	S	S	S	S	S	S
4 speakers	–	–	–	S	S	S
6 speakers	S	S	S	–	–	–
10 JBL®[2] speakers including JBL FLEX®[2] portable Bluetooth speaker	P	P	P	–	–	–
Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G network dependent	–	–	–	–	–	–
Remote Connect with 1-year	S	S	S	S	S	S

	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]						
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Cup & Bottle Holders						
Five cup and bottle holders	S	S	S	S	S	S
Drive Modes						
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	–	–	–	–	–	–
Instrumentation						
12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	O	O	O	O	O	S
Head-Up Display (HUD)	–	–	–	–	–	–
Lights						
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Mirrors						
Manual day/night rearview mirror	–	–	–	–	–	–
Auto-dimming day/night rearview mirror	S	S	S	S	S	S
Auto-dimming day/night rearview mirror with HomeLink®[23] universal transceiver	–	–	–	–	–	–
Digital rearview mirror with HomeLink®[23] universal	–	–	–	–	–	–

	SR5 (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	TRD Pre- Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
transceiver						
Power Outlets						
Dual USB-C ports with power delivery[24]	S	S	S	S	S	S
Qi-compatible wireless smartphone charging[25] with charge indicator light	–	–	–	–	–	–
Bed-mounted 400W/120V AC power inverter[4]	–	–	–	–	–	–
Bed-mounted 2400W/120V AC power inverter[11]	–	–	–	–	–	–
Prewired DC power auxiliary switches	–	–	–	–	–	–
Seats						
6-way adjustable driver’s seat with lumbar support	S	S	S	S	S	S
8-way power adjustable driver’s seat including 4-way lumbar support	–	–	–	–	–	–
6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support	–	–	–	–	–	–
6-way adjustable front passenger seat	S	S	S	S	S	S
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	–	–	–	–	–	–
Fabric-trimmed seats	S	S	S	S	S	S
SofTex®-trimmed seats[6]	–	–	–	–	–	–
Heated front seats	P	P	P	P	P	–
Heated and ventilated front seats	–	–	–	–	–	–
TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	–	–	–	–	–	–
60/40 split, folding rear seat with behind and under-seat storage	S	S	S	–	–	–
Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment	–	–	–	S	S	S
Steering Wheel						

	SR5 (i- FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Polyurethane manual tilt/ telescopic steering wheel with phone, audio, display/ infotainment, and Driver Assist controls	S	S	S	S	S	-
Leather-trimmed manual tilt/ telescopic steering wheel with phone, audio, display/ infotainment, and Driver Assist controls	P	P	P	P	P	S
TRD Pro leather-trimmed manual tilt/ telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/ infotainment, and Driver Assist controls	-	-	-	-	-	-
Heated steering wheel	P	P	P	P	P	-
Storage Areas						
Center console with covered armrest and storage compartment	S	S	S	S	S	S
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Trim						
Leather-trimmed shift lever	-	-	-	P	-	-
TRD Pro shift knob	-	-	-	-	-	-
TRD Pro floor mats[26]	-	-	-	-	-	-
Exterior						
Lights						
LED headlights	S	S	S	S	S	S
LED Daytime Running Lights (DRL)	S	S	S	S	S	S
Sequential LED turn signals	-	-	-	-	-	-
Backlight logos	-	-	-	-	-	-
Manual leveling adjustment	S	S	S	S	S	S
Integrated bed scene lighting	-	-	-	-	-	-
LED bed lighting	P	P	P	P	P	P
LED fog lights	S	S	S	S	S	S
Rigid Industries®[10] LED fog lights	-	-	-	-	-	-
Rigid Industries®[10] white-and-amber-color switching LED fog lights	-	-	-	-	-	-
Mirrors						

	SR5 (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	TRD Pre- Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Color-keyed, heated, power outside mirrors	S	S	S	S	S	S
Outside mirrors with turn signal indicators	–	–	–	–	–	–
Moonroof						
Power tilt/slide moonroof and sliding sunshade	–	–	–	–	–	–
Power Outlets						
400W/120V AC power inverter [4]	–	–	–	–	–	–
Racks						
Four fixed cargo bed tie-down points	–	–	–	–	–	–
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points	S	S	S	S	S	S
Skid Plates						
Composite underbody transfer case and fuel tank protection	–	–	–	–	–	–
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	–	–	–	–	–	–
High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, and composite fuel tank protector	–	–	–	–	–	–
Trim						
Heritage-inspired "TOYOTA" front grille with integrated light bar	–	–	–	–	–	–
High-clearance front bumper	–	–	–	–	–	–
Color-keyed rear bumper	S	S	S	S	S	S
ARB®[51] steel rear bumper and red rear recovery hooks	–	–	–	–	–	–
Frame-mounted steel rock rails	–	–	–	–	–	–
Power running boards	–	–	–	–	–	–
Bed storage box	–	–	–	–	–	–
Lightweight "TACOMA" stamped tailgate with damper	P	P	P	P	P	P
Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection	–	–	–	–	–	–
Lightweight "TACOMA"	S	S	S	S	S	S

	SR5 (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	TRD Pre- Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
stamped tailgate						
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection	–	–	–	–	–	–
Chrome-finished exhaust tip	–	–	–	–	–	–
Front and rear mudguards	O	O	O	O	O	O
High-clearance trail exhaust tip	–	–	–	–	–	–
High clearance front bumper	–	–	–	–	–	–
TRD black performance exhaust	–	–	–	–	–	–
Passenger-side front recovery point	–	–	–	–	–	–
Driver-side and passenger-side front recovery points	–	–	–	–	–	–
ARB®[51] steel rear bumper with red-painted recovery points	–	–	–	–	–	–
ARB®[51] modular bed utility bar with removable MOLLE panels	–	–	–	–	–	–
Active grille shutters	S	S	S	S	S	S
Reinforced rocker protector	–	–	–	–	–	–
Aluminum-reinforced composite bed	S	S	S	S	S	S
Low-profile, rear-facing, high-mount air intake	–	–	–	–	–	–
Wheels & Tires						
17-in. steel wheels with 245/70R17 tires	–	–	–	–	–	–
17-in. styled alloy wheels with 265/70R17 all-terrain tires	S	S	S	S	S	–
17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	–
18-in. TRD Sport alloy wheels with 265/65R18 tires	–	–	–	–	–	–
17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	S
18-in. Limited chrome-finished alloy wheels with 265/65R18 tires	–	–	–	–	–	–
18-in. TRD Off-Road alloy wheels with 265/70R18 tires	–	–	–	–	–	–
18-in. Trailhunter bronze-	–	–	–	–	–	–

	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires						
18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires	–	–	–	–	–	–
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Power sliding rear window with privacy glass	P	P	P	–	–	–

Additional Features...

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Safety/Convenience						
Airbags						
Driver and front passenger Advanced Airbag System[28]	S	S	S	S	S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]	S	S	S	S	S	S
Backup Camera						
Backup Guide Monitor[29]	S	S	S	S	S	S
3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views	–	–	–	–	–	P
3D Panoramic View Monitor [7] with selectable front, side and rear views	P	P	P	P	P	–
Braking Systems						
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of	S	S	S	S	S	S

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Star Safety System™						
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Hill Start Assist Control (HAC)[30]	S	S	S	S	S	S
Active Traction Control (A- TRAC)	–	–	–	–	–	S
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	–	–	–	–	–	P
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Smart Stop Technology®[32] – part of Star Safety System ™	S	S	S	S	S	S
Traction Control – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S	S	S	S
Convenience						
Smart Key System on driver door with Push Button Start	–	–	–	–	–	–
Smart Key System on driver and front passenger doors with Push Button Start	S	S	S	S	S	S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	P	P	P	P	P	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	S	S	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [9]; Trailer Blind Spot Monitor: Trailer Camera	P	P	P	P	P	P
Cruise Control						
Full-Speed Range Dynamic Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Safety & Security						

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Star Safety System™	S	S	S	S	S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Smart Stop Technology® (SST)[32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S	S	S	S
Electric Power Steering (EPS) and power-assisted rack- and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Automatic High Beams (AHB)[35] – part of Toyota Safety Sense™ P (TSS 3.0)[1]	S	S	S	S	S	S
Full-Speed Range Dynamic Radar Cruise Control (DRCC) [34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Departure Alert with Steering Assist (LDA w/ SA) [36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Proactive Driving Assist (PDA)[46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Road Sign Assist (RSA)[47] – part of Toyota Safety Sense ™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Tracing Assist (LTA)[48] – part of Toyota Safety Sense ™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Blind Spot Monitor (BSM)[5]	S	S	S	S	S	S

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
and Rear Cross-Traffic Alert (RCTA)[37]						
Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	P	P	P	P	P	P
Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection	P	P	–	P	P	P
Front and Rear Parking Assist Sonar[50]	–	–	P	–	–	–
Child-protector rear door locks	–	S	S	S	–	–
Engine immobilizer[38]	S	S	S	S	S	S
Tire Pressure Monitor System (TPMS)[40]	–	–	–	–	–	–
Tire Pressure Monitor System (TPMS)[40] with individual tire location alert	S	S	S	S	S	S
Seatbelts & Child Restraint System						
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	S	S	S	S	S	S
LATCH (Lower Anchors and Tethers for Children) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab	S	S	S	S	S	S
Seats						
Driver and front passenger active headrests	S	S	S	S	S	S
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Power sliding rear window with privacy glass	P	P	P	P	P	S
Interior						
Air Conditioner, Heater & Defroster						
Automatic climate control	S	S	S	S	S	S

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
with air filtration and combined temperature settings for driver and front passenger						
Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger	P	P	P	P	P	P
Audio, Entertainment & Navigation						
8-in. Audio Multimedia Display	S	S	S	S	S	S
14-in. Audio Multimedia Display	P	P	–	P	P	P
Wireless Apple CarPlay® compatibility[13]	S	S	S	S	S	S
Wireless Android Auto™ compatibility[14]	S	S	S	S	S	P
Hands-free phone capability & music streaming via <i>Bluetooth</i> ® wireless technology[3]	S	S	S	S	S	S
3-month SiriusXM® trial subscription[15]	S	S	S	S	S	P
4 speakers	–	–	–	–	–	–
6 speakers	S	S	S	S	S	S
10 JBL®[2] speakers including JBL FLEX®[2] portable <i>Bluetooth</i> speaker	P	P	P	P	P	P
Drive Connect with 1-year trial on select models[16] – part of Connected Services [17] 4G network dependent	–	–	–	–	–	P
Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	P
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Wi-Fi Connect with up to a 3GB/1-month trial. Subscription required after	S	S	S	S	S	P

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
trial. 4G network dependent. – part of Connected Services [17]						
Cup & Bottle Holders						
Five cup and bottle holders	S	S	S	–	S	TBD
Drive Modes						
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	–	–	–	–	–	–
Instrumentation						
12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	S	S	S	S	S	P
Head-Up Display (HUD)	–	–	–	–	–	–
Lights						
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Mirrors						
Manual day/night rearview mirror	–	–	–	–	–	–
Auto-dimming day/night rearview mirror	S	S	S	S	S	S
Auto-dimming day/night rearview mirror with HomeLink®[23] universal transceiver	P	P	P	P	P	P
Digital rearview mirror with HomeLink®[23] universal transceiver	P	P	P	P	P	P
Power Outlets						
Dual USB-C ports with power delivery[24]	S	S	S	S	S	S
Qi-compatible wireless smartphone charging[25] with charge indicator light	P	P	P	P	P	P
Bed-mounted 400W/120V AC power inverter[4]	P	P	P	P	P	–
Bed-mounted 2400W/120V AC power inverter[11]	–	–	–	–	–	S
Prewired DC power auxiliary switches	P	P	P	P	P	S

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Seats						
6-way adjustable driver's seat with lumbar support	S	S	S	S	S	S
8-way power adjustable driver's seat including 4-way lumbar support	P	P	P	P	P	P
6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support	–	–	–	–	–	S
6-way adjustable front passenger seat	S	S	S	S	S	P
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	P	P	P	P	P	S
Fabric-trimmed seats	S	S	S	S	S	P
SofTex®-trimmed seats[6]	P	P	P	P	P	P
Heated front seats	P	P	P	P	P	P
Heated and ventilated front seats	P	P	P	P	P	–
TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	–	–	–	–	–	–
60/40 split, folding rear seat with behind and under-seat storage	S	S	S	S	S	–
Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment	–	–	–	–	–	–
Steering Wheel						
Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	–	–	–	–	–	–
Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	S	S	S	S	S	S
TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/	–	–	–	–	–	–

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
infotainment, and Driver Assist controls						
Heated steering wheel	P	P	P	P	P	P
Storage Areas						
Center console with covered armrest and storage compartment	S	S	S		S	S
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Trim						
Leather-trimmed shift lever	–	P	–	–	S	S
TRD Pro shift knob	–	–	–	–	–	–
TRD Pro floor mats[26]	–	–	–	–	–	–
Exterior						
Lights						
LED headlights	S	S	S	S	S	S
LED Daytime Running Lights (DRL)	S	S	S	S	S	S
Sequential LED turn signals	–	–	–	–	–	–
Backlight logos	–	–	–	–	–	–
Manual leveling adjustment	S	S	S	S	S	S
Integrated bed scene lighting	–	–	–	–	–	–
LED bed lighting	S	S	S	S	S	S
LED fog lights	S	S	S	S	S	S
Rigid Industries®[10] LED fog lights	–	–	–	–	–	–
Rigid Industries®[10] white-and-amber-color switching LED fog lights	–	–	–	–	–	–
Mirrors						
Color-keyed, heated, power outside mirrors	S	S	S	S	S	S
Outside mirrors with turn signal indicators	–	–	–	–	S	S
Moonroof						
Power tilt/slide moonroof and sliding sunshade	P	P	P	P	P	P
Power Outlets						
400W/120V AC power inverter[4]	P	P	P	P	P	–

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Racks						
Four fixed cargo bed tie-down points	–	–	–	–	–	–
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points	S	S	S	S	S	S
Skid Plates						
Composite underbody transfer case and fuel tank protection	–	–	–	–	–	–
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	–	–	–	–	–	–
High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, and composite fuel tank protector	–	–	–	–	–	–
Trim						
Heritage-inspired "TOYOTA" front grille with integrated light bar	–	–	–	–	–	–
High-clearance front bumper	–	–	–	–	–	–
Color-keyed rear bumper	S	S	S	S	S	S
ARB®[51] steel rear bumper and red rear recovery hooks	–	–	–	–	–	–
Frame-mounted steel rock rails	–	–	–	–	–	–
Power running boards	–	–	–	–	–	–
Bed storage box	P	P	P	P	P	P
Lightweight "TACOMA" stamped tailgate with damper	P	P	P	P	P	S
Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection	P	P	P	P	P	P
Lightweight "TACOMA" stamped tailgate	S	S	S	S	S	–
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection	–	–	–	–	–	–

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Chrome-finished exhaust tip	–	–	–	–	–	–
Front and rear mudguards	O	O	O	O	O	O
High-clearance trail exhaust tip	–	–	–	–	–	–
High clearance front bumper	–	–	–	–	–	–
TRD black performance exhaust	–	–	–	–	–	–
Passenger-side front recovery point	–	–	–	–	–	–
Driver-side and passenger-side front recovery points	–	–	–	–	–	–
ARB®[51] steel rear bumper with red-painted recovery points	–	–	–	–	–	–
ARB®[51] modular bed utility bar with removable MOLLE panels	–	–	–	–	–	–
Active grille shutters	S	S	S	S	S	S
Reinforced rocker protector	–	–	–	–	–	–
Aluminum-reinforced composite bed	S	S	S	S	S	S
Low-profile, rear-facing, high-mount air intake	–	–	–	–	–	–
Wheels & Tires						
17-in. steel wheels with 245/70R17 tires	–	–	–	–	–	–
17-in. styled alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	–
17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	–
18-in. TRD Sport alloy wheels with 265/65R18 tires	S	S	S	S	S	S
17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	–
18-in. Limited chrome-finished alloy wheels with 265/65R18 tires	–	–	–	–	–	–
18-in. TRD Off-Road alloy wheels with 265/70R18 tires	–	–	–	–	–	–
18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires	–	–	–	–	–	–
18-in. TRD Pro black-painted alloy wheels with 33-in.	–	–	–	–	–	–

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5- ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Goodyear® Territory® R/T tires						
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	TBD
Power sliding rear window with privacy glass	P	P	P	P	P	P

Additional Features...

	TRD Off- Road (i- FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off- Road (i- FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off- Road (i- FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off- Road (i- FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	Limited (i- FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Safety/Convenience						
Airbags						
Driver and front passenger Advanced Airbag System [28]	S	S	S	S	S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]	S	S	S	S	S	S
Backup Camera						
Backup Guide Monitor[29]	S	S	S	S	S	S
3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views	P	P	P	–	–	–
3D Panoramic View Monitor [7] with selectable front, side and rear views	–	–	–	P	S	S
Braking Systems						
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of	S	S	S	S	S	S

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Star Safety System™						
Hill Start Assist Control (HAC)[30]	S	S	S	S	–	–
Active Traction Control (A-TRAC)	–	–	–	S	S	S
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	S	S	–	P	–	P
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Smart Stop Technology® [32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S	S	S	S
Convenience						
Smart Key System on driver door with Push Button Start	–	–	–	–	–	–
Smart Key System on driver and front passenger doors with Push Button Start	S	S	S	S	S	S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	P	P	P	P	S	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	S	S	–
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [9]; Trailer Blind Spot Monitor; Trailer Camera	P	P	P	P	S	S
Cruise Control						
Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Safety & Security						
Star Safety System™	S	S	S	S	S	S

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Smart Stop Technology® (SST)[32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S	S	S	S
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Automatic High Beams (AHB)[35] – part of Toyota Safety Sense™ P (TSS 3.0)[1]	S	S	S	S	S	S
Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Lane Departure Alert with Steering Assist (LDA w/ SA) [36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Proactive Driving Assist (PDA)[46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Tracing Assist (LTA) [48] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert	S	S	S	S	S	S

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
(RCTA)[37]						
Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	P	P	P	P	S	S
Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection	P	P	–	P	S	–
Front and Rear Parking Assist Sonar[50]	–	–	P	–	–	–
Child-protector rear door locks	S	S	–	–	–	–
Engine immobilizer[38]	S	S	S	S	S	S
Tire Pressure Monitor System (TPMS)[40]	–	–	–	–	–	–
Tire Pressure Monitor System (TPMS)[40] with individual tire location alert	S	S	S	S	S	S
Seatbelts & Child Restraint System						
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	S	S	S	S	S	S
LATCH (Lower Anchors and Tethers for Children) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab	S	S	S	S	S	S
Seats						
Driver and front passenger active headrests	S	S	S	S	S	S
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Power sliding rear window with privacy glass	P	P	P	S	S	S
Interior						
Air Conditioner, Heater & Defroster						
Automatic climate control	S	S	S	S	–	–

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
with air filtration and combined temperature settings for driver and front passenger						
Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger	P	P	P	P	S	S
Audio, Entertainment & Navigation						
8-in. Audio Multimedia Display	S	S	S	S	–	–
14-in. Audio Multimedia Display	P	P	P	P	S	S
Wireless Apple CarPlay® compatibility[13]	S	S	S	S	S	–
Wireless Android Auto™ compatibility[14]	S	S	S	P	S	S
Hands-free phone capability & music streaming via <i>Bluetooth</i> ® wireless technology[3]	S	S	S	S	S	–
3-month SiriusXM® trial subscription[15]	S	S	S	P	S	S
4 speakers	–	–	–	–	–	–
6 speakers	S	S	S	S	S	–
10 JBL®[2] speakers including JBL FLEX®[2] portable <i>Bluetooth</i> speaker	P	P	P	P	–	S
Drive Connect with 1-year trial on select models[16] – part of Connected Services [17] 4G network dependent	–	–	–	P	S	S
Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	–
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	P	S	S
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	–
Wi-Fi Connect with up to a 3GB/1-month trial. Subscription required after	S	S	S	P	S	S

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
trial. 4G network dependent. – part of Connected Services[17]						
Cup & Bottle Holders						
Five cup and bottle holders	S	S	S	TBD	–	TBD
Drive Modes						
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	S	S	–	S	–	S
Instrumentation						
12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	S	S	S	P	S	S
Head-Up Display (HUD)	–	–	–	–	S	S
Lights						
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Mirrors						
Manual day/night rearview mirror	–	–	–	–	–	–
Auto-dimming day/night rearview mirror	S	S	S	S	–	–
Auto-dimming day/night rearview mirror with HomeLink®[23] universal transceiver	P	P	P	P	S	S
Digital rearview mirror with HomeLink®[23] universal transceiver	P	P	P	P	–	S
Power Outlets						
Dual USB-C ports with power delivery[24]	S	S	S	S	S	S
Qi-compatible wireless smartphone charging[25] with charge indicator light	P	P	P	P	S	S
Bed-mounted 400W/120V AC power inverter[4]	P	P	P	–	S	–
Bed-mounted 2400W/120V AC power inverter[11]	–	–	–	S	–	S
Prewired DC power auxiliary switches	P	P	P	P	S	–

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Seats						
6-way adjustable driver's seat with lumbar support	S	S	S	S	–	–
8-way power adjustable driver's seat including 4-way lumbar support	P	P	P	P	–	–
6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support	–	–	–	S	–	–
6-way adjustable front passenger seat	S	S	S	P	–	–
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	P	P	P	S	S	–
Fabric-trimmed seats	S	S	S	P	S	S
SofTex®-trimmed seats[6]	P	P	P	P	S	–
Heated front seats	P	P	P	P	–	S
Heated and ventilated front seats	P	P	P	–	S	–
TRD Pro SofTex®-trimmed [6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	–	–	–	–	–	–
60/40 split, folding rear seat with behind and under-seat storage	S	S	S	–	S	–
Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment	–	–	–	–	–	–
Steering Wheel						
Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	–	–	–	–	–	–
Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	S	S	S	S	S	S
TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe,	–	–	–	–	–	–

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
and phone, audio, display/infotainment, and Driver Assist controls						
Heated steering wheel	P	P	P	P	S	S
Storage Areas						
Center console with covered armrest and storage compartment	S	S	S	S	S	S
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Trim						
Leather-trimmed shift lever	S	S	S	S	S	S
TRD Pro shift knob	–	–	–	–	–	–
TRD Pro floor mats[26]	–	–	–	–	–	–
Exterior						
Lights						
LED headlights	S	S	S	S	S	S
LED Daytime Running Lights (DRL)	S	S	S	S	S	S
Sequential LED turn signals	–	–	–	–	S	S
Backlight logos	–	–	–	–	S	S
Manual leveling adjustment	S	S	S	S	S	S
Integrated bed scene lighting	–	–	–	–	–	–
LED bed lighting	S	S	S	S	S	S
LED fog lights	S	S	S	S	S	S
Rigid Industries®[10] LED fog lights	–	–	–	–	–	–
Rigid Industries®[10] white-and-amber-color switching LED fog lights	–	–	–	–	–	–
Mirrors						
Color-keyed, heated, power outside mirrors	S	S	S	S	S	S
Outside mirrors with turn signal indicators	S	S	S	S	S	S
Moonroof						
Power tilt/slide moonroof and sliding sunshade	P	P	P	P	S	S
Power Outlets						
400W/120V AC power inverter[4]	P	P	P	–	S	–

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Racks						
Four fixed cargo bed tie-down points	–	–	–	–	–	–
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points	S	S	S	S	S	S
Skid Plates						
Composite underbody transfer case and fuel tank protection	S	S	S	S	–	–
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	–	–	–	–	–	–
High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, and composite fuel tank protector	–	–	–	–	–	–
Trim						
Heritage-inspired "TOYOTA" front grille with integrated light bar	–	–	–	–	–	–
High-clearance front bumper	–	–	–	–	–	–
Color-keyed rear bumper	S	S	S	S	S	S
ARB®[51] steel rear bumper and red rear recovery hooks	–	–	–	–	–	–
Frame-mounted steel rock rails	–	–	–	–	–	–
Power running boards	–	–	–	–	S	S
Bed storage box	P	P	P	P	S	S
Lightweight "TACOMA" stamped tailgate with damper	P	P	P	S	–	–
Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection	P	P	P	P	S	S
Lightweight "TACOMA" stamped tailgate	S	S	S	–	–	–
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam	–	–	–	–	–	–

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
protection						
Chrome-finished exhaust tip	–	–	–	–	S	S
Front and rear mudguards	O	O	O	O	O	O
High-clearance trail exhaust tip	–	–	–	–	–	–
High clearance front bumper	–	–	–	–	–	–
TRD black performance exhaust	–	–	–	–	–	–
Passenger-side front recovery point	–	–	–	–	–	–
Driver-side and passenger-side front recovery points	–	–	–	–	–	–
ARB®[51] steel rear bumper with red-painted recovery points	–	–	–	–	–	–
ARB®[51] modular bed utility bar with removable MOLLE panels	–	–	–	–	–	–
Active grille shutters	S	S	S	S	S	S
Reinforced rocker protector	–	–	–	–	–	–
Aluminum-reinforced composite bed	S	S	S	S	S	S
Low-profile, rear-facing, high-mount air intake	–	–	–		–	–
Wheels & Tires						
17-in. steel wheels with 245/70R17 tires	–	–	–	–	–	–
17-in. styled alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	–
17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires	S	S	S	–	–	–
18-in. TRD Sport alloy wheels with 265/65R18 tires	–	–	–	–	–	–
17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires	–	–	–	–	–	–
18-in. Limited chrome-finished alloy wheels with 265/65R18 tires	–	–	–	–	S	S
18-in. TRD Off-Road alloy wheels with 265/70R18 tires	–	–	–	S	–	–
18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12]	–	–	–	–	–	–

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Territory® R/T tires						
18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires	–	–	–	–	–	–
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	TBD	S	TBD
Power sliding rear window with privacy glass	P	P	P	P	S	S

Additional Features...

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Safety/Convenience			
Airbags			
Driver and front passenger Advanced Airbag System[28]	S	S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]	S	S	S
Backup Camera			
Backup Guide Monitor[29]	S	S	S
3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views	S	S	S
3D Panoramic View Monitor[7] with selectable front, side and rear views	–	–	–
Braking Systems			
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S
Hill Start Assist Control (HAC)[30]	S	S	S
Active Traction Control (A-TRAC)	S	S	S
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control	S	S	S

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
(DAC)[49]			
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S
Smart Stop Technology®[32] – part of Star Safety System™	S	S	S
Traction Control – part of Star Safety System™	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S
Convenience			
Smart Key System on driver door with Push Button Start	–	–	–
Smart Key System on driver and front passenger doors with Push Button Start	S	S	S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	S	S	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	–	–	–
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[9]; Trailer Blind Spot Monitor: Trailer Camera	S	S	S
Cruise Control			
Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S
Safety & Security			
Star Safety System™	S	S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S
Smart Stop Technology® (SST)[32] – part of Star Safety System™	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S
Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S
Automatic High Beams (AHB)[35] – part of Toyota Safety Sense™ P (TSS 3.0)[1]	S	S	S
Full-Speed Range Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Lane Departure Alert with Steering Assist (LDA w/ SA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S
Proactive Driving Assist (PDA)[46] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S
Road Sign Assist (RSA)[47] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S
Lane Tracing Assist (LTA)[48] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S
Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37]	S	S	S
Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	S	S	S
Front and Rear Parking Assist with Automatic Braking (PA w/ AB)[45] and Pedestrian Detection	–	–	–
Front and Rear Parking Assist Sonar[50]	–	–	–
Child-protector rear door locks	–	–	–
Engine immobilizer[38]	S	S	S
Tire Pressure Monitor System (TPMS)[40]	–	–	–
Tire Pressure Monitor System (TPMS)[40] with individual tire location alert	S	S	S
Seatbelts & Child Restraint System			
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	S	S	S
LATCH (Lower Anchors and Tethers for Children) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab	S	S	S
Seats			
Driver and front passenger active headrests	S	S	S
Windows, Glass & Wipers			
Variable intermittent windshield wipers with mist cycle	S	S	S
Power sliding rear window with privacy glass	S	S	S
Interior			
Air Conditioner, Heater & Defroster			
Automatic climate control with air filtration and combined temperature settings for driver and front passenger	–	–	–
Dual zone automatic climate control with air	S	S	S

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
filtration and individual temperature settings for driver and front passenger			
Audio, Entertainment & Navigation			
8-in. Audio Multimedia Display	–	–	–
14-in. Audio Multimedia Display	S	S	S
Wireless Apple CarPlay® compatibility[13]	–	–	–
Wireless Android Auto™ compatibility[14]	S	S	S
Hands-free phone capability & music streaming via Bluetooth® wireless technology[3]	–	–	–
3-month SiriusXM® trial subscription[15]	S	S	S
4 speakers	–	–	–
6 speakers	–	–	–
10 JBL®[2] speakers including JBL FLEX®[2] portable Bluetooth speaker	S	S	S
Drive Connect with 1-year trial on select models [16] – part of Connected Services[17] 4G network dependent	S	S	S
Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	–	–	–
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	–	–	–
Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S
Cup & Bottle Holders			
Five cup and bottle holders	TBD	TBD	TBD
Drive Modes			
Multi-Terrain Select (MTS), Crawl Control (CRAWL)[22], and Downhill Assist Control (DAC)[49]	S	S	S
Instrumentation			
12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	S	S	S
Head-Up Display (HUD)	S	S	S
Lights			
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S
Mirrors			
Manual day/night rearview mirror	–	–	–
Auto-dimming day/night rearview mirror	–	–	–

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Auto-dimming day/night rearview mirror with HomeLink®[23] universal transceiver	S	S	S
Digital rearview mirror with HomeLink®[23] universal transceiver	S	S	S
Power Outlets			
Dual USB-C ports with power delivery[24]	S	S	S
Qi-compatible wireless smartphone charging [25] with charge indicator light	S	S	S
Bed-mounted 400W/120V AC power inverter[4]	–	–	–
Bed-mounted 2400W/120V AC power inverter [11]	S	S	S
Prewired DC power auxiliary switches	S	S	S
Seats			
6-way adjustable driver's seat with lumbar support	–	–	–
8-way power adjustable driver's seat including 4-way lumbar support	–	–	–
6-way power-adjustable front seats with 2-way manual recline and 4-way power-adjustable lumbar support	–	–	–
6-way adjustable front passenger seat	–	–	–
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	–	–	–
Fabric-trimmed seats	S	S	–
SofTex®-trimmed seats[6]	–	–	–
Heated front seats	S	S	S
Heated and ventilated front seats	–	–	S
TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	–	–	–
60/40 split, folding rear seat with behind and under-seat storage	–	–	–
Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment	–	–	–
Steering Wheel			
Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	–	–	–
Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	S	S	–
TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls	–	–	S
Heated steering wheel	S	S	S
Storage Areas			

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Center console with covered armrest and storage compartment	S	S	S
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S
Trim			
Leather-trimmed shift lever	S	S	S
TRD Pro shift knob	–	–	S
TRD Pro floor mats[26]	–	–	S
Exterior			
Lights			
LED headlights	S	S	S
LED Daytime Running Lights (DRL)	S	S	S
Sequential LED turn signals	S	S	S
Backlight logos	S	S	S
Manual leveling adjustment	S	S	S
Integrated bed scene lighting	S	S	O
LED bed lighting	S	S	S
LED fog lights	–	–	–
Rigid Industries®[10] LED fog lights	–	–	S
Rigid Industries®[10] white-and-amber-color switching LED fog lights	S	S	–
Mirrors			
Color-keyed, heated, power outside mirrors	S	S	S
Outside mirrors with turn signal indicators	S	S	S
Moonroof			
Power tilt/slide moonroof and sliding sunshade	–	–	S
Power Outlets			
400W/120V AC power inverter[4]	–	–	–
Racks			
Four fixed cargo bed tie-down points	–	–	–
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points	S	S	S
Skid Plates			
Composite underbody transfer case and fuel tank protection	–	–	–
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	–	–	S
High strength underbody protection, including steel front skid plate, steel transfer case protector, steel rear differential protector, and composite fuel tank protector	S	S	–
Trim			

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Heritage-inspired "TOYOTA" front grille with integrated light bar	S	S	S
High-clearance front bumper	S	S	S
Color-keyed rear bumper	–	–	–
ARB®[51] steel rear bumper and red rear recovery hooks	S	S	S
Frame-mounted steel rock rails	S	S	–
Power running boards	–	–	–
Bed storage box	S	S	S
Lightweight "TACOMA" stamped tailgate with damper	–	–	–
Lightweight "TACOMA" stamped tailgate with hands-free knee lift assist and jam protection	S	S	S
Lightweight "TACOMA" stamped tailgate	–	–	–
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection	–	–	S
Chrome-finished exhaust tip	–	–	–
Front and rear mudguards	O	O	O
High-clearance trail exhaust tip	S	S	–
High clearance front bumper	S	S	S
TRD black performance exhaust	–	–	S
Passenger-side front recovery point	S	S	S
Driver-side and passenger-side front recovery points	S	S	–
ARB®[51] steel rear bumper with red-painted recovery points	–	–	S
ARB®[51] modular bed utility bar with removable MOLLE panels	S	S	–
Active grille shutters	S	S	S
Reinforced rocker protector	–	–	S
Aluminum-reinforced composite bed	S	S	S
Low-profile, rear-facing, high-mount air intake	S	S	–
Wheels & Tires			
17-in. steel wheels with 245/70R17 tires	–	–	–
17-in. styled alloy wheels with 265/70R17 all-terrain tires	–	–	–
17-in. TRD Off-Road alloy wheels with 265/70R17 all-terrain tires	–	–	–
18-in. TRD Sport alloy wheels with 265/65R18 tires	–	–	–
17-in. TRD PreRunner alloy wheels with 265/70R17 all-terrain tires	–	–	–
18-in. Limited chrome-finished alloy wheels with 265/65R18 tires	–	–	–
18-in. TRD Off-Road alloy wheels with 265/	–	–	–

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
70R18 tires			
18-in. Trailhunter bronze-finished alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires	S	S	–
18-in. TRD Pro black-painted alloy wheels with 33-in. Goodyear® Territory® R/T tires	–	–	S
Windows, Glass & Wipers			
Variable intermittent windshield wipers with mist cycle	TBD	TBD	TBD
Power sliding rear window with privacy glass	S	S	S

Specs

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Body Construction						
Type	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame
Brakes						
Front	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc
Rear	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc
Dimensions – Exterior						
Approach / departure (with tow hitch) / breakover angle (degrees)	–	–	–	–	–	–
Ground clearance (in.)	10.5	10.5	10.5	10.5	10.5	10.4
Overall length (in.)	213	213	213	213	213	213
Overall width (in.)	76.9	76.9	76.9	76.9	76.9	76.9
Overall height (in.)	73.8	73.8	73.8	74	74	73.8
Bed length (in.)	213.0	213.0	213.0	213.0	213.0	213.0
Bed width – between wheel wells (in.)	44.7	44.7	44.7	44.7	44.7	44.7
Bed width – between accessory rail (in.)	56.4	56.4	56.4	56.4	56.4	56.4
Inside bed depth (in.)	21.2	21.2	21.2	21.2	21.2	21.2
Inside bed width (at tailgate) (in.)	53	53	53	53	53	53
Inside bed length (in.)	73.5	60.3	73.5	60.3	60.3	73.5
Bed height (in.)	–	–	–	–	–	–
Track – front (in.)	–	–	–	–	–	–
Track – rear (in.)	–	–	–	–	–	–
Wheelbase (in.)	131.9	131.9	131.9	131.9	131.9	131.9
Dimensions – Interior						
Head room – front/rear (in.)	39.7/-	39.7/38.4	39.7/38.4	39.7/-	39.7/-	39.7/38.4
Head room with moonroof – front/rear (in.)	–	–	–	–	–	–
Shoulder room – front/rear (in.)	58.3/57.8	58.3/57.8	58.3/57.8	58.3/-	58.3/-	58.3/57.8
Hip room – front/rear (in.)	56.8/56.3	56.8/56.3	56.8/56.3	56.8/-	56.8/-	56.8/56.3
Leg room – front/rear (in.)	41.8/33.7	41.8/33.7	41.8/33.7	41.8/-	41.8/-	41.8/33.7
Drive Systems & Differentials						
Drivetrain layout	Rear-Wheel Drive (RWD)	4WDDemand part-time 4-	4WDDemand part-time 4-	Rear-Wheel Drive (RWD)	4WDDemand part-time 4-	Rear-Wheel Drive (RWD)

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
	with Automatic Limited-Slip Differential (Auto LSD)[41]	Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	with Automatic Limited-Slip Differential (Auto LSD)[41]	Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	with Automatic Limited-Slip Differential (Auto LSD)[41]
Differential ring gear size – front (in.)	–	–	–	8.0	–	8.0
Differential ring gear size – rear (in.)	8.9	8.9	8.9	8.9	8.9	8.9
Differential ratio (Automatic Transmission)	3.58	3.58	–	3.58	3.58	3.58
Differential ratio (Manual Transmission)	–	–	4.3	–	–	–
4x4 transfer case ratio – high/low	–	1.00:1/2.57:1	1.00:1/2.57:1	–	1.00:1/2.57:1	–
Engines						
Type	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i
Horsepower	228 hp 6000 rpm	228 hp 6000 rpm	270 hp 5400 rpm	228 hp 6000 rpm	228 hp 6000 rpm	278 hp 6000 rpm
Torque (lb.-ft.)	243 lb.-ft. 1600 rpm	243 lb.-ft. 1600 rpm	310 lb.-ft. 2800 rpm	243 lb.-ft. 1600 rpm	243 lb.-ft. 1600 rpm	317 lb.-ft. 1700 rpm
Injection system	D-4S	D-4S	D-4S	D-4S	D-4S	D-4S
Ignition system	Direct	Direct	Direct	Direct	Direct	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20
TRD performance cold air intake	–	–	–	–	–	–
Fuel Facts						
Manufacturer-estimated MPG (city/hwy/combined)	20/26/23	19/24/21	18/23/20	20/26/23	19/24/21	21/26/23
Fuel tank capacity (gal.)	18.2	18.2	18.2	18.2	18.2	18.2
Octane number	87 or higher	87 or higher	87 or higher	87 or higher	87 or higher	87 or higher
Federal emissions rating	Tier 3, SFTP	Tier 2-Bin 5, SFTP	Tier 3, SFTP	Tier 3, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP
California emissions rating	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)
Safety						
Total number of airbags[28]	8	8	8	8	8	8
Advanced Airbag System [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Knee airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[28]	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)
Driver seatbelt	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)
Front passenger seatbelt	3-point with Automatic/ Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/ Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/ Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/ Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/ Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/ Emergency Locking Retractor (ALR/ELR)
Rear passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts
LATCH locations	Lower anchors for front passenger seat	Lower anchors for front passenger seat	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat	Lower anchors for front passenger seat	Lower anchors for front passenger seat and outboard rear seats
Steering						
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Turning circle diameter – curb-to-curb (ft.)	40.6	40.6	40.6	40.6	40.6	40.6
Suspension						
Front	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension
Rear	Leaf spring rear	Leaf spring rear	Leaf spring rear	Leaf spring rear	Leaf spring rear	Coil spring multi-link rear

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
	suspension	suspension	suspension	suspension	suspension	suspension
Stabilizer Disconnect Mechanism (SDM)	–	–	–	–	–	–
Front stabilizer	S	S	S	S	S	–
Front and rear stabilizer	–	–	–	–	–	S
Towing						
Maximum towing capacity (lb.) ^[18]	3,500	3,500	6,400	3,500	3,500	6,400
Tongue load (lb.)	640	640	640	650	650	640
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	P	P	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) ^[19] ; Trailer Blind Spot Monitor; Trailer Camera ^[5]	–	–	–	–	–	–
Passenger-side front and rear towing hooks	S	S	S	S	S	S
Driver's-side and passenger-side front and rear towing hooks	–	–	–	–	–	–
Transmissions						
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	6-speed intelligent Manual Transmission (iMT) with automatic rev-matching and anti-stall technology	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic
Gear Ratios	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.79 2nd: 2.42 3rd: 1.44 4th: 1.00 5th: 0.78 6th: 0.64 Reverse: 4.07	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65
Warranties & Maintenance						
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	–	–	–	–	–	–
Hybrid Battery Warranty	–	–	–	–	–	–
Restraint Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan ^[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage ^[20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						
Seating capacity	5	5	5	2	2	5
Manufacturer-estimated passenger volume (cu. ft.) – front/rear	57.5/28.1	57.5/28.1	57.5/42.6	57.5/28.1	57.5/28.1	57.5/42.6
Cooling system (qt.)	12.8	12.8	12.8	12.8	12.8	12.8
Engine oil (qt.)	5.6	5.6	5.6	5.6	5.6	5.6
Curb weight (lb.)	4280	4505	4485	4145	4375	4265
GVWR (lb.)	5,775	6,005	5,865	5,605	5,605	5,775
GCWR (lb.)	8,210	8,210	8,335	8,105	8,210	11,105
Maximum payload (lb.) ^[21]	1495	1500	1380	1460	1230	1510
Maximum tongue weight (lb.)	640	640	640	650	650	640
Wheels & Tires						
Wheel type	Alloy	Styled steel	Styled steel	Styled steel	Styled steel	Styled steel
Wheel size (in.)	17	17	17	17	17	17

	SR (2.4L Turbo 4-cyl. 5-ft. bed Double Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 2WD)	SR (2.4L Turbo 4-cyl. 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Tire type	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Available Full-size, mounted under body

Additional Specs...

	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Body Construction						
Type	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame
Brakes						
Front	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc	Ventilated 12.6-in. disc
Rear	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc
Dimensions – Exterior						
Approach / departure (with tow hitch) / breakover angle (degrees)	–	–	–	–	32.8 / 26.2 (22.1) / 23.8	34.4 / 25.5 (21.4) / 25
Ground clearance (in.)	10.4	10.4	10.4	10.4	10.4	10.8
Overall length (in.)	213	226.2	226.2	213	213	213
Overall width (in.)	76.9	76.9	76.9	76.9	76.9	77.9
Overall height (in.)	73.9	73.8	73.8	73.9	73.9	74.6
Bed length (in.)	213.0	226.2	226.2	213.0	213.0	213.0
Bed width – between wheel wells (in.)	44.7	44.7	44.7	44.7	44.7	44.7
Bed width – between accessory rail (in.)	56.4	56.4	56.4	56.4	56.4	56.4
Inside bed depth (in.)	21.2	21.2	21.2	21.2	21.2	21.2
Inside bed width (at tailgate) (in.)	53	53	53	53	53	53
Inside bed length (in.)	60.3	73.5	73.5	60.3	73.5	73.5
Bed height (in.)	–	–	–	–	–	–
Track – front (in.)	–	–	–	–	–	–
Track – rear (in.)	–	–	–	–	–	–
Wheelbase (in.)	131.9	145.1	145.1	131.9	131.9	131.9
Dimensions – Interior						
Head room – front/rear (in.)	39.7/38.4	39.7/38.4	39.7/38.4	39.7/-	39.7/-	39.7/-
Head room with moonroof – front/rear (in.)	–	–	–	–	–	–
Shoulder room – front/rear (in.)	58.3/57.8	58.3/57.8	58.3/57.8	58.3/-	58.3/-	58.3/-
Hip room – front/rear (in.)	56.8/56.3	56.8/56.3	56.8/56.3	56.8/-	56.8/-	56.8/-
Leg room – front/rear (in.)	41.8/33.7	41.8/33.7	41.8/33.7	41.8/-	41.8/-	41.8/-
Drive Systems & Differentials						
Drivetrain layout	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41]
Differential ring gear size – front (in.)	–	–	–	–	–	8.0
Differential ring gear size – rear (in.)	8.9	8.9	8.9	8.9	8.9	8.9
Differential ratio (Automatic Transmission)	3.58	3.58	3.58	3.58	3.58	3.58
Differential ratio (Manual Transmission)	–	–	–	–	–	–
4x4 transfer case ratio – high/low	1.00:1/2.57:1	–	1.00:1/2.57:1	–	1.00:1/2.57:1	–

	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Engines						
Type	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i
Horsepower	278 hp 6000 rpm	278 hp 6000 rpm	278 hp 6000 rpm	278 hp 6000 rpm	278 hp 6000 rpm	278 hp 6000 rpm
Torque (lb.-ft.)	317 lb.-ft. 1700 rpm	317 lb.-ft. 1700 rpm	317 lb.-ft. 1700 rpm	317 lb.-ft. 1700 rpm	317 lb.-ft. 1700 rpm	317 lb.-ft. 1700 rpm
Injection system	D-4S	D-4S	D-4S	D-4S	D-4S	D-4S
Ignition system	Direct	Direct	Direct	Direct	Direct	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20
TRD performance cold air intake	–	–	–	–	–	–
Fuel Facts						
Manufacturer-estimated MPG (city/hwy/combined)	19/24/21	21/26/23	19/24/21	21/26/23	19/24/21	20/24/22
Fuel tank capacity (gal.)	18.2	18.2	18.2	18.2	18.2	18.2
Octane number	87 or higher	87 or higher	87 or higher	87 or higher	87 or higher	87 or higher
Federal emissions rating	Tier 3, SFTP	Tier 2-Bin 5, SFTP	Tier 3, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP	Tier 3, SFTP
California emissions rating	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)
Safety						
Total number of airbags[28]	8	8	8	8	8	8
Advanced Airbag System [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Knee airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[28]	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)
Driver seatbelt	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)
Front passenger seatbelt	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)
Rear passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts
LATCH locations	Lower anchors for front passenger seat	Lower anchors for front passenger seat	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat
Steering						
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Turning circle diameter – curb-to-curb (ft.)	40.6	40.6	40.6	40.6	44.1	40.6
Suspension						
Front	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension
Rear	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Leaf spring rear suspension	Leaf spring rear suspension	Leaf spring rear suspension
Stabilizer Disconnect Mechanism (SDM)	–	–	–	–	–	–
Front stabilizer	–	–	–	S	S	S
Front and rear stabilizer	S	S	S	–	–	–
Towing						
Maximum towing capacity (lb.)*[18]	6,400	6,400	6,400	6,500	6,500	6,500
Tongue load (lb.)	640	640	640	650	650	650
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	S	S	S
Class-IV towing hitch	–	–	–	–	–	–

	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [19]; Trailer Blind Spot Monitor: Trailer Camera[5]						
Passenger-side front and rear towing hooks	S	S	S	S	S	S
Driver's-side and passenger-side front and rear towing hooks	–	–	–	–	–	P
Transmissions						
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic
Gear Ratios	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65
Warranties & Maintenance						
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	–	–	–	–	–	–
Hybrid Battery Warranty	–	–	–	–	–	–
Restraint Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage[20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						
Seating capacity	5	5	5	2	2	2
Manufacturer-estimated passenger volume (cu. ft.) – front/rear	57.5/28.1	57.5/28.1	57.5/42.6	57.5/42.6	57.5/42.6	57.5/28.1
Cooling system (qt.)	12.8	12.8	12.8	12.8	12.8	12.8
Engine oil (qt.)	5.6	5.6	5.6	5.6	5.6	5.6
Curb weight (lb.)	4500	4365	4600	4145	4375	4200
GVWR (lb.)	6,005	5,970	6,005	5,605	5,605	5,605
GCWR (lb.)	11,105	11,200	11,200	11,335	11,115	11,155
Maximum payload (lb.)[21]	1505	1605	1405	1460	1203	1405
Maximum tongue weight (lb.)	640	640	640	650	650	650
Wheels & Tires						
Wheel type	Styled steel; available Dark-gray alloy	Dark-gray alloy; available Black alloy	Styled steel; available Dark-gray alloy	Dark-gray alloy; available Black alloy; available chrome (18-in.)	Dark-gray alloy; available Black alloy; available chrome (18-in.)	Dark-gray alloy
Wheel size (in.)	17	17	17	17	17	17
Tire type	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P265/70R17 all-season
Spare	Available Full-size, mounted under body	Available Full-size, mounted under body	Available Full-size, mounted under body	Available Full-size, mounted under body	Available Full-size, mounted under body	Full-size, mounted under body

Additional Specs...

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Body Construction						
Type	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame
Brakes						
Front	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc
Rear	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 13.2-in. disc
Dimensions – Exterior						
Approach / departure (with tow hitch) / breakover angle (degrees)	–	–	–	–	–	–
Ground clearance (in.)	10.8	10.8	10.8	10.8	10.8	10.8
Overall length (in.)	213	213	213	226.2	226.2	213
Overall width (in.)	77.9	77.9	77.9	77.9	77.9	77.9
Overall height (in.)	74.7	74.6	74.4	74.7	74.5	74.6
Bed length (in.)	213.0	213.0	213.0	226.2	226.2	–
Bed width – between wheel wells (in.)	44.7	44.7	44.7	44.7	44.7	44.7
Bed width – between accessory rail (in.)	56.4	56.4	56.4	56.4	56.4	56.4
Inside bed depth (in.)	21.2	21.2	21.2	21.2	21.2	21.2
Inside bed width (at tailgate) (in.)	53	53	53	53	53	53
Inside bed length (in.)	60.3	73.5	60.3	60.3	73.5	60.3
Bed height (in.)	–	–	–	–	–	–
Track – front (in.)	–	–	–	–	–	–
Track – rear (in.)	–	–	–	–	–	–
Wheelbase (in.)	131.9	131.9	131.9	145.1	145.1	131.9
Dimensions – Interior						
Head room – front/rear (in.)	39.7/38.4	39.7/38.4	39.7/38.4	39.7/38.4	39.7/38.4	39.7/38.4
Head room with moonroof – front/rear (in.)	38.0/38.4	38.0/38.4	38.0/38.4	38.0/38.4	38.0/38.4	38.0/38.4
Shoulder room – front/rear (in.)	58.3/57.8	58.3/57.8	58.3/57.8	58.3/57.8	58.3/57.8	58.3/57.8
Hip room – front/rear (in.)	56.8/56.3	56.8/56.3	56.8/56.3	56.8/56.3	56.8/56.3	56.8/56.3
Leg room – front/rear (in.)	41.8/33.7	41.8/33.7	41.8/33.7	41.8/33.7	41.8/33.7	41.8/33.7
Drive Systems & Differentials						
Drivetrain layout	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)
Differential ring gear size – front (in.)	8.0	8.0	8.0	–	–	–
Differential ring gear size – rear (in.)	8.9	8.9	8.9	–	8.9	–
Differential ratio (Automatic Transmission)	3.58	3.58	–	3.58	3.58	3.583
Differential ratio (Manual Transmission)	–	–	4.3	–	–	–
4x4 transfer case ratio – high/low	–	1.00:1/2.57:1	1.00:1/2.57:1	–	1.00:1/2.57:1	1.00:1/2.57:1
Engines						
Type	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine
Horsepower	278 hp 6000 rpm	278 hp 6000 rpm	270 hp 5400 rpm	278 hp 6000 rpm	278 hp 6000 rpm	326 6000 rpm
Torque (lb.-ft.)	317 lb.-ft. 1700 rpm	317 lb.-ft. 1700 rpm	310 lb.-ft. 2800 rpm	317 lb.-ft. 1700 rpm	317 lb.-ft. 1700 rpm	465 1700 rpm
Injection system	D-4S	D-4S	D-4S	–	D-4S	D-4S
Ignition system	Direct	Direct	Direct	–	Direct	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	–	ILSAC GF-5	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	–	Synthetic 0W-20	Synthetic 0W-20
TRD performance cold air intake	–	–	–	–	–	–
Fuel Facts						
Manufacturer-estimated MPG (city/hwy/combined)	20/24/22	19/23/20	18/23/20	20/24/22	19/23/20	22/24/23

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Fuel tank capacity (gal.)	18.2	18.2	18.2	18.2	18.2	18.2
Octane number	87 or higher	87 or higher	87 or higher	–	87 or higher	87 or higher
Federal emissions rating	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP	–	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP
California emissions rating	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)
Safety						
Total number of airbags[28]	8	8	8	8	8	8
Advanced Airbag System [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Knee airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[28]	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)
Driver seatbelt	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)
Front passenger seatbelt	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)
Rear passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts
LATCH locations	Lower anchors for front passenger seat	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat	Lower anchors for front passenger seat
Steering						
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Turning circle diameter – curb-to-curb (ft.)	40.6	40.6	44.1	40.6	40.6	40.6
Suspension						
Front	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension
Rear	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension
Stabilizer Disconnect Mechanism (SDM)	–	–	–	–	–	–
Front stabilizer	–	–	–	–	–	–
Front and rear stabilizer	S	S	S	S	S	S
Towing						
Maximum towing capacity (lb.)[18]	6,400	6,400	6,400	6,400	6,400	6,000
Tongue load (lb.)	640	640	640	640	640	640
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	S	S	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [19]; Trailer Blind Spot Monitor; Trailer Camera[5]	P	P	P	P	P	P
Passenger-side front and rear towing hooks	S	S	S	S	S	S
Driver's-side and passenger-side front and rear towing hooks	–	–	–	–	–	–
Transmissions						
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	6-speed intelligent Manual Transmission (iMT) with automatic rev-matching and anti-stall technology	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic
Gear Ratios	1st: 4.41 2nd: 2.81	1st: 4.41 2nd: 2.81	1st: 4.79 2nd: 2.42	1st: 4.41 2nd: 2.81	1st: 4.41 2nd: 2.81	1st: 4.41 2nd: 2.81

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
	3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	3rd: 1.44 4th: 1.00 5th: 0.78 6th: 0.64 Reverse: 4.07	3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65
Warranties & Maintenance						
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	–	–	–	–	–	8 years / 100,000 miles
Hybrid Battery Warranty	–	–	–	–	–	10 years / 150,000 miles
Restraint Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage[20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						
Seating capacity	5	5	5	5	5	5
Manufacturer-estimated passenger volume (cu. ft.) – front/rear	57.5/28.1	57.5/42.6	57.5/42.6	57.5/42.6	57.5/28.1	TBD
Cooling system (qt.)	12.8	12.8	12.8	12.8	12.8	TBD
Engine oil (qt.)	5.6	5.6	5.6	5.6	5.6	TBD
Curb weight (lb.)	4330	4575	4605	4345	4600	5,030
GVWR (lb.)	5,775	6,005	6,175	6,025	6,300	6,665
GCWR (lb.)	11,165	11,165	11,165	11,470	11,470	11,545
Maximum payload (lb.)[21]	1445	1430	1570	1680	1700	1,620
Maximum tongue weight (lb.)	640	640	640	640	640	TBD
Wheels & Tires						
Wheel type	Machined alloy	Machined alloy	Machined alloy	Machined alloy	Machined alloy	Machined alloy
Wheel size (in.)	18	18	18	18	18	18
Tire type	P265/65R18 all-season	P265/65R18 all-season	P265/65R18 all-season	P265/65R18 all-season	P265/65R18 all-season	P265/65R18 all-season
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body

Additional Specs...

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Body Construction						
Type	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame
Brakes						
Front	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc
Rear	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 12.2-in. disc	Ventilated 13.2-in. disc	Ventilated 12.2-in. disc	Ventilated 13.2-in. disc
Dimensions – Exterior						
Approach / departure (with tow hitch) / breakover angle (degrees)	32.5 / 26.6 (22.2) / 24.7	32.5 / 26.6 (22.2) / 24.7	32.5 / 26.6 (22.2) / 24.7	–	–	–
Ground clearance (in.)	11.0	11.0	11.0	11.0	10.8	10.8
Overall length (in.)	213	226.2	213	213	213	213
Overall width (in.)	77.9	77.9	77.9	77.9	77.9	77.9
Overall height (in.)	74.6	74.7	74.6	75.3	74.6	74.6

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Bed length (in.)	213.0	213.0	213.0	–	213.0	–
Bed width – between wheel wells (in.)	44.7	44.7	44.7	44.7	44.7	44.7
Bed width – between accessory rail (in.)	56.4	56.4	56.4	56.4	56.4	56.4
Inside bed depth (in.)	21.2	21.2	21.2	21.2	21.2	21.2
Inside bed width (at tailgate) (in.)	53	53	53	53	53	53
Inside bed length (in.)	60.3	60.3	73.5	60.3	60.3	60.3
Bed height (in.)	–	–	–	–	–	–
Track – front (in.)	–	–	–	–	–	–
Track – rear (in.)	–	–	–	–	–	–
Wheelbase (in.)	131.9	131.9	131.9	131.9	131.9	131.9

Dimensions – Interior

Head room – front/rear (in.)	39.7/38.4	39.7/38.4	39.7/38.4	39.7/38.4	–	–
Head room with moonroof – front/rear (in.)	38.0/38.4	38.0/38.4	38.0/38.4	38.0/38.4	38.0/38.4	38.0/38.4
Shoulder room – front/rear (in.)	58.3/57.8	58.3/57.8	58.3/57.8	58.3/57.8	58.3/57.8	58.3/57.8
Hip room – front/rear (in.)	56.8/56.3	56.8/56.3	56.8/56.3	56.8/56.3	56.8/56.3	56.8/56.3
Leg room – front/rear (in.)	41.8/33.7	41.8/33.7	41.8/33.7	41.8/33.7	41.8/33.7	41.8/33.7

Drive Systems & Differentials

Drivetrain layout	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	Full-time 4-Wheel Drive with center locking differential and Active Traction Control (A-TRAC)
Differential ring gear size – front (in.)	–	–	8.0	–	8.0	–
Differential ring gear size – rear (in.)	8.9	8.9	8.9	–	8.9	–
Differential ratio (Automatic Transmission)	3.58	3.58	–	3.583	3.58	3.583
Differential ratio (Manual Transmission)	–	–	4.3	–	–	–
4x4 transfer case ratio – high/low	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1

Engines

Type	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine	i-FORCE 2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine
Horsepower	278 hp 6000 rpm	278 hp 6000 rpm	270 hp 5400 rpm	326 6000 rpm	278 hp 6000 rpm	326 6000 rpm
Torque (lb.-ft.)	317 lb.-ft. 1700 rpm	317 lb.-ft. 1700 rpm	310 lb.-ft. 2800 rpm	465 1700 rpm	317 lb.-ft. 1700 rpm	465 1700 rpm
Injection system	D-4S	D-4S	D-4S	D-4S	D-4S	D-4S
Ignition system	Direct	Direct	Direct	Direct	Direct	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20
TRD performance cold air intake	-	-	-	-	-	-

Fuel Facts

[illegible]

Safety

[illegible]

[illegible]

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Off-Road (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	Limited (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
	& Maintenance Guide	& Maintenance Guide	& Maintenance Guide	& Maintenance Guide	& Maintenance Guide	& Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	–	–	–	8 years / 100,000 miles	–	8 years / 100,000 miles
Hybrid Battery Warranty	–	–	–	10 years / 150,000 miles	–	10 years / 150,000 miles
Restraint Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan ^[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage ^[20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						
Seating capacity	5	5	5	5	5	5
Manufacturer-estimated passenger volume (cu. ft.) – front/rear	57.5/42.6	57.5/42.6	57.5/28.1	TBD	57.5/28.1	TBD
Cooling system (qt.)	12.8	12.8	12.8	TBD	12.8	TBD
Engine oil (qt.)	5.6	5.6	5.6	TBD	5.6	TBD
Curb weight (lb.)	4630	4650	4650	5,045	4715	5,170
GVWR (lb.)	6,240	6,305	6,175	6,735	6,305	6,780
GCWR (lb.)	11,515	11,550	11,515	11,655	11,455	11,675
Maximum payload (lb.) ^[21]	1610	1655	1525	1,705	1590	1,610
Maximum tongue weight (lb.)	640	640	640	TBD	640	TBD
Wheels & Tires						
Wheel type	Machined alloy	Machined alloy	Machined alloy	Machined alloy	Chrome-finish	Chrome-finish
Wheel size (in.)	17	17	17	18	18	18
Tire type	P265/70R17 all-terrain tires	P265/70R17 all-terrain tires	P265/70R17 all-terrain tires	P265/70R18 all-terrain tires	P265/65R18 all-season	P265/65R18 all-season
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body

Additional Specs...

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Body Construction			
Type	Body-on-frame	Body-on-frame	Body-on-frame
Brakes			
Front	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc	Ventilated 13.4-in. disc
Rear	Ventilated 13.2-in. disc	Ventilated 13.2-in. disc	Ventilated 13.2-in. disc
Dimensions – Exterior			
Approach / departure (with tow hitch) / breakover angle (degrees)	–	–	–
Ground clearance (in.)	11.2	11.2	11.5
Overall length (in.)	213	226.2	213
Overall width (in.)	79.9	79.9	79.9
Overall height (in.)	75.8	75.5	75.8
Bed length (in.)	–	–	–
Bed width – between wheel wells (in.)	44.7	44.7	44.7
Bed width – between accessory rail (in.)	56.4	56.4	56.4
Inside bed depth (in.)	21.2	21.2	21.2
Inside bed width (at tailgate) (in.)	53	53	53
Inside bed length (in.)	60.3	73.5	60.3
Bed height (in.)	–	–	–
Track – front (in.)	–	–	–
Track – rear (in.)	–	–	–
Wheelbase (in.)	131.9	145.1	131.9
Dimensions – Interior			

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Head room – front/rear (in.)	39.7/38.4	39.7/38.4	–
Head room with moonroof – front/rear (in.)	–	–	38.0/38.4
Shoulder room – front/rear (in.)	58.3/57.8	58.3/57.8	58.3/57.8
Hip room – front/rear (in.)	56.8/56.3	56.8/56.3	56.8/56.3
Leg room – front/rear (in.)	41.8/33.7	41.8/33.7	41.8/33.7
Drive Systems & Differentials			
Drivetrain layout	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) Active Traction Control (A-TRAC)
Differential ring gear size – front (in.)	–	–	–
Differential ring gear size – rear (in.)	–	–	–
Differential ratio (Automatic Transmission)	3.583	3.583	3.583
Differential ratio (Manual Transmission)	–	–	–
4x4 transfer case ratio – high/low	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1
Engines			
Type	i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine	i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine	i-FORCE MAX 2.4L 4-Cyl. Turbo Hybrid Engine
Horsepower	323 6000 rpm	323 6000 rpm	326 6000 rpm
Torque (lb.-ft.)	465 1700 rpm	465 1700 rpm	465 1700 rpm
Injection system	D-4S	D-4S	D-4S
Ignition system	Direct	Direct	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20
TRD performance cold air intake	–	–	S
Fuel Facts			
Manufacturer-estimated MPG (city/hwy/combined)	22/24/23	22/24/23	22/24/23
Fuel tank capacity (gal.)	18.2	18.2	18.2
Octane number	87 or higher	87 or higher	87 or higher
Federal emissions rating	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP
California emissions rating	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)
Safety			
Total number of airbags[28]	8	8	8
Advanced Airbag System[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger
Knee airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[28]	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)
Driver seatbelt	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)
Front passenger seatbelt	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)
Rear passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts
LATCH locations	Lower anchors for front passenger seat	Lower anchors for front passenger seat	Lower anchors for front passenger seat
Steering			
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S
Turning circle diameter – curb-to-curb (ft.)	40.6	44.1	40.6
Suspension			
Front	Independent double-wishbone front suspension; Trailhunter off-road suspension, including Old Man Emu forged monotube position-sensitive coil-overs and rear remote-reservoir shocks with 1-in. front lift	Independent double-wishbone front suspension; Trailhunter off-road suspension, including Old Man Emu forged monotube position-sensitive coil-overs and rear remote-reservoir shocks with 1-in. front lift	Independent double-wishbone front suspension; TRD Pro off-road suspension, including FOX QS3 adjustable Internal Bypass coil-overs and rear remote-reservoir shocks with 1-in. front
Rear	Coil spring multi-link rear suspension; Trailhunter off-road suspension, including Old Man Emu forged monotube position-sensitive coil-overs and rear remote-reservoir shocks with 0.5-in. rear lift	Coil spring multi-link rear suspension; Trailhunter off-road suspension, including Old Man Emu forged monotube position-sensitive coil-overs and rear remote-reservoir shocks with 0.5-in. rear lift	Coil spring multi-link rear suspension; TRD Pro off-road suspension, including FOX QS3 adjustable Internal Bypass coil-overs and rear remote-reservoir shocks with 0.5-in. rear lift
Stabilizer Disconnect Mechanism (SDM)	S	S	S
Front stabilizer	–	–	–
Front and rear stabilizer	S	S	S
Towing			
Maximum towing capacity (lb.)[18]	6,000	5,950	6,000

	Trailhunter (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	Trailhunter (i-FORCE MAX 6-ft. bed Double Cab 8AT 4WD)	TRD Pro (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)
Tongue load (lb.)	640	640	640
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	–	–	–
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG)[19]; Trailer Blind Spot Monitor; Trailer Camera[5]	S	S	S
Passenger-side front and rear towing hooks	S	S	S
Driver's-side and passenger-side front and rear towing hooks	–	–	–
Transmissions			
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic
Gear Ratios	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65	1st: 4.41 2nd: 2.81 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.65
Warranties & Maintenance			
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	8 years / 100,000 miles	8 years / 100,000 miles	8 years / 100,000 miles
Hybrid Battery Warranty	10 years / 150,000 miles	10 years / 150,000 miles	10 years / 150,000 miles
Restraint Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage [20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities			
Seating capacity	5	5	5
Manufacturer-estimated passenger volume (cu. ft.) – front/rear	TBD	TBD	TBD
Cooling system (qt.)	TBD	TBD	TBD
Engine oil (qt.)	TBD	TBD	TBD
Curb weight (lb.)	5,360	5,410	5,100
GVWR (lb.)	6,835	6,835	6,735
GCWR (lb.)	11,825	11,835	11,800
Maximum payload (lb.)[21]	1,475	1,425	1,680
Maximum tongue weight (lb.)	TBD	TBD	TBD
Wheels & Tires			
Wheel type	Machined alloy	Machined alloy	Machined alloy
Wheel size (in.)	18	18	18
Tire type	P265/70R18 all-terrain tires	P265/70R18 all-terrain tires	P265/70R18 all-terrain tires
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body

Disclaimers

1. Toyota Safety Sense effectiveness depends on many factors including road, weather and vehicle conditions. Drivers are responsible for their own safe driving. Always pay attention to your surroundings and drive safely. See *Owner’s Manual* for limitations.
2. JBL is a registered trademark of Harman International Industries, Inc.
3. A compatible *Bluetooth* enabled phone must be paired. Phone performance depends on software, coverage and carrier. The *Bluetooth* word mark and logos are registered trademarks of *Bluetooth* SIG, Inc. Use of such marks by Toyota is under license.
4. Do not exceed 120V. See *Owner’s Manual* for additional limitations and details.

5. Do not rely exclusively on Blind Spot Monitor. Look over shoulder and use turn signal. See *Owner's Manual* for limitations.
6. SofTex is a registered trademark of Toyota Motor Sales, U.S.A., Inc.
7. The Panoramic View Monitor does not provide a comprehensive view of the area surrounding your vehicle. Look around to confirm clearance. See *Owner's Manual* for limitations.
8. Digital Key requires an active Remote Connect trial or subscription. Remote start/stop and/or lock/unlock and other features of Remote Connect are only available on select models. Use only if aware of circumstances surrounding vehicle it is legal safe to do so (e.g., do not remotely start a gas engine vehicle in an enclosed space or if vehicle is occupied by a child). Remote Connect depends on certain factors outside of Toyota's control in order to operate, including 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Services subject to change at any time without notice. Digital Key also requires Bluetooth connectivity. Remote Connect is included with select paid Connected Services packages. See your Toyota dealer for details. Terms of Use apply. Data charges may apply. See *Owner's Manual* and www.toyota.com/connected-services/ for additional details. To learn about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. Trial period begins on original purchase or lease date of new vehicle. Paid subscription required after trial (if applicable). Terms of Use apply.
9. Integrated Trailer Brake Controller is an electronic system that operates in tandem with a trailer equipped with an electric braking system. It is designed to help the driver maintain trailer control by increasing or reducing trailer braking based on trailer weight. It is not a substitute for safe towing practices. Factors including speed, weather, road conditions and driver input can all affect trailer braking control. See *Owner's Manual* for limitations.
10. Rigid Industries is a registered trademark of JST Performance, LLC d/b/a Rigid Industries.
11. Rated for 2400 watts for a single three-prong outlet. See *Owner's Manual* for limitations.
12. Goodyear is a registered trademark of The Goodyear Tire & Rubber Company.
13. Apple CarPlay requires a compatible iPhone with an active data plan. Check compatibility at www.apple.com/ios/carplay/. Operability depends on network availability, a cellular connection and GPS signal. Services vary by vehicle and are subject to change at any time without notice. Data charges may apply. To learn more, go to www.toyota.com/audio-multimedia/. To learn more about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. Apple CarPlay is a registered trademark of Apple Inc.
14. Wireless use of Android Auto requires a compatible Android 11.0+ phone and compatible active data plan. Check androidauto/ requirements for compatibility. Operability depends on network availability, a cellular connection and GPS signal. Services subject to change at any time without notice. Data charges may apply. To learn more, go to www.toyota.com/audio-multimedia/. To learn more about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. Android and Android Auto are trademarks of Google LLC.
15. Service will automatically stop at the end of your trial subscription period unless you decide to continue service. Trial is non-transferable. If you do not wish to enjoy your trial, you can cancel by calling the number below. All SiriusXM services require a subscription, each sold separately by SiriusXM after the trial period. Service subject to the SiriusXM Customer Agreement and Privacy Policy, visit siriusxm.com for complete terms and how to cancel which includes online methods or calling 1-866-635-2349. Some services and features are subject to device capabilities and location availability. Satellite service not available in AK & HI. Content varies by SiriusXM subscription plan. All fees, content and features are subject to change. SiriusXM and related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries.
16. Drive Connect availability and accuracy depend on certain factors outside of Toyota's control in order to operate, including 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Services subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data charges may apply. See *Owner's Manual* and www.toyota.com/connected-services/ for limitations. To learn about Toyota's connected services data collection, use, sharing and retention practices, visit www.toyota.com/support/privacy-rights/. Trial period begins on original purchase or lease date of new vehicle. Paid subscription required after trial (if applicable). Terms of Use apply.
17. Toyota Connected Services depend on certain factors outside of Toyota's control in order to operate, including 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded, including access to response center and emergency support. Services vary by vehicle and are subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data charges may apply. See *Owner's Manual* and www.toyota.com/connected-services/. For Toyota's Connected Services' data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. All trials begin on original purchase or lease date of new vehicle, with the exception of Wi-Fi for which trial begins at time of activation. Paid subscription required after trial (if applicable). For Safety Connect, stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. For Remote Connect, start/stop and/or lock/unlock and other features of Remote Connect are only available on select models. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start a gas engine vehicle in an enclosed space or if vehicle is occupied by a child). Drive Connect service not available in every city or roadway. For Service Connect, information provided is based on the last time data was collected from vehicle and is not real time data. Wi-Fi Connect service not available everywhere or in every vehicle. Valid in contiguous U.S. and Alaska. Up to 5 devices supported. Integrated Streaming requires subscription for third-party provider services. Wi-Fi Connect trial (if applicable) begins at time of enrollment and expires the earlier of 3GB of data is used or 30 days after enrollment.
18. Never tow beyond a vehicle's published towing capacities. Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. Follow all instructions in your *Owner's Manual*.
19. The backup camera does not provide a comprehensive view of the rear area of the vehicle/trailer. When using straight path assist, driver should confirm clearance and is still responsible for safe operation. See *Owner's Manual* for limitations.
20. ToyotaCare covers normal factory scheduled maintenance for 2 years or 25,000 miles, whichever comes first, and 24/7 Roadside

Assistance is for 2 years/unlimited mileage. Roadside Assistance does not include parts and fluids, except limited emergency gas delivery. Towing distance up to 25 miles. Restrictions apply. Available in the continental U.S. and Canada. See Toyota dealer for details and exclusions.

21. Payload includes the weight of occupants, cargo and options and is limited by weight distribution.
22. Crawl Control is designed for driving on difficult terrain at low speeds and assists driver by controlling acceleration and braking, allowing the driver to focus on steering. See *Owner's Manual* for additional limitations.
23. HomeLink and HomeLink® house icon are registered trademarks of Gentex Corporation.
24. Charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models.
25. Wireless charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models.
26. This floor mat was designed specifically for use in your model and model year vehicle and SHOULD NOT be used in any other vehicle. To avoid potential interference with pedal operation, each mat must be secured with its fasteners. Do not install a floor mat on top of an existing floor mat.
27. Extra-cost color.
28. Airbag systems supplement the seatbelts and are designed to inflate only under certain conditions and in certain types of severe collisions. Always wear seatbelt, sit upright in middle and as far back in seat as possible to help decrease risk of injury. Do not put objects in front of an airbag See *Owner's Manual* for limitations.
29. The backup camera does not provide a comprehensive view. Always look over shoulder and use outside mirrors. See *Owner's Manual* for limitations.
30. Hill Start Assist Control is designed to minimize backward rolling on steep ascents. Not a substitute for safe driving practices. Speed, grade, surface conditions, driver input, etc. can affect HAC function. See *Owner's Manual*.
31. The Pre-Collision System (PCS) with Pedestrian Detection (PD) is designed to help reduce the crash speed and damage in certain frontal collisions involving a vehicle, a pedestrian, bicyclist or motorcyclist. PCS w/PD is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of vehicle, pedestrian, bicyclist or motorcyclist and weather, light and road conditions. See *Owner's Manual* for limitations.
32. Smart Stop Technology will reduce power to help the brakes bring vehicle to a stop during certain contemporaneous brake and accelerator pedal applications. See *Owner's Manual* for limitations.
33. Vehicle Stability Control is not a substitute for safe and attentive driving practices. Factors including speed, road conditions, weather and steering input can affect whether VSC will be effective. See *Owner's Manual* for limitations.
34. Dynamic Radar Cruise Control is not a substitute for safe and attentive driving. See *Owner's Manual* for instructions and limitations.
35. Automatic high beams operate at speeds above 21 mph. See *Owner's Manual* for instructions and limitations.
36. Lane Departure Alert with Steering Assist is designed to read visible lane markers under certain conditions. It provides a visual/audible alert and slight steering force when lane departure is detected. It is not a collision-avoidance system or substitute for safe and attentive driving. Effectiveness depends on many factors including road, weather and vehicle conditions. See *Owner's Manual* for limitations.
37. Do not rely exclusively on the Rear Cross-Traffic Alert. Visually confirm clearance during use. See *Owner's Manual* for limitations.
38. The engine immobilizer is a state-of-the-art anti-theft system initiated when key is inserted into ignition switch or a Smart Key fob is in/near vehicle. Engine will only start if the code in transponder chip inside the key/fob matches code in vehicle's immobilizer. The transponder chip is embedded in the key/fob and can be costly to replace. For lost key or FOB, see a Toyota dealer or go to www.aloa.org to find a qualified locksmith for high-security key service.
39. Rear Parking Assist Sonar is designed to warn drivers of potential rear collisions with certain objects at low speeds. Drivers should visually confirm clearance during use. See *Owner's Manual* for instructions and limitations.
40. The Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See *Owner's Manual* for limitations and details.
41. Auto LSD is an electronic, brake-actuated limited-slip differential that automatically activates when VSC is disengaged at low speeds. See *Owner's Manual* for additional limitations and details.
42. When system is on, Electric Parking Brake is designed to engage Parking Brake under limited conditions and may not hold vehicle under all conditions. See *Owner's Manual* for additional limitations.
43. The Toyota Tacoma is designed to meet most off-road driving requirements, but off-roading is inherently dangerous and may result in personal injury or vehicle damage. Toyota encourages responsible operation to help protect you, your vehicle and the environment.
44. For more information, visit Kelley Blue Book's KBB.com. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc.
45. Front and Rear Parking Assist with Automatic Braking (PA w/AB) may warn drivers of, and potentially brake for front and rear collisions with certain objects when traveling at low speeds. Drivers should visually confirm clearance during use. See *Owner's Manual* for instructions and limitations.
46. Proactive Driving Assist (PDA) is designed to detect certain objects or curves in the road and provide gentle braking and/or steering support. PDA is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of detected objects and weather, light and road conditions. See *Owner's Manual* for additional limitations and details.
47. Road Sign Assist only recognizes certain road signs. See *Owner's Manual* for limitations.
48. The Lane Tracing Assist (LTA) lane centering function is designed to read visible lane markers and detect other vehicles under certain conditions. It is only operational when DRCC is engaged. Not available on vehicles with manual transmissions. See *Owner's Manual* for limitations.
49. Downhill Assist Control is designed to help driver maintain vehicle control and speed on steep, downhill descents and Hill-Start Assist Control is designed to help minimize backward rolling on steep ascents. Neither system is a substitute for safe driving judgment and practices. Factors including speed, grade, surface conditions and driver input can affect the ability of the DAC and HAC to prevent a loss of control. See *Owner's Manual* for additional limitations.
50. Front and Rear Parking Assist Sonar is designed to warn drivers of potential front and rear collisions with certain objects at low speeds.

Drivers should visually confirm clearance during use. See *Owner's Manual* for instructions and limitations.

51. This product is not a Genuine Toyota part or accessory and was not designed or manufactured by Toyota. Toyota has not fully evaluated this product to determine its overall impact on the performance or safety of any Toyota vehicle onto which it is installed or to determine whether installation would render the vehicle illegal for operation on public roadways in any states. Installation of this product may impact your vehicles' warranty. This product is not warranted by Toyota, and Toyota expressly disclaims any warranty for this product, including without limitation, any implied warranties of merchantability and of fitness for particular purpose. Toyota also disclaims all liability for direct, indirect, special, incidental or consequential damages, including but not limited to, damage to or loss of personal or commercial property, loss of use, cost of purchase of replacement goods, or claims of customers of any Toyota dealer that result from the use of this product. This product is not available in Hawaii. Shipping charges not included.