

2025 4Runner

Top 5 Facts

- * Standard i-FORCE turbocharged engine
- * Available i-FORCE MAX Hybrid EV powertrain
- * 3 TRD grades and Trailhunter grade
- * Refined Limited and Platinum grades
- * Toyota Audio Multimedia with available 14-in. touchscreen

What's New

The all-new 2025 Toyota 4Runner is ready for the road. Featuring capable performance-focused off-road[18] grades and refined on-road models, this icon sets the benchmark for adventure SUVs.

Quick Specs

placeholder copy

Awards

- Awards coming soon.

Models

Model Code	Trim Name	Full Name	Engine
8642	SR5	SR5 (i-FORCE 4x2)	2.4L Turbo 4-cyl.
8664	SR5	SR5 (i-FORCE 4x4)	2.4L Turbo 4-cyl.
8643	TRD Sport	TRD Sport (i-FORCE 4x2)	2.4L Turbo 4-cyl.
8671	TRD Sport	TRD Sport (i-FORCE 4x4)	2.4L Turbo 4-cyl.
8644	TRD Sport Premium	TRD Sport Premium (4x2)	2.4L Turbo 4-cyl.
8673	TRD Sport Premium	TRD Sport Premium (4x4)	2.4L Turbo 4-cyl.
8670	TRD Off-Road	TRD Off-Road (i-FORCE 4x4)	2.4L Turbo 4-cyl.
8628	TRD Off-Road	TRD Off-Road (4x4)	2.4L Turbo 4-cyl.
8672	TRD Off-Road Premium	TRD Off-Road Premium (i-FORCE 4x4)	2.4L Turbo 4-cyl.

8630	TRD Off-Road Premium	TRD Off-Road Premium (4x4)	2.4L Turbo 4-cyl.
8648	Limited	Limited(4x2)	2.4L Turbo 4-cyl.
8668	Limited	Limited(4x4)	2.4L Turbo 4-cyl.
8632	Limited	Limited(4x4)	2.4L Turbo 4-cyl.
8638	Platinum	Platinum (4x4)	2.4L Turbo 4-cyl.
8634	TRD Pro	TRD Pro (i-FORCE MAX 4x4)	2.4L Turbo 4-cyl.
8636	Trailhunter	Trailhunter (4x4)	2.4L Turbo 4-cyl.

Key Features

SR5

4Runner SR5 brings strong value and a solid foundation for adventure. Features like available part-time 4WD help capability on and off the pavement. On the other hand, standard wireless compatibility for Apple CarPlay®[2] and Android Auto™[3] make it easy to stay connected on the road.

- Standard i-FORCE 2.4L turbo 4-cyl. engine with 278 hp
- 17-in. alloy wheels
- Standard Toyota Safety Sense™ 3.0[1]
- Up to 12 cup and bottle holders
- Toyota Audio Multimedia with 8-in. touchscreen

TRD Sport

4Runner TRD Sport elevates the sporty vibes with a distinct street-oriented look. Plus, features like the standard Blind Spot Monitor[4] with Rear Cross-Traffic Alert[5] are designed to help make every moment behind the wheel more seamless.

- 20-in. alloy wheels
- Gloss black hood scoop
- 12.3-in. Digital Gauge Cluster

TRD Sport Premium

4Runner's TRD Sport Premium grade adds upscale details to this sporty ride. Features like SofTex®-trimmed seats and a power moonroof bring added comfort and convenience to the drive.

- Power liftgate

- Standard Qi-compatible wireless charger[6]
- Standard Smart Key System
- SofTex®-trimmed heated and ventilated front seats

TRD Off-Road

4Runner TRD Off-Road is all about going farther when the pavement ends. Featuring standard part-time 4WD and a locking rear differential, this adventure-ready grade is game to hit the trails.

- 18-in. alloy wheels with black accents
- Fixed running boards
- 8-way power driver's seat
- Bilstein® shocks[51]

TRD Off-Road Premium

Blending off-road capability[50] with convenience, 4Runner TRD Off-Road Premium brings added comfort to adventures. Plus, features like a power liftgate make it easy to bring everyone's gear along for the trip.

- Heated power outside mirrors with turn signal indicators
- SofTex®-trimmed seats
- Standard Multi-Terrain Monitor

Limited

4Runner Limited elevates the drive with comfort and convenience. Additionally, features like available third row seating bring added flexibility, all while offering performance in the form of turbocharged powertrains.

- Available automatic running boards
- Standard power-adjustable front passenger's seat
- Available full-time 4WD
- Leather-trimmed heated and ventilated front seats
- Adaptive Variable Suspension

Platinum

The Platinum grade gives 4Runner a premium drive and the features to match. Together with

its standard independent front and multilink coil spring rear suspension, this refined SUV makes a strong statement when it comes to all-around capability.

- Standard full-time 4WD
- Standard heated outboard second-row seats
- Standard i-FORCE MAX hybrid powertrain
- Toyota Audio Multimedia with 14-in. touchscreen

TRD Pro

4Runner TRD Pro takes performance to the next level. Powered by an i-FORCE MAX hybrid powertrain and part-time 4WD, this off-road beast is ready to hit the trails.

- Standard Fox®[7] shocks
- TRD Pro-stamped front aluminum skid plate
- 18-in. matte-black TRD alloy wheels

Trailhunter

4Runner's new Trailhunter grade is all about overlanding: off-roading where the journey is the focal point[50]. Featuring an electrified powertrain and cutting-edge tech to keep everyone connected, 4Runner Trailhunter is here to make every adventure one to remember.

- Standard Old Man Emu® shocks
- Heritage-inspired Toyota grille
- 14-speaker JBL®[8] Premium Audio system including JBL FLEX® portable speaker

Colors

Availability - X

Exterior Color (paint code)	Interior Color (paint code)	SR5	TRD Sport	TRD Sport Premium	TRD Off-Road	TRD Off-Road Premium	Limited	Platinum	TRD Pro	Trailhunter
Ice Cap (040)	Black Fabric trim (20-FA)	X								
Ice Cap (040)	Boulder Fabric trim (10-FA)	X								

Exterior Color (paint code)	Interior Color (paint code)	SR5	TRD Sport	TRD Sport Premium	TRD Off-Road	TRD Off-Road Premium	Limited	Platinum	TRD Pro	Trailhunter
Cutting Edge (1L0)	Black Fabric trim (20-FA)	X								
Cutting Edge (1L0)	Boulder Fabric trim (10-FA)	X								
Underground (1L7)	Black Fabric trim (20-FA)	X								
Underground (1L7)	Boulder Fabric trim (10-FA)	X								
Black (202)	Black Fabric trim (20-FA)	X								
Black (202)	Boulder Fabric trim (10-FA)	X								
Supersonic Red (3U5)	Black Fabric trim (20-FA)	X								
Supersonic Red (3U5)	Boulder Fabric trim (10-FA)	X								
Heritage Blue (8X0)	Black Fabric trim (20-FA)	X								
Heritage Blue (8X0)	Boulder Fabric trim (10-FA)	X								
Wind Chill Pearl (089)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)		X							
Wind Chill Pearl (089)	Black/ Boulder Fabric trim with Anodized Blue (11-FB)		X							
Cutting Edge (1L0)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)		X							
Cutting Edge (1L0)	Black/ Boulder Fabric trim with		X							

Exterior Color (paint code)	Interior Color (paint code)	SR5	TRD Sport	TRD Sport Premium	TRD Off-Road	TRD Off-Road Premium	Limited	Platinum	TRD Pro	Trailhunter
	Anodized Blue (11-FB)									
Underground (1L7)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)		X							
Underground (1L7)	Black/ Boulder Fabric trim with Anodized Blue (11-FB)		X							
Black (202)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)		X							
Black (202)	Black/ Boulder Fabric trim with Anodized Blue (11-FB)		X							
Supersonic Red (3U5)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)		X							
Heritage Blue (8X0)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)		X							
Heritage Blue (8X0)	Black/ Boulder Fabric trim with Anodized Blue (11-FB)		X							
Wind Chill Pearl (089)	Black SofTex® trim (20-EA)			X						
Cutting Edge	Black			X						

Exterior Color (paint code)	Interior Color (paint code)	SR5	TRD Sport	TRD Sport Premium	TRD Off-Road	TRD Off-Road Premium	Limited	Platinum	TRD Pro	Trailhunter
(1L0)	SofTex® trim (20-EA)									
Underground (1L7)	Black SofTex® trim (20-EA)			X						
Black (202)	Black SofTex® trim (20-EA)			X						
Supersonic Red (3U5)	Black SofTex® trim (20-EA)			X						
Heritage Blue (8X0)	Black SofTex® trim (20-EA)			X						
Ice Cap (040)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)				X					
Ice Cap (040)	Black/ Boulder Fabric trim with Anodized Blue (11-FB)				X					
Cutting Edge (1L0)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)				X					
Cutting Edge (1L0)	Black/ Boulder Fabric trim with Anodized Blue (11-FB)				X					
Underground (1L7)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)				X					
Underground (1L7)	Black/ Boulder				X					

Exterior Color (paint code)	Interior Color (paint code)	SR5	TRD Sport	TRD Sport Premium	TRD Off-Road	TRD Off-Road Premium	Limited	Platinum	TRD Pro	Trailhunter
	Fabric trim with Anodized Blue (11-FB)									
Black (202)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)				X					
Black (202)	Black/ Boulder Fabric trim with Anodized Blue (11-FB)				X					
Supersonic Red (3U5)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)				X					
Everest (6X7)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)				X					
Heritage Blue (8X0)	Black/ Boulder Fabric trim with Smoke Silver (12-FB)				X					
Heritage Blue (8X0)	Black/ Boulder Fabric trim with Anodized Blue (11-FB)				X					
Ice Cap (040)	Black SofTex® trim (20-EA)					X				
Cutting Edge (1L0)	Black SofTex® trim (20-EA)					X				
Underground (1L7)	Black SofTex®					X				

Exterior Color (paint code)	Interior Color (paint code)	SR5	TRD Sport	TRD Sport Premium	TRD Off-Road	TRD Off-Road Premium	Limited	Platinum	TRD Pro	Trailhunter
	trim (20-EA)									
Black (202)	Black SofTex® trim (20-EA)					X				
Supersonic Red (3U5)	Black SofTex® trim (20-EA)					X				
Everest (6X7)	Black SofTex® trim (20-EA)					X				
Heritage Blue (8X0)	Black SofTex® trim (20-EA)					X				
Wind Chill Pearl (089)	Black Leather trim (20-LA)						X			
Wind Chill Pearl (089)	Portobello Leather trim (45-LA)						X			
Underground (1L7)	Black Leather trim (20-LA)						X			
Underground (1L7)	Portobello Leather trim (45-LA)						X			
Black (202)	Black Leather trim (20-LA)						X			
Black (202)	Portobello Leather trim (45-LA)						X			
Supersonic Red (3U5)	Black Leather trim (20-LA)						X			
Supersonic Red (3U5)	Portobello Leather trim (45-LA)						X			
Heritage Blue (8X0)	Black Leather trim (20-LA)						X			

Exterior Color (paint code)	Interior Color (paint code)	SR5	TRD Sport	TRD Sport Premium	TRD Off-Road	TRD Off-Road Premium	Limited	Platinum	TRD Pro	Trailhunter
	Red SofTex® trim (30-EC)									
Ice Cap (040)	Black SofTex® trim (22-EC)								X	
Underground (1L7)	Mineral SofTex® trim (63-EB)									X
Black (202)	Mineral SofTex® trim (63-EB)									X
Everest (6X7)	Mineral SofTex® trim (63-EB)									X
Ice Cap (040)	Mineral SofTex® trim (63-EB)									X

Factory Options

SR5

Fixed Running Boards - \$345

- Code: KH
- Fixed running boards

Third Row Seating - Fabric - \$770

- Code: TH
- Fabric-trimmed 50/50 split, fold-flat third-row seat and tumble second row with passenger-side one-touch access to third-row seat

TRD Sport

No factory options available at this time

TRD Sport Premium

Moonroof - \$850

- Code: MR
- Power tilt/slide moonroof with sunshade

TRD Off-Road

No factory options available at this time

*TRD Off-Road Premium***Moonroof - \$850**

- Code: MR
- Power tilt/slide moonroof with sunshade

*Limited***LED Liftgate Light - \$200**

- Code: TL
- LED liftgate light

Digital Key - \$275

- Code: DG
- Digital Key capability – enables smartphone to be used instead of a physical key (4G network dependent. Active Remote Connect trial or subscription required)[9]

Third Row Seating - Leather - \$1,330

- Code: TS
- Leather-trimmed 50/50 split, fold-flat third-row seat and tumble second row with passenger-side one-touch walk-in function

Power Running Boards - \$1,005

- Code: KG
- Power running boards

*Platinum***LED Liftgate Light - \$200**

- Code: TL
- LED liftgate light

Power Running Boards - \$1,005

- Code: KG
- Power running boards

TRD Pro

LED Liftgate Light - \$200

- Code: TL
- LED liftgate light

Digital Key - \$275

- Code: DG
- Digital Key capability – enables smartphone to be used instead of a physical key (4G network dependent. Active Remote Connect trial or subscription required)[9]

Trailhunter

Digital Key - \$275

- Code: DG
- Digital Key capability – enables smartphone to be used instead of a physical key (4G network dependent. Active Remote Connect trial or subscription required)[9]

Packages

SR5

No packages available at this time

TRD Sport

No packages available at this time

TRD Sport Premium

Tow Tech Package - \$400

- Code: TD
- Digital rearview mirror, Integrated Trailer Brake Controller[53], and Trailer Backup Guide with Straight Path Assist (SPA) functionality[25]

TRD Off-Road

No packages available at this time

TRD Off-Road Premium

Tow Tech Package - \$400

- Code: TD
- Digital rearview mirror, Integrated Trailer Brake Controller[53], and Trailer Backup Guide with Straight Path Assist (SPA) functionality[25]

Limited

Tow Tech Package - \$400

- Code: TD
- Digital rearview mirror, Integrated Trailer Brake Controller[53], and Trailer Backup Guide with Straight Path Assist (SPA) functionality[25]

Platinum

No packages available at this time

TRD Pro

No packages available at this time

Trailhunter

No packages available at this time

Features

S – Standard | O – Optional | P – Package

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
--	-------------------	-------------------	-------------------------	-------------------------	-------------------------	-------------------------

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
Safety/Convenience						
Airbags						
9 airbags[24] – Advanced Airbag System with driver and front passenger dual stage airbags, driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, front passenger seat cushion airbag, and front and rear side curtain airbags	S	S	S	S	S	S
Backup Camera						
Integrated backup camera display with projected path[25]	S	S	S	S	S	S
Panoramic View Monitor (PVM)[26] with 360-degree overhead view in low-speed drive and reverse, and curb view	–	–	–	–	S	S
Multi-Terrain Monitor (MTM) with selectable front, side or rear views	–	–	–	–	–	–
Trailer Backup Guide system with Straight Path Assist (SPA)[25]	–	–	–	–	P	P
Braking Systems						
Anti-lock brake system (ABS) with electronic brake-force distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electric Parking Brake (EPB)	S	S	S	S	S	S
Electronically Controlled Braking (ECB) system with integrated regenerative braking	–	–	–	–	–	–
Downhill Assist Control (DAC)[27]	–	S	–	S	–	–
Foot pedal parking brake	S	S	S	S	S	S
Hill Start Assist Control (HAC)[27]	S	S	S	S	–	–
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[28] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Smart Stop Technology® (SST)[29] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[30] – part of Star Safety System™	S	S	S	S	S	S
Convenience						
Power door locks with shift-linked automatic lock/unlock feature	S	S	S	S	S	S
HomeLink®[20] universal transceiver	–	–	–	–	–	–
In-key remote keyless entry system	S	S	S	S	–	–
Smart Key System with Push Button Start, remote keyless entry and remote illuminated entry	S	S	S	S	S	S

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
Digital Key capability[9] – Requires an active Remote Connect trial or subscription. 4G network dependent	–	–	–	–	–	–
Integrated Trailer Brake Controller (ITBC)[53] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	–	–	–	–	P	P
Onboard high-output air compressor	–	–	–	–	–	–
Cruise Control						
Dynamic Radar Cruise Control (DRCC)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Safety & Security						
Star Safety System™	S	S	S	S	S	S
Anti-lock brake system (ABS) with electronic brake-force distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Smart Stop Technology® (SST)[29] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[30] – part of Star Safety System™	S	S	S	S	S	S
Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Automatic High Beams (AHB)[32] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Dynamic Radar Cruise Control (DRCC)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Departure Alert with Steering Assist (LDA w/ SA)[33] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[28] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Tracing Assist (LTA)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Road Sign Assist (RSA)[35] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Proactive Driving Assist (PDA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Anti-theft system	S	S	S	S	S	S
Front and Rear Parking Assist with Automatic Braking (PA w/AB)[37] and Pedestrian Detection	–	–	–	–	S	S
Blind Spot Monitor (BSM)[4] with Rear Cross-Traffic Alert (RCTA)[5] and Trailer Merge Warning[38]	S	S	S	S	S	S
Front Cross-Traffic Alert (FCTA)[39]	S	S	S	S	S	S
Child-protector rear door locks and power	S	S	S	S	S	S

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
window lockout control						
Side-impact door beams	S	S	S	S	S	S
Tire Pressure Monitor System (TPMS)[42]	S	S	S	S	S	S
Seatbelts & Child Restraint System						
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractors (ALR/ELR) on all passenger belts	S	S	S	S	S	S
LATCH (Lower Anchors and Tethers for Children) includes lower anchors on outboard second-row seats and tether anchors on all second-row seats	S	S	S	S	S	S
Driver and front passenger seatbelt pretensioners with force limiters	S	S	S	S	S	S
Seats						
Driver and front passenger active headrests	S	S	S	S	–	–
Windows, Glass & Wipers						
Power windows with auto up/down and jam protection in all positions	S	S	S	S	S	S
Power rear liftgate window with auto up/down and jam protection	S	S	S	S	S	S
Rear liftgate window defogger with timer and UV protection	S	S	S	S	–	–
Interior						
Air Conditioner, Heater & Defroster						
Single-zone manual climate control with air filtration and rear-seat vents	S	S	–	–	–	–
Single-zone automatic climate control with air filter and rear-seat vents	–	–	S	S	S	S
Dual zone automatic climate control with air filter, individual temperature settings for driver and front passenger, and second-row vents	–	–	–	–	–	–
Rear liftgate window defogger with timer and UV protection	S	S	S	S	S	S
Audio, Entertainment & Navigation						
Toyota Audio Multimedia with 8-in. touchscreen	S	S	S	S	–	–
Toyota Audio Multimedia with 14-in. touchscreen	–	–	–	–	S	S
Wireless Apple CarPlay® compatibility[2]	S	S	S	S	S	S
Wireless Android Auto™ compatibility[3]	S	S	S	S	S	S
Bluetooth® wireless technology[12]	S	S	S	S	S	S
3-month SiriusXM® trial[13]	S	S	S	S	S	S
8 speakers	S	S	S	S	–	–
14 JBL® speakers (including subwoofer) including JBL FLEX® portable Bluetooth	–	–	–	–	S	S

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
speaker and JBL® amplifier[8]						
Drive Connect with 1-year trial on select models. Subscription required. 4G network dependent.[15] – part of Connected Services [14]	–	–	–	–	S	S
Remote Connect with 1-year trial on select models. Subscription required. 4G network dependent.[9] – part of Connected Services [14]	S	S	S	S	S	S
Safety Connect® with up to 10-year trial. Subscription required. 4G network dependent.[16] – part of Connected Services [14]	S	S	S	S	S	S
Service Connect with up to 10-year trial. Subscription required. 4G network dependent.[17] – part of Connected Services [14]	S	S	S	S	S	S
Wi-Fi Connect with up to 3 GB within 30-day trial. Subscription required. 4G network dependent.[18] – part of Connected Services [14]	S	S	S	S	S	S
Cargo Area						
One cargo area 12V DC auxiliary power outlet	S	S	–	–	–	–
Two 120V/400W AC power outlets[21] in the rear seat and cargo area	–	–	S	S	S	S
Two 120V/2400W AC power outlets[21] in the rear seat and cargo area	–	–	–	–	–	–
Cup & Bottle Holders						
12 cup and bottle holders	S	S	S	S	S	S
Drive Modes						
Crawl Control (CRAWL)[22]	–	–	–	–	–	–
Multi-Terrain Select (MTS)	–	–	–	–	–	–
Stabilizer Disconnect Mechanism (SDM)	–	–	–	–	–	–
Drive Mode Select (DMS) with Eco, Normal and Sport Modes	S	S	S	S	S	S
Drive Mode Select (DMS) with Eco, Comfort, Normal, Sport S, Sport S+, and Custom Modes	–	–	–	–	–	–
TOW/HAUL driving modes	S	S	S	S	S	S
Instrumentation						
Digital gauge cluster with 7-in. color Multi-Information Display (MID)	S	S	–	–	–	–
12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	–	–	S	S	S	S
Head-Up Display (HUD)	–	–	–	–	–	–
Lights						
Second-row and cargo-area LED illumination	S	S	S	S	S	S

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
Mirrors						
Manual day/night rearview mirror	S	S	S	S	–	–
Auto-dimming day/night rearview mirror	–	–	–	–	S	S
Digital display rearview mirror	–	–	–	–	O	O
HomeLink®[20] universal transceiver	–	–	–	–	S	S
Power Outlets						
One center console 12V power outlet	S	S	S	S	S	S
Two 120V/2400W AC power outlets[21] in the rear seat and cargo area	–	–	–	–	–	–
Five USB-C ports[48]	–	–	S	S	S	S
Four prewired DC power auxiliary switches	–	–	–	–	–	–
Two 120V/400W AC power outlets[21] in the rear seat and cargo area	–	–	S	S	S	S
Qi-compatible wireless smartphone charger [6] with indicator light	–	–	S	S	S	S
Seats						
6-way adjustable driver's seat	S	S	S	S	–	–
8-way power-adjustable driver's seat	–	–	–	–	S	S
Memory function for driver's seat	–	–	–	–	S	S
6-way adjustable front passenger seat	S	S	S	S	–	–
8-way power-adjustable front passenger seat	–	–	–	–	S	S
Fabric front- and second-row seats	S	S	S	S	–	–
2-way lumbar support for the driver's seat	–	–	–	–	S	S
4-way lumbar support for the driver's seat	–	–	–	–	–	–
Fabric-trimmed seats	S	S	S	S	–	–
SofTex®-trimmed seats	–	–	–	–	S	S
Leather-trimmed seats	–	–	–	–	–	–
Premium leather-trimmed seats	–	–	–	–	–	–
Heated front seats	–	–	S	S	–	–
Heated and ventilated front seats	–	–	–	–	S	S
Heated second row outboard seats	–	–	–	–	–	–
60/40 split, reclining and tumble-folding second-row seat with center armrest and cup holders	S	S	S	S	S	S
50/50 split, fold-flat third-row seat	O	O	–	–	–	–
Steering Wheel						
Leather-trimmed, tilt/telescopic steering wheel with audio, Bluetooth®[12] hands-free phone and voice command controls	S	S	S	S	S	S
Heated steering wheel	–	–	–	–	S	S
Storage Areas						
Overhead console with sunglasses storage	S	S	S	S	–	–
Overhead console with Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22]	–	–	–	–	–	–

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
switches						
Center console storage compartment with coin, tissue and pen holders	S	S	S	S	–	–
Trim						
Platinum carpet floor mats[23]	–	–	–	–	–	–
Limited carpet floor mats[23]	–	–	–	–	–	–
Trailhunter all-weather floor mats[23]	–	–	–	–	–	–
TRD Sport carpet floor mats[23]	–	–	S	S	S	S
Leather-wrapped shift knob	–	–	–	–	–	–
TRD red-striped leather-wrapped shift knob	–	–	–	–	–	–
TRD Pro red-striped leather-wrapped shift knob	–	–	S	S	–	–
TRD Off-Road carpet floor mats[23]	–	–	–	–	–	–
TRD Pro all-weather floor mats[23]	–	–	–	–	–	–
Exterior						
Lights						
LED headlights	S	S	S	S	S	S
Premium LED headlights	–	–	–	–	–	–
Auto on/off headlight feature	–	–	–	–	–	–
Daytime Running Lights (DRL) with auto on/off feature	S	S	S	S	S	S
Amber Daytime Running Lights (DRL)	–	–	–	–	–	–
White Daytime Running Lights (DRL)	–	–	–	–	–	–
Rigid Industries®[10] white-and-amber-color switching LED fog lights	–	–	–	–	–	–
Rigid Industries®[10] LED fog lights	–	–	–	–	–	–
LED light bar	–	–	–	–	–	–
LED fog lights	S	S	S	S	S	S
Center LED high-mount stop light in rear spoiler	S	S	S	S	–	–
LED taillights with red outer lens	S	S	–	–	–	–
Premium LED taillights with clear outer lens	–	–	S	S	S	S
LED liftgate light	–	–	–	–	–	–
Mirrors						
Heated power outside mirrors	S	S	–	–	–	–
Heated power outside mirrors with turn signal indicators	–	–	S	S	S	S
Heated power outside mirrors with turn signal indicators, power-folding and memory	–	–	–	–	–	–
Moonroof						
Power tilt/slide moonroof with sunshade	–	–	–	–	O	O
Racks						
Black Roof rails	S	S	S	S	S	S

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
Satin Chrome-finished roof rails[11]	–	–	–	–	–	–
ARB®[55] roof rack[11]	–	–	–	–	–	–
Skid Plates						
Skid plate covering engine and front suspension	S	S	S	S	–	–
Skid plate covering transfer case	–	S	–	S	–	S
Trailhunter steel skid plate, transfer case protector, rear differential protector, and composite fuel tank protector	–	–	–	–	–	–
TRD Pro aluminum front skid plate with underbody transfer case and fuel tank protection	–	–	–	–	–	–
Composite front skid plate, with underbody transfer case and fuel tank protection	–	–	–	–	–	–
Trim						
Gloss-black "TOYOTA" heritage grille, mirror caps, door handles, and overfenders	–	–	–	–	–	–
Black "TOYOTA" heritage grille, mirror caps, door handles, and overfenders	–	–	–	–	–	–
Dark-chrome tri-bar grille; gloss-black mirror caps, and door handles, and color-keyed overfenders	–	–	–	–	–	–
Satin-chrome tri-bar grille; color-keyed mirror caps, door handles, and overfenders	–	–	–	–	–	–
Black horizontal-bar grille, mirror caps, door handles, and overfenders	S	S	–	–	–	–
Gloss-black honeycomb-style grille; color-keyed mirror caps, door handles, and overfenders	–	–	S	S	S	S
Black honeycomb-style grille; color-keyed mirror caps, door handles, and overfenders	–	–	–	–	–	–
TRD performance air intake	–	–	–	–	–	–
High-mount air intake	–	–	–	–	–	–
Extended-width overfenders	–	–	–	–	–	–
Stabilizer Disconnect Mechanism (SDM)	–	–	–	–	–	–
Gloss-black hood scoop	–	–	S	S	S	S
Gloss-black rear spoiler	–	–	S	S	S	S
"TRD PRO" hood badge and stamped liftgate	–	–	–	–	–	–
Fixed running boards	O	O	–	–	–	–
Automatic power-extending running boards	–	–	–	–	–	–
Frame-mounted steel rock rails	–	–	–	–	–	–
Color-keyed rear spoiler	S	S	–	–	–	–
Black "SR5" and "4Runner" badges	S	S	–	–	–	–
Black "TRD OFF-ROAD" and "4RUNNER" badges	–	–	–	–	–	–
Black "Trailhunter" and "4RUNNER" badges	–	–	–	–	–	–
Satin Chrome-finish "Limited" "4RUNNER"	–	–	–	–	–	–

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
9 airbags[24] – Advanced Airbag System with driver and front passenger dual stage airbags, driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, front passenger seat cushion airbag, and front and rear side curtain airbags	S	S	S	S	S	S
Backup Camera						
Integrated backup camera display with projected path[25]	S	S	S	S	S	S
Panoramic View Monitor (PVM)[26] with 360-degree overhead view in low-speed drive and reverse, and curb view	–	–	–	–	S	S
Multi-Terrain Monitor (MTM) with selectable front, side or rear views	–	–	S	S	–	–
Trailer Backup Guide system with Straight Path Assist (SPA)[25]	–	–	P	P	P	P
Braking Systems						
Anti-lock brake system (ABS) with electronic brake-force distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electric Parking Brake (EPB)	S	S	S	S	S	S
Electronically Controlled Braking (ECB) system with integrated regenerative braking	–	S	–	S	–	–
Downhill Assist Control (DAC)[27]	–	–	–	–	–	S
Foot pedal parking brake	S	S	S	S	S	S
Hill Start Assist Control (HAC)[27]	S	–	S	–	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[28] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Smart Stop Technology® (SST)[29] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[30] – part of Star Safety System™	S	S	S	S	S	S
Convenience						
Power door locks with shift-linked automatic lock/unlock feature	S	S	S	S	S	S
HomeLink®[20] universal transceiver	–	–	S	–	S	S
In-key remote keyless entry system	S	–	S	–	–	–
Smart Key System with Push Button Start, remote keyless entry and remote illuminated entry	S	S	S	S	S	S
Digital Key capability[9] – Requires an active Remote Connect trial or subscription. 4G network dependent	–	–	–	–	O	O

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
Integrated Trailer Brake Controller (ITBC) [53] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	–	–	P	P	P	P
Onboard high-output air compressor	–	–	–	–	–	–
Cruise Control						
Dynamic Radar Cruise Control (DRCC)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Safety & Security						
Star Safety System™	S	S	S	S	S	S
Anti-lock brake system (ABS) with electronic brake-force distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Smart Stop Technology® (SST)[29] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[30] – part of Star Safety System™	S	S	S	S	S	S
Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Automatic High Beams (AHB)[32] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Dynamic Radar Cruise Control (DRCC)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0) [1]	S	S	S	S	S	S
Lane Departure Alert with Steering Assist (LDA w/ SA)[33] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[28] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Lane Tracing Assist (LTA)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Road Sign Assist (RSA)[35] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Proactive Driving Assist (PDA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S	S	S
Anti-theft system	S	S	S	S	S	S
Front and Rear Parking Assist with Automatic Braking (PA w/AB)[37] and Pedestrian Detection	–	–	S	S	S	S
Blind Spot Monitor (BSM)[4] with Rear Cross-Traffic Alert (RCTA)[5] and Trailer Merge Warning[38]	S	S	S	S	S	S
Front Cross-Traffic Alert (FCTA)[39]	S	S	S	S	S	S
Child-protector rear door locks and power window lockout control	S	S	S	S	S	S

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
Side-impact door beams	S	S	S	S	S	S
Tire Pressure Monitor System (TPMS)[42]	S	S	S	S	S	S
Seatbelts & Child Restraint System						
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractors (ALR/ELR) on all passenger belts	S	S	S	S	S	S
LATCH (Lower Anchors and Tethers for Children) includes lower anchors on outboard second-row seats and tether anchors on all second-row seats	S	S	S	S	S	S
Driver and front passenger seatbelt pretensioners with force limiters	S	S	S	S	S	S
Seats						
Driver and front passenger active headrests	S	–	S	–	S	S
Windows, Glass & Wipers						
Power windows with auto up/down and jam protection in all positions	S	S	S	S	S	S
Power rear liftgate window with auto up/down and jam protection	S	S	S	S	S	S
Rear liftgate window defogger with timer and UV protection	S	–	S	–	S	S
Interior						
Air Conditioner, Heater & Defroster						
Single-zone manual climate control with air filtration and rear-seat vents	–	–	–	–	–	–
Single-zone automatic climate control with air filter and rear-seat vents	S	S	S	S	–	–
Dual zone automatic climate control with air filter, individual temperature settings for driver and front passenger, and second-row vents	–	–	–	–	S	S
Rear liftgate window defogger with timer and UV protection	S	S	S	S	S	S
Audio, Entertainment & Navigation						
Toyota Audio Multimedia with 8-in. touchscreen	S	S	–	–	–	–
Toyota Audio Multimedia with 14-in. touchscreen	–	–	S	S	S	S
Wireless Apple CarPlay® compatibility[2]	S	S	S	S	S	S
Wireless Android Auto™ compatibility[3]	S	S	S	S	S	S
Bluetooth® wireless technology[12]	S	S	S	S	S	S
3-month SiriusXM® trial[13]	S	S	S	S	S	S
8 speakers	S	S	–	–	–	–
14 JBL® speakers (including subwoofer) including JBL FLEX® portable Bluetooth speaker and JBL® amplifier[8]	–	–	S	S	S	S

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
Drive Connect with 1-year trial on select models. Subscription required. 4G network dependent.[15] – part of Connected Services[14]	–	–	S	S	S	S
Remote Connect with 1-year trial on select models. Subscription required. 4G network dependent.[9] – part of Connected Services [14]	S	S	S	S	S	S
Safety Connect® with up to 10-year trial. Subscription required. 4G network dependent.[16] – part of Connected Services[14]	S	S	S	S	S	S
Service Connect with up to 10-year trial. Subscription required. 4G network dependent.[17] – part of Connected Services[14]	S	S	S	S	S	S
Wi-Fi Connect with up to 3 GB within 30-day trial. Subscription required. 4G network dependent.[18] – part of Connected Services[14]	S	S	S	S	S	S
Cargo Area						
One cargo area 12V DC auxiliary power outlet	–	–	–	–	–	–
Two 120V/400W AC power outlets[21] in the rear seat and cargo area	S	–	S	–	S	S
Two 120V/2400W AC power outlets[21] in the rear seat and cargo area	–	S	–	S	–	–
Cup & Bottle Holders						
12 cup and bottle holders	S	S	S	S	S	S
Drive Modes						
Crawl Control (CRAWL)[22]	S	S	S	S	–	–
Multi-Terrain Select (MTS)	S	S	S	S	–	–
Stabilizer Disconnect Mechanism (SDM)	–	–	–	–	–	–
Drive Mode Select (DMS) with Eco, Normal and Sport Modes	S	S	S	S	–	–
Drive Mode Select (DMS) with Eco, Comfort, Normal, Sport S, Sport S+, and Custom Modes	–	–	–	–	S	S
TOW/HAUL driving modes	S	S	S	S	S	S
Instrumentation						
Digital gauge cluster with 7-in. color Multi-Information Display (MID)	–	–	–	–	–	–
12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	S	S	S	S	S	S
Head-Up Display (HUD)	–	–	–	–	–	–
Lights						
Second-row and cargo-area LED	S	S	S	S	S	S

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
illumination						
Mirrors						
Manual day/night rearview mirror	S	S	–	–	–	–
Auto-dimming day/night rearview mirror	–	–	S	S	S	S
Digital display rearview mirror	–	–	O	O	O	O
HomeLink®[20] universal transceiver	–	S	S	S	S	S
Power Outlets						
One center console 12V power outlet	S	S	S	S	S	S
Two 120V/2400W AC power outlets[21] in the rear seat and cargo area	–	S	–	S	–	–
Five USB-C ports[48]	S	S	S	S	S	S
Four prewired DC power auxiliary switches	–	–	–	–	–	–
Two 120V/400W AC power outlets[21] in the rear seat and cargo area	S	–	S	–	S	S
Qi-compatible wireless smartphone charger[6] with indicator light	S	S	S	S	S	S
Seats						
6-way adjustable driver's seat	S	S	–	–	–	–
8-way power-adjustable driver's seat	–	–	S	S	S	S
Memory function for driver's seat	–	–	S	S	S	S
6-way adjustable front passenger seat	S	S	–	–	–	–
8-way power-adjustable front passenger seat	–	–	S	S	S	S
Fabric front- and second-row seats	S	S	–	–	–	–
2-way lumbar support for the driver's seat	–	–	S	S	–	–
4-way lumbar support for the driver's seat	–	–	–	–	S	S
Fabric-trimmed seats	S	S	–	–	–	–
SofTex®-trimmed seats	–	–	S	S	–	–
Leather-trimmed seats	–	–	–	–	S	S
Premium leather-trimmed seats	–	–	–	–	–	–
Heated front seats	S	S	–	–	–	–
Heated and ventilated front seats	–	–	S	S	S	S
Heated second row outboard seats	–	–	–	–	–	–
60/40 split, reclining and tumble-folding second-row seat with center armrest and cup holders	S	S	S	S	S	S
50/50 split, fold-flat third-row seat	–	–	–	–	O	O
Steering Wheel						
Leather-trimmed, tilt/telescopic steering wheel with audio, Bluetooth®[12] hands-free phone and voice command controls	S	S	S	S	S	S
Heated steering wheel	–	–	S	S	S	S
Storage Areas						
Overhead console with sunglasses storage	–	–	–	–	S	S

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
Overhead console with Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22] switches	S	S	S	S	–	–
Center console storage compartment with coin, tissue and pen holders	–	–	–	–	S	S
Trim						
Platinum carpet floor mats[23]	–	–	–	–	–	–
Limited carpet floor mats[23]	–	–	–	–	S	S
Trailhunter all-weather floor mats[23]	–	–	–	–	–	–
TRD Sport carpet floor mats[23]	–	–	–	–	–	–
Leather-wrapped shift knob	–	–	–	–	S	S
TRD red-striped leather-wrapped shift knob	–	–	–	–	–	–
TRD Pro red-striped leather-wrapped shift knob	S	–	S	–	–	–
TRD Off-Road carpet floor mats[23]	S	S	S	S	–	–
TRD Pro all-weather floor mats[23]	–	–	–	–	–	–
Exterior						
Lights						
LED headlights	S	S	S	S	S	S
Premium LED headlights	–	–	–	–	S	S
Auto on/off headlight feature	–	–	–	–	–	–
Daytime Running Lights (DRL) with auto on/off feature	S	S	S	S	S	S
Amber Daytime Running Lights (DRL)	–	–	–	–	–	–
White Daytime Running Lights (DRL)	–	–	–	–	S	S
Rigid Industries®[10] white-and-amber-color switching LED fog lights	–	–	–	–	–	–
Rigid Industries®[10] LED fog lights	–	–	–	–	–	–
LED light bar	–	–	–	–	–	–
LED fog lights	S	S	S	S	S	S
Center LED high-mount stop light in rear spoiler	S	–	S	–	S	S
LED taillights with red outer lens	S	S	S	S	S	S
Premium LED taillights with clear outer lens	–	–	–	–	–	–
LED liftgate light	–	–	–	–	O	O
Mirrors						
Heated power outside mirrors	–	–	–	–	–	–
Heated power outside mirrors with turn signal indicators	S	S	S	S	–	–
Heated power outside mirrors with turn signal indicators, power-folding and memory	–	–	–	–	S	S
Moonroof						
Power tilt/slide moonroof with sunshade	–	–	O	O	S	S

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
Racks						
Black Roof rails	S	S	S	S	–	–
Satin Chrome-finished roof rails[11]	–	–	–	–	S	S
ARB®[55] roof rack[11]	–	–	–	–	–	–
Skid Plates						
Skid plate covering engine and front suspension	–	–	–	–	S	S
Skid plate covering transfer case	–	–	–	–	–	S
Trailhunter steel skid plate, transfer case protector, rear differential protector, and composite fuel tank protector	–	–	–	–	–	–
TRD Pro aluminum front skid plate with underbody transfer case and fuel tank protection	–	–	–	–	–	–
Composite front skid plate, with underbody transfer case and fuel tank protection	S	S	S	S	–	–
Trim						
Gloss-black "TOYOTA" heritage grille, mirror caps, door handles, and overfenders	–	–	–	–	–	–
Black "TOYOTA" heritage grille, mirror caps, door handles, and overfenders	–	–	–	–	–	–
Dark-chrome tri-bar grille; gloss-black mirror caps, and door handles, and color-keyed overfenders	–	–	–	–	–	–
Satin-chrome tri-bar grille; color-keyed mirror caps, door handles, and overfenders	–	–	–	–	S	S
Black horizontal-bar grille, mirror caps, door handles, and overfenders	–	–	–	–	–	–
Gloss-black honeycomb-style grille; color-keyed mirror caps, door handles, and overfenders	–	–	–	–	–	–
Black honeycomb-style grille; color-keyed mirror caps, door handles, and overfenders	S	S	S	S	–	–
TRD performance air intake	–	–	–	–	–	–
High-mount air intake	–	–	–	–	–	–
Extended-width overfenders	–	–	–	–	–	–
Stabilizer Disconnect Mechanism (SDM)	–	–	–	–	–	–
Gloss-black hood scoop	–	–	–	–	–	–
Gloss-black rear spoiler	–	–	–	–	–	–
"TRD PRO" hood badge and stamped liftgate	–	–	–	–	–	–
Fixed running boards	S	S	S	S	S	S
Automatic power-extending running boards	–	–	–	–	O	O
Frame-mounted steel rock rails	–	–	–	–	–	–
Color-keyed rear spoiler	S	S	S	S	S	S
Black "SR5" and "4Runner" badges	–	–	–	–	–	–

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
Black "TRD OFF-ROAD" and "4RUNNER" badges	S	S	S	S	–	–
Black "Trailhunter" and "4RUNNER" badges	–	–	–	–	–	–
Satin Chrome-finish "Limited" "4RUNNER" badges	–	–	–	–	S	S
Black "TRD Sport" and "4Runner" badges	–	–	–	–	–	–
High-clearance front bumper	–	–	–	–	–	–
Rear spoiler with integrated LED center high-mount stop light and concealed rear wiper with mist cycle	S	S	S	S	S	S
ARB®[55] roof rack	–	–	–	–	–	–
TRD performance exhaust	–	–	–	–	–	–
Power rear liftgate window with auto up/down, jam protection, and defogger with timer	S	S	S	S	S	S
Hands-free power liftgate[54]	–	–	S	S	S	S
Wheels & Tires						
17-in. dark gray-painted alloy wheels	–	–	–	–	–	–
18-in. bronze-finished alloy wheels with "TOYOTA" center caps	–	–	–	–	–	–
20-in. gloss-black-painted alloy wheels	–	–	–	–	–	–
20-in. gray painted and machine-finished alloy wheels	–	–	–	–	S	S
20-in. dark-gray painted and machine-finished alloy wheels with TRD center caps	–	–	–	–	–	–
18-in. matte-black painted and machine-finished alloy wheels with TRD center caps	S	S	S	S	–	–
18-in. matte-black-finished alloy wheels with TRD center caps	–	–	–	–	–	–
Windows, Glass & Wipers						
Rain-sensing variable intermittent windshield wipers with mist cycle	–	–	–	–	–	–
Windshield wiper de-icer	S	S	S	S	S	S
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Concealed rear wiper with mist cycle	S	S	S	S	S	S
Privacy glass on rear side, quarter and rear liftgate windows	S	S	S	S	S	S

Additional Features...

	Limited(4x4)	Platinum(4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter(4x4)
--	--------------	---------------	---------------------------	------------------

	Limited(4x4)	Platinum(4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter(4x4)
Safety/Convenience				
Airbags				
9 airbags[24] – Advanced Airbag System with driver and front passenger dual stage airbags, driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, front passenger seat cushion airbag, and front and rear side curtain airbags	S	S	S	S
Backup Camera				
Integrated backup camera display with projected path[25]	S	S	S	S
Panoramic View Monitor (PVM)[26] with 360-degree overhead view in low-speed drive and reverse, and curb view	S	S	–	–
Multi-Terrain Monitor (MTM) with selectable front, side or rear views	–	–	S	S
Trailer Backup Guide system with Straight Path Assist (SPA)[25]	P	S	S	S
Braking Systems				
Anti-lock brake system (ABS) with electronic brake-force distribution (EBD) – part of Star Safety System™	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S
Electric Parking Brake (EPB)	S	S	S	S
Electronically Controlled Braking (ECB) system with integrated regenerative braking	S	S	S	S
Downhill Assist Control (DAC)[27]	–	–	–	–
Foot pedal parking brake	S	S	S	S
Hill Start Assist Control (HAC)[27]	–	–	S	–
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[28] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Smart Stop Technology® (SST)[29] – part of Star Safety System™	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S
Vehicle Stability Control (VSC)[30] – part of Star Safety System™	S	S	S	S
Convenience				
Power door locks with shift-linked automatic lock/unlock feature	S	S	S	S
HomeLink®[20] universal transceiver	–	–	S	–
In-key remote keyless entry system	–	–	S	–
Smart Key System with Push Button Start, remote keyless entry and remote illuminated entry	S	S	S	S
Digital Key capability[9] – Requires an active Remote Connect trial or subscription. 4G network dependent	O	S	O	O
Integrated Trailer Brake Controller (ITBC)[53] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	P	S	S	S
Onboard high-output air compressor	–	–	–	S
Cruise Control				
Dynamic Radar Cruise Control (DRCC)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Safety & Security				
Star Safety System™	S	S	S	S

	Limited(4x4)	Platinum(4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter(4x4)
Anti-lock brake system (ABS) with electronic brake-force distribution (EBD) – part of Star Safety System™	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S
Smart Stop Technology® (SST)[29] – part of Star Safety System™	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S
Vehicle Stability Control (VSC)[30] – part of Star Safety System™	S	S	S	S
Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Automatic High Beams (AHB)[32] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Dynamic Radar Cruise Control (DRCC)[31] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Lane Departure Alert with Steering Assist (LDA w/ SA)[33] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[28] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Lane Tracing Assist (LTA)[34] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Road Sign Assist (RSA)[35] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Proactive Driving Assist (PDA)[36] – part of Toyota Safety Sense™ 3.0 (TSS 3.0)[1]	S	S	S	S
Anti-theft system	S	S	S	S
Front and Rear Parking Assist with Automatic Braking (PA w/AB)[37] and Pedestrian Detection	S	S	S	S
Blind Spot Monitor (BSM)[4] with Rear Cross-Traffic Alert (RCTA)[5] and Trailer Merge Warning[38]	S	S	S	S
Front Cross-Traffic Alert (FCTA)[39]	S	S	S	S
Child-protector rear door locks and power window lockout control	S	S	S	S
Side-impact door beams	S	S	S	S
Tire Pressure Monitor System (TPMS)[42]	S	S	S	S
Seatbelts & Child Restraint System				
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractors (ALR/ELR) on all passenger belts	S	S	S	S
LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors on outboard second-row seats and tether anchors on all second-row seats	S	S	S	S
Driver and front passenger seatbelt pretensioners with force limiters	S	S	S	S
Seats				
Driver and front passenger active headrests	–	–	S	–
Windows, Glass & Wipers				
Power windows with auto up/down and jam protection in all positions	S	S	S	S
Power rear liftgate window with auto up/down and jam protection	S	S	S	S
Rear liftgate window defogger with timer and UV protection	–	–	S	–
Interior				

	Limited(4x4)	Platinum (4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter (4x4)
Air Conditioner, Heater & Defroster				
Single-zone manual climate control with air filtration and rear-seat vents	–	–	–	–
Single-zone automatic climate control with air filter and rear-seat vents	–	–	–	–
Dual zone automatic climate control with air filter, individual temperature settings for driver and front passenger, and second-row vents	S	S	S	S
Rear liftgate window defogger with timer and UV protection	S	S	S	S
Audio, Entertainment & Navigation				
Toyota Audio Multimedia with 8-in. touchscreen	–	–	–	–
Toyota Audio Multimedia with 14-in. touchscreen	S	S	S	S
Wireless Apple CarPlay® compatibility[2]	S	S	S	S
Wireless Android Auto™ compatibility[3]	S	S	S	S
Bluetooth® wireless technology[12]	S	S	S	S
3-month SiriusXM® trial[13]	S	S	S	S
8 speakers	–	–	–	–
14 JBL® speakers (including subwoofer) including JBL FLEX® portable Bluetooth speaker and JBL® amplifier[8]	S	S	S	S
Drive Connect with 1-year trial on select models. Subscription required. 4G network dependent.[15] – part of Connected Services [14]	S	S	S	S
Remote Connect with 1-year trial on select models. Subscription required. 4G network dependent.[9] – part of Connected Services [14]	S	S	S	S
Safety Connect® with up to 10-year trial. Subscription required. 4G network dependent.[16] – part of Connected Services[14]	S	S	S	S
Service Connect with up to 10-year trial. Subscription required. 4G network dependent.[17] – part of Connected Services[14]	S	S	S	S
Wi-Fi Connect with up to 3 GB within 30-day trial. Subscription required. 4G network dependent.[18] – part of Connected Services [14]	S	S	S	S
Cargo Area				
One cargo area 12V DC auxiliary power outlet	–	–	–	–
Two 120V/400W AC power outlets[21] in the rear seat and cargo area	–	–	–	–
Two 120V/2400W AC power outlets[21] in the rear seat and cargo area	S	S	S	S
Cup & Bottle Holders				
12 cup and bottle holders	S	S	S	S
Drive Modes				
Crawl Control (CRAWL)[22]	–	–	S	S
Multi-Terrain Select (MTS)	–	–	S	S
Stabilizer Disconnect Mechanism (SDM)	–	–	S	S
Drive Mode Select (DMS) with Eco, Normal and Sport Modes	–	–	S	S
Drive Mode Select (DMS) with Eco, Comfort, Normal, Sport S, Sport S+, and Custom Modes	S	S	–	–

	Limited(4x4)	Platinum(4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter(4x4)
TOW/HAUL driving modes	S	S	S	S
Instrumentation				
Digital gauge cluster with 7-in. color Multi-Information Display (MID)	–	–	–	–
12.3-in. digital gauge cluster with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	S	S	S	S
Head-Up Display (HUD)	–	S	–	–
Lights				
Second-row and cargo-area LED illumination	S	S	S	S
Mirrors				
Manual day/night rearview mirror	–	–	–	–
Auto-dimming day/night rearview mirror	S	–	–	–
Digital display rearview mirror	O	S	S	S
HomeLink®[20] universal transceiver	S	S	S	S
Power Outlets				
One center console 12V power outlet	S	S	S	S
Two 120V/2400W AC power outlets[21] in the rear seat and cargo area	S	S	S	S
Five USB-C ports[48]	S	S	S	S
Four prewired DC power auxiliary switches	–	–	S	S
Two 120V/400W AC power outlets[21] in the rear seat and cargo area	–	–	–	–
Qi-compatible wireless smartphone charger[6] with indicator light	S	S	S	S
Seats				
6-way adjustable driver's seat	–	–	–	–
8-way power-adjustable driver's seat	S	S	S	S
Memory function for driver's seat	S	S	S	S
6-way adjustable front passenger seat	–	–	–	–
8-way power-adjustable front passenger seat	S	S	S	S
Fabric front- and second-row seats	–	–	–	–
2-way lumbar support for the driver's seat	–	–	–	–
4-way lumbar support for the driver's seat	S	S	S	S
Fabric-trimmed seats	–	–	–	–
SofTex®-trimmed seats	–	–	S	S
Leather-trimmed seats	S	–	–	–
Premium leather-trimmed seats	–	S	–	–
Heated front seats	–	–	S	–
Heated and ventilated front seats	S	S	S	S
Heated second row outboard seats	–	S	–	–
60/40 split, reclining and tumble-folding second-row seat with center armrest and cup holders	S	S	S	S
50/50 split, fold-flat third-row seat	–	–	–	–
Steering Wheel				

	Limited(4x4)	Platinum(4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter(4x4)
Leather-trimmed, tilt/telescopic steering wheel with audio, Bluetooth®[12] hands-free phone and voice command controls	S	S	S	S
Heated steering wheel	S	S	S	S
Storage Areas				
Overhead console with sunglasses storage	–	–	–	–
Overhead console with Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22] switches	–	–	S	S
Center console storage compartment with coin, tissue and pen holders	–	–	–	–
Trim				
Platinum carpet floor mats[23]	–	S	–	–
Limited carpet floor mats[23]	S	–	–	–
Trailhunter all-weather floor mats[23]	–	–	–	S
TRD Sport carpet floor mats[23]	–	–	–	–
Leather-wrapped shift knob	S	S	–	S
TRD red-striped leather-wrapped shift knob	–	–	S	–
TRD Pro red-striped leather-wrapped shift knob	–	–	S	–
TRD Off-Road carpet floor mats[23]	–	–	–	–
TRD Pro all-weather floor mats[23]	–	–	S	–
Exterior				
Lights				
LED headlights	–	–	–	–
Premium LED headlights	S	S	S	S
Auto on/off headlight feature	–	–	S	S
Daytime Running Lights (DRL) with auto on/off feature	S	S	S	S
Amber Daytime Running Lights (DRL)	–	–	S	S
White Daytime Running Lights (DRL)	S	S	S	S
Rigid Industries®[10] white-and-amber-color switching LED fog lights	–	–	–	S
Rigid Industries®[10] LED fog lights	–	–	S	–
LED light bar	–	–	S	S
LED fog lights	S	S	–	–
Center LED high-mount stop light in rear spoiler	–	–	S	–
LED taillights with red outer lens	S	–	–	–
Premium LED taillights with clear outer lens	–	S	S	S
LED liftgate light	O	O	O	S
Mirrors				
Heated power outside mirrors	–	–	–	–
Heated power outside mirrors with turn signal indicators	–	–	–	–
Heated power outside mirrors with turn signal indicators, power-folding and memory	S	S	S	S
Moonroof				
Power tilt/slide moonroof with sunshade	S	S	S	–

	Limited(4x4)	Platinum(4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter(4x4)
Racks				
Black Roof rails	–	S	S	–
Satin Chrome-finished roof rails[11]	S	–	–	–
ARB®[55] roof rack[11]	–	–	–	S
Skid Plates				
Skid plate covering engine and front suspension	–	–	S	–
Skid plate covering transfer case	–	–	S	–
Trailhunter steel skid plate, transfer case protector, rear differential protector, and composite fuel tank protector	–	–	–	S
TRD Pro aluminum front skid plate with underbody transfer case and fuel tank protection	–	–	S	–
Composite front skid plate, with underbody transfer case and fuel tank protection	–	–	–	–
Trim				
Gloss-black "TOYOTA" heritage grille, mirror caps, door handles, and overfenders	–	–	S	–
Black "TOYOTA" heritage grille, mirror caps, door handles, and overfenders	–	–	–	S
Dark-chrome tri-bar grille; gloss-black mirror caps, and door handles, and color-keyed overfenders	–	S	–	–
Satin-chrome tri-bar grille; color-keyed mirror caps, door handles, and overfenders	S	–	–	–
Black horizontal-bar grille, mirror caps, door handles, and overfenders	–	–	–	–
Gloss-black honeycomb-style grille; color-keyed mirror caps, door handles, and overfenders	–	–	–	–
Black honeycomb-style grille; color-keyed mirror caps, door handles, and overfenders	–	–	–	–
TRD performance air intake	–	–	S	–
High-mount air intake	–	–	–	S
Extended-width overfenders	–	–	S	S
Stabilizer Disconnect Mechanism (SDM)	–	–	S	S
Gloss-black hood scoop	–	–	S	–
Gloss-black rear spoiler	–	–	S	–
"TRD PRO" hood badge and stamped liftgate	–	–	S	–
Fixed running boards	S	S	–	–
Automatic power-extending running boards	O	O	–	–
Frame-mounted steel rock rails	–	–	–	S
Color-keyed rear spoiler	S	S	–	S
Black "SR5" and "4Runner" badges	–	–	–	–
Black "TRD OFF-ROAD" and "4RUNNER" badges	–	–	–	–
Black "Trailhunter" and "4RUNNER" badges	–	–	–	S
Satin Chrome-finish "Limited" "4RUNNER" badges	S	–	–	–
Black "TRD Sport" and "4Runner" badges	–	–	–	–
High-clearance front bumper	–	–	S	S
Rear spoiler with integrated LED center high-mount stop light and	S	S	S	S

	Limited(4x4)	Platinum(4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter(4x4)
concealed rear wiper with mist cycle				
ARB®[55] roof rack	–	–	–	S
TRD performance exhaust	–	–	S	–
Power rear liftgate window with auto up/down, jam protection, and defogger with timer	S	S	S	S
Hands-free power liftgate[54]	S	S	S	S
Wheels & Tires				
17-in. dark gray-painted alloy wheels	–	–	–	–
18-in. bronze-finished alloy wheels with "TOYOTA" center caps	–	–	–	S
20-in. gloss-black-painted alloy wheels	–	S	–	–
20-in. gray painted and machine-finished alloy wheels	S	–	–	–
20-in. dark-gray painted and machine-finished alloy wheels with TRD center caps	–	–	–	–
18-in. matte-black painted and machine-finished alloy wheels with TRD center caps	–	–	–	–
18-in. matte-black-finished alloy wheels with TRD center caps	–	–	S	–
Windows, Glass & Wipers				
Rain-sensing variable intermittent windshield wipers with mist cycle	–	S	–	–
Windshield wiper de-icer	S	S	S	S
Variable intermittent windshield wipers with mist cycle	S	–	S	S
Concealed rear wiper with mist cycle	S	S	S	S
Privacy glass on rear side, quarter and rear liftgate windows	S	S	S	S

Specs

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
Body Construction						
Type	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame
Brakes						
Front	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes
Rear	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake
Dimensions – Exterior						
Overall height (in.) (does not include roof rails or roof rack)	72.6	72.6	73.2	73.2	73.2	73.2
Overall length (in.)	194.9	194.9	194.9	194.9	194.9	194.9
Overall width (without mirrors) (in.)	78.0	78.0	78.0	78.0	78.0	78.0
Track – front/rear (in.)	66.4 / 66.5	66.4 / 66.5	65.6 / 65.7	65.6 / 65.7	65.6 / 65.7	65.6 / 65.7

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
Ground clearance (in.)	8.1	8.1	8.8	8.8	8.8	8.8
Wheelbase (in.)	112.2	112.2	112.2	112.2	112.2	112.2
Approach/ departure angle (degrees)	18/22	18/22	18/22	18/22	18/22	18/22
Dimensions – Interior						
Head room – first/second/ available third row (in.)	39.7 / 37.8	39.7 / 37.8	39.7 / 37.8	39.7 / 37.8	39.7 / 37.8	39.7 / 37.8
Head room with moonroof – first/ second/available third row (in.)	TBD	TBD	–	–	–	–
Shoulder room – first/second/ available third row (in.)	58.0 / 57.8/TBD	58.0 / 57.8/TBD	58.0 / 57.8	58.0 / 57.8	58.0 / 57.8	58.0 / 57.8
Hip room – first/ second/available third row (in.)	55.2 / 56.1/TBD	55.2 / 56.1/TBD	55.2 / 56.1	55.2 / 56.1	55.2 / 56.1	55.2 / 56.1
Leg room – first/ second/available third row (in.)	41.8 / 34.8/TBD	41.8 / 34.8/TBD	41.8 / 34.8	41.8 / 34.8	41.8 / 34.8	41.8 / 34.8
Drive Battery						
Battery type	–	–	–	–	–	–
Voltage (V)	–	–	–	–	–	–
Drive Systems & Differentials						
Drivetrain layout	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)	Part-time 4WD with electronically controlled 2-speed transfer case (high/ low range) and Active Traction Control (A-TRAC)	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)	Part-time 4WD with electronically controlled 2-speed transfer case (high/ low range) and Active Traction Control (A-TRAC)	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)	Part-time 4WD with electronically controlled 2-speed transfer case (high/ low range) and Active Traction Control (A-TRAC)
Differentials	Automatic Limited-Slip Differential (Auto LSD)	–	Automatic Limited-Slip Differential (Auto LSD)	–	Automatic Limited-Slip Differential (Auto LSD)	–
Differential ratio	TBD	TBD	TBD	TBD	TBD	TBD
4WD transfer case ratio (high/ low)	–	1.00:1/2.57:1	–	1.00:1/2.57:1	–	1.00:1/2.57:1
Electric Motor						
Type	–	–	–	–	–	–
Electric motor horsepower (hp)	–	–	–	–	–	–
Electric motor torque (lb.-ft.)	–	–	–	–	–	–
Engines						
Type	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-I); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-I); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-I); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-I); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-I); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-I); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio
Horsepower (hp)	278 6000 rpm	278 6000 rpm	278 6000 rpm	278 6000 rpm	278 6000 rpm	278 6000 rpm
Torque (lb.-ft.)	317 1700 rpm	317 1700 rpm	317 1700 rpm	317 1700 rpm	317 1700 rpm	317 1700 rpm
Ignition system	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter
Injection system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system
Oil classification	TBD	TBD	TBD	TBD	TBD	TBD
Oil type / weight	TBD	TBD	TBD	TBD	TBD	TBD
Air Intake	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler
Fuel Facts						
EPA-estimated MPG (city/hwy/ combined)[49]	20/26/22	19/25/21	20/26/22	19/25/21	20/26/22	19/25/21
Fuel tank capacity (gal.)	19.0	19.0	19.0	19.0	19.0	19.0
Octane number	TBD	TBD	TBD	TBD	TBD	TBD
Federal emissions rating	Tier 2-Bin 5	Tier 2-Bin 5	Tier 2-Bin 5	Tier 2-Bin 5	–	–

[illegible]

	SR5 (i-FORCE 4x2)	SR5 (i-FORCE 4x4)	TRD Sport (i-FORCE 4x2)	TRD Sport (i-FORCE 4x4)	TRD Sport Premium (4x2)	TRD Sport Premium (4x4)
warranty						
Emissions warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Restraint warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Hybrid system warranty[44]	–	–	–	–	–	–
Hybrid battery warranty[45]	–	–	–	–	–	–
ToyotaCare maintenance plan[46]	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles
ToyotaCare roadside assistance coverage[46]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						
Curb weight (lb.)	4455	4685	4610	4850	4610	4850
GCWR (lb.)	TBD	TBD	TBD	TBD	TBD	TBD
GVWR (lb.)	6005	6075	6020	6395	6020	6395
Payload (lb.)	TBD	TBD	TBD	TBD	TBD	TBD
Standard seating capacity	5	5	5	5	5	5
Available seating capacity	7	7	–	–	–	–
Cargo volume (cu. ft.) behind front/second-row seats[47]	90.2 / 48.4	90.2 / 48.4	90.2 / 48.4	90.2 / 48.4	90.2 / 48.4	90.2 / 48.4
Cargo volume (cu. ft.) behind front/second-row/available third-row seats [47]	84.4 / 44.8 / 12.1	84.4 / 44.8 / 12.1	–	–	–	–
Fuel tank capacity (gal.)	19	19	19	19	19	19
Wheels & Tires						
Wheel type	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
Wheel size (in.)	17	17	20	20	20	20
Tire type	All-season	All-season	All-season	All-season	All-season	All-season
Tire size	P245/70R17	P245/70R17	P265/55R20	P265/55R20	P265/55R20	P265/55R20
Spare	Space-saver, mounted under body	Space-saver, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body

Additional Specs...

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
Body Construction						
Type	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame
Brakes						
Front	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes
Rear	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake
Dimensions – Exterior						
Overall height (in.) (does not include roof rails or roof rack)	73.6	73.6	73.6	73.6	73.2	73.2
Overall length	194.9	194.9	194.9	194.9	194.9	194.9

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
(in.)						
Overall width (without mirrors) (in.)	78.0	78.0	78.0	78.0	78.0	78.0
Track – front/rear (in.)	66.0 / 66.1	66.0 / 66.1	66.0 / 66.1	66.0 / 66.1	65.6 / 65.7	65.6 / 65.7
Ground clearance (in.)	9.1	9.1	9.1	9.1	8.8	8.8
Wheelbase (in.)	112.2	112.2	112.2	112.2	112.2	112.2
Approach/ departure angle (degrees)	19/24	19/24	19/24	19/24	18/22	18/22
Dimensions – Interior						
Head room – first/second/ available third row (in.)	39.7 / 37.8	39.7 / 37.8	39.7 / 37.8	39.7 / 37.8	38.3 / 37.8	38.3 / 37.8
Head room with moonroof – first/ second/available third row (in.)	–	–	–	–	TBD	TBD
Shoulder room – first/second/ available third row (in.)	58.0 / 57.8	58.0 / 57.8	58.0 / 57.8	58.0 / 57.8	58.0 / 57.8/TBD	58.0 / 57.8/TBD
Hip room – first/ second/available third row (in.)	55.2 / 56.1	55.2 / 56.1	55.2 / 56.1	55.2 / 56.1	55.2 / 56.1/TBD	55.2 / 56.1/TBD
Leg room – first/ second/available third row (in.)	41.8 / 34.8	41.8 / 34.8	41.8 / 34.8	41.8 / 34.8	41.8 / 34.8/TBD	41.8 / 34.8/TBD
Drive Battery						
Battery type	–	Sealed Nickel-Metal Hydride (Ni-MH)	–	Sealed Nickel-Metal Hydride (Ni-MH)	–	–
Voltage (V)	–	288V	–	288V	–	–
Drive Systems & Differentials						
Drivetrain layout	Part-time 4WD with electronically controlled 2-speed transfer case (high/ low range) and Active Traction Control (A-TRAC)	Part-time 4WD with electronically controlled 2-speed transfer case (high/ low range) and Active Traction Control (A-TRAC)	Part-time 4WD with electronically controlled 2-speed transfer case (high/ low range) and Active Traction Control (A-TRAC)	Part-time 4WD with electronically controlled 2-speed transfer case (high/ low range) and Active Traction Control (A-TRAC)	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)	Full-Time 4WD with Torsen limited-slip center differential with locking feature
Differentials	Electronically controlled locking rear differential	Electronically controlled locking rear differential	Electronically controlled locking rear differential	Electronically controlled locking rear differential	Automatic Limited-Slip Differential (Auto LSD)	Torsen® limited-slip center differential with locking feature
Differential ratio	TBD	TBD	TBD	TBD	TBD	TBD
4WD transfer case ratio (high/ low)	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1	–	1.00:1/2.57:1
Electric Motor						
Type	–	Permanent magnet synchronous motor/ generator	Permanent magnet synchronous motor/ generator		–	–
Electric motor horsepower (hp)	–	48	48	48	–	–
Electric motor torque (lb.-ft.)	–	184	184	184	–	–
Engines						
Type	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE MAX 2.4L turbocharged 4-cyl. hybrid powertrain; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE MAX 2.4L turbocharged 4-cyl. hybrid powertrain; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE 2.4L turbocharged 4-cyl. engine; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio
Horsepower (hp)	278 6000 rpm	326 6000 rpm	278 6000 rpm	326 6000 rpm	278 6000 rpm	278 6000 rpm
Torque (lb.-ft.)	317 1700 rpm	465 1700 rpm	317 1700 rpm	465 1700 rpm	317 1700 rpm	317 1700 rpm
Ignition system	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter; Stop and Start Engine System	Conventional 12V starter; Stop and Start Engine System
Injection system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system
Oil classification	TBD	TBD	TBD	TBD	TBD	TBD
Oil type / weight	TBD	TBD	TBD	TBD	TBD	TBD
Air Intake	Twin scroll turbocharger	Twin scroll turbocharger with	Twin scroll turbocharger	Twin scroll turbocharger with	Twin scroll turbocharger	Twin scroll turbocharger

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
	with wastegate valve control and air-cooled intercooler	wastegate valve control and air-cooled intercooler	with wastegate valve control and air-cooled intercooler	wastegate valve control and air-cooled intercooler	with wastegate valve control and air-cooled intercooler	with wastegate valve control and air-cooled intercooler
Fuel Facts						
EPA-estimated MPG (city/hwy/combined)[49]	19/25/21	23/24/23	19/25/21	23/24/23	20/24/22	20/24/21
Fuel tank capacity (gal.)	19.0	19.0	19.0	19.0	19.0	19.0
Octane number	TBD	TBD	TBD	TBD	TBD	TBD
Federal emissions rating	Tier 2-Bin 5	–	Tier 2-Bin 5	–	–	–
California emissions rating	Low Emission Vehicle II (LEV-II)	–	Low Emission Vehicle II (LEV-II)	–	–	–
Gear Ratios						
Gear Ratios	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58
Safety						
Total number of airbags[24]	9	9	9	9	9	9
Front airbags[24]	Driver and front passenger Advanced Airbag System; front passenger seat cushion	Driver and front passenger Advanced Airbag System; front passenger seat cushion	Driver and front passenger Advanced Airbag System; front passenger seat cushion	Driver and front passenger Advanced Airbag System; front passenger seat cushion	Driver and front passenger Advanced Airbag System; front passenger seat cushion	Driver and front passenger Advanced Airbag System; front passenger seat cushion
Knee airbags[24]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags[24]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[24]	Front and rear side curtain airbags	Front and rear side curtain airbags	Front and rear side curtain airbags	Front and rear side curtain airbags	Front and rear side curtain airbags	Front and rear side curtain airbags
Driver seatbelt	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter
Front passenger seatbelt	3-point seatbelt with Automatic/Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter	3-point seatbelt with Automatic/Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter	3-point seatbelt with Automatic/Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter	3-point seatbelt with Automatic/Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter	3-point seatbelt with Automatic/Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter	3-point seatbelt with Automatic/Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter
Rear passenger seatbelts	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)
LATCH locations	Lower anchors on outboard second-row seats and tether anchors on all second-row seats	Lower anchors on outboard second-row seats and tether anchors on all second-row seats	Lower anchors on outboard second-row seats and tether anchors on all second-row seats	Lower anchors on outboard second-row seats and tether anchors on all second-row seats	Lower anchors on outboard second-row seats and tether anchors on all second-row seats	Lower anchors on outboard second-row seats and tether anchors on all second-row seats
Steering						
Type	Electric Power Steering (EPS); power-assisted rack-and-pinion	Electric Power Steering (EPS); power-assisted rack-and-pinion	Electric Power Steering (EPS); power-assisted rack-and-pinion	Electric Power Steering (EPS); power-assisted rack-and-pinion	Electric Power Steering (EPS); power-assisted rack-and-pinion	Electric Power Steering (EPS); power-assisted rack-and-pinion
Turning radius (ft.)	19.7	19.7	19.7	19.7	19.7	19.7
Suspension						
Front	Independent double-wishbone front suspension with coil springs and stabilizer bar; TRD-tuned Bilstein monotube shock absorbers	Independent double-wishbone front suspension with coil springs and stabilizer bar; TRD-tuned Bilstein monotube shock absorbers	Independent double-wishbone front suspension with coil springs and stabilizer bar; TRD-tuned Bilstein monotube shock absorbers	Independent double-wishbone front suspension with coil springs and stabilizer bar; TRD-tuned Bilstein monotube shock absorbers	Independent double-wishbone front suspension with coil springs and stabilizer bar; Adaptive Variable Suspension (AVS)	Independent double-wishbone front suspension with coil springs and stabilizer bar; Adaptive Variable Suspension (AVS)
Rear	Multi-link rear suspension with coil springs and stabilizer bars; TRD-tuned Bilstein monotube shock absorbers	Multi-link rear suspension with coil springs and stabilizer bars; TRD-tuned Bilstein monotube shock absorbers	Multi-link rear suspension with coil springs and stabilizer bars; TRD-tuned Bilstein monotube shock absorbers	Multi-link rear suspension with coil springs and stabilizer bars; TRD-tuned Bilstein monotube shock absorbers	Multi-link rear suspension with coil springs; Adaptive Variable Suspension (AVS)	Multi-link rear suspension with coil springs; Adaptive Variable Suspension (AVS)
Towing						
Towing capacity (lb.)[43]	6,000	6,000	6,000	6,000	6,000	6,000
Tow rating	SAE J2807 towing rating-compliant	–	SAE J2807 towing rating-compliant	–	SAE J2807 towing rating-compliant	SAE J2807 towing rating-compliant

	TRD Off-Road (i-FORCE 4x4)	TRD Off-Road (4x4)	TRD Off-Road Premium (i-FORCE 4x4)	TRD Off-Road Premium (4x4)	Limited(4x2)	Limited(4x4)
Towing hitch	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors
Transmissions						
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-I), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-I), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-I), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-I), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-I), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-I), sequential shift mode, and uphill/downhill shift logic
Warranties & Maintenance						
Basic warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion perforation warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Restraint warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Hybrid system warranty[44]	–	8 years / 100,000 miles	–	8 years / 100,000 miles	–	–
Hybrid battery warranty[45]	–	10 years / 150,000 miles	–	10 years / 150,000 miles	–	–
ToyotaCare maintenance plan[46]	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles
ToyotaCare roadside assistance coverage[46]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						
Curb weight (lb.)	4850	5225	4850	5225	4730	4970
GCWR (lb.)	TBD	TBD	TBD	TBD	TBD	TBD
GVWR (lb.)	6240	6505	6240	6505	6130	6395
Payload (lb.)	TBD	TBD	TBD	TBD	TBD	TBD
Standard seating capacity	5	5	5	5	5	5
Available seating capacity	–	–	–	–	7	7
Cargo volume (cu. ft.) behind front/second-row seats[47]	90.2 / 48.4	82.6 / 42.6	90.2 / 48.4	82.6 / 42.6	90.2 / 48.4	90.2 / 48.4
Cargo volume (cu. ft.) behind front/second-row/available third-row seats [47]	–	–	–	–	84.4 / 44.8 / 12.1	84.4 / 44.8 / 12.1
Fuel tank capacity (gal.)	19	19	19	19	19	19
Wheels & Tires						
Wheel type	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
Wheel size (in.)	18	18	18	18	20	20
Tire type	All-terrain	All-terrain	All-terrain	All-terrain	All-season	All-season
Tire size	P265/70R18	P265/70R18	P265/70R18	P265/70R18	P265/55R20	P265/55R20
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Space-saver, mounted under body	Space-saver, mounted under body

Additional Specs...

	Limited(4x4)	Platinum (4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter (4x4)
Body Construction				

	Limited(4x4)	Platinum (4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter (4x4)
Type	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame	Reinforced body-on-frame construction with TNGA-F high-strength boxed-steel ladder frame
Brakes				
Front	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes	Power-assisted front ventilated disc brakes
Rear	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake	Power-assisted rear ventilated disc brake
Dimensions – Exterior				
Overall height (in.) (does not include roof rails or roof rack)	73.2	73.2	74.0	74.0
Overall length (in.)	194.9	194.9	194.9	194.9
Overall width (without mirrors) (in.)	78.0	78.0	79.9	79.9
Track – front/rear (in.)	65.6 / 65.7	65.6 / 65.7	68.8 / 68.8	68.8 / 68.8
Ground clearance (in.)	8.8	8.8	10.1	10.1
Wheelbase (in.)	112.2	112.2	112.2	112.2
Approach/departure angle (degrees)	18/22	18/22	33/24	33/24
Dimensions – Interior				
Head room – first/ second/available third row (in.)	38.3 / 37.8	38.3 / 37.8	38.3 / 37.8	39.7 / 37.8
Head room with moonroof – first/ second/available third row (in.)	–	–	–	–
Shoulder room – first/ second/available third row (in.)	58.0 / 57.8	58.0 / 57.8	58.0 / 57.8	58.0 / 57.8
Hip room – first/ second/available third row (in.)	55.2 / 56.1	55.2 / 56.1	55.2 / 56.1	55.2 / 56.1
Leg room – first/ second/available third row (in.)	41.8 / 34.8	41.8 / 34.8	41.8 / 34.8	41.8 / 34.8
Drive Battery				
Battery type	Sealed Nickel-Metal Hydride (Ni-MH)	Sealed Nickel-Metal Hydride (Ni-MH)	Sealed Nickel-Metal Hydride (Ni-MH)	Sealed Nickel-Metal Hydride (Ni-MH)
Voltage (V)	288V	288V	288V	288V
Drive Systems & Differentials				
Drivetrain layout	Full-Time 4WD with Torsen limited-slip center differential with locking feature	Full-Time 4WD with Torsen limited-slip center differential with locking feature	Part-time 4WD with electronically controlled 2-speed transfer case (high/low range) and Active Traction Control (A-TRAC)	Part-time 4WD with electronically controlled 2-speed transfer case (high/low range) and Active Traction Control (A-TRAC)
Differentials	Torsen® limited-slip center differential with locking feature	Torsen® limited-slip center differential with locking feature	Electronically controlled locking rear differential	Electronically controlled locking rear differential
Differential ratio	TBD	TBD	TBD	TBD
4WD transfer case ratio (high/low)	1.00:1/2.57:1	–	1.00:1/2.57:1	1.00:1/2.57:1
Electric Motor				
Type	Permanent magnet synchronous motor/ generator	Permanent magnet synchronous motor/ generator	Permanent magnet synchronous motor/ generator	Permanent magnet synchronous motor/ generator
Electric motor horsepower (hp)	48	48	48	48
Electric motor torque (lb.-ft.)	184	184	184	184
Engines				
Type	i-FORCE MAX 2.4L turbocharged 4-cyl. hybrid powertrain; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE MAX 2.4L turbocharged 4-cyl. hybrid powertrain; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE MAX 2.4L turbocharged 4-cyl. hybrid powertrain; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio	i-FORCE MAX 2.4L turbocharged 4-cyl. hybrid powertrain; 16-valve Dual Overhead Cam (DOHC), chain drive with Dual Variable Valve Timing with intelligence (VVT-i); 87.5 x 99.5 (mm.) bore x stroke; 11.0:1 compression ratio
Horsepower (hp)	326 6000 rpm	326 6000 rpm	326 6000 rpm	323 6000 rpm
Torque (lb.-ft.)	465 1700 rpm	465 1700 rpm	465 1700 rpm	465 1700 rpm
Ignition system	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter	Conventional 12V starter
Injection system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system	D-4ST direct-injection and port-injection fuel system
Oil classification	TBD	TBD	TBD	TBD
Oil type / weight	TBD	TBD	TBD	TBD
Air Intake	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler	Twin scroll turbocharger with wastegate valve control and air-cooled intercooler
Fuel Facts				

	Limited(4x4)	Platinum (4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter (4x4)
EPA-estimated MPG (city/hwy/combined) [49]	23/24/23	23/24/23	23/24/23	23/24/23
Fuel tank capacity (gal.)	19.0	19.0	19.0	19.0
Octane number	TBD	TBD	TBD	TBD
Federal emissions rating	–	–	Tier 2-Bin 5	–
California emissions rating	–	–	Low Emission Vehicle II (LEV-II)	–
Gear Ratios				
Gear Ratios	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58	1st: 4.41 2nd: 2.80 3rd: 1.95 4th: 1.51 5th: 1.27 6th: 1.00 7th: 0.79 8th: 0.65 Reverse: 3.64 Final Drive Ratio: 3.58
Safety				
Total number of airbags[24]	9	9	9	9
Front airbags[24]	Driver and front passenger Advanced Airbag System; front passenger seat cushion	Driver and front passenger Advanced Airbag System; front passenger seat cushion	Driver and front passenger Advanced Airbag System; front passenger seat cushion	Driver and front passenger Advanced Airbag System; front passenger seat cushion
Knee airbags[24]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags[24]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags [24]	Front and rear side curtain airbags	Front and rear side curtain airbags	Front and rear side curtain airbags	Front and rear side curtain airbags
Driver seatbelt	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter	3-point seatbelt with Emergency Locking Retractor (ELR) and pretensioner with force limiter
Front passenger seatbelt	3-point seatbelt with Automatic/ Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter	3-point seatbelt with Automatic/ Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter	3-point seatbelt with Automatic/ Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter	3-point seatbelt with Automatic/Emergency Locking Retractors (ALR/ELR) and pretensioner with force limiter
Rear passenger seatbelts	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)	3-point seatbelts for all seating positions, with Automatic/Emergency Locking Retractors (ALR/ELR)
LATCH locations	Lower anchors on outboard second-row seats and tether anchors on all second-row seats	Lower anchors on outboard second-row seats and tether anchors on all second-row seats	Lower anchors on outboard second-row seats and tether anchors on all second-row seats	Lower anchors on outboard second-row seats and tether anchors on all second-row seats
Steering				
Type	Electric Power Steering (EPS); power-assisted rack-and-pinion	Electric Power Steering (EPS); power-assisted rack-and-pinion	Electric Power Steering (EPS); power-assisted rack-and-pinion	Electric Power Steering (EPS); power-assisted rack-and-pinion
Turning radius (ft.)	19.7	19.7	19.7	19.7
Suspension				
Front	Independent double-wishbone front suspension with coil springs and stabilizer bar; Adaptive Variable Suspension (AVS)	Independent double-wishbone front suspension with coil springs and stabilizer bar; Adaptive Variable Suspension (AVS)	Independent double-wishbone front suspension with coil springs and stabilizer bar; FOX® QS3 adjustable monotube shock absorbers with internal bypass and rear piggyback reservoirs	Independent double-wishbone front suspension with coil springs and stabilizer bar; Old Man Emu® monotube shock absorbers with end stop control and rear piggyback reservoirs
Rear	Multi-link rear suspension with coil springs; Adaptive Variable Suspension (AVS)	Multi-link rear suspension with coil springs; Adaptive Variable Suspension (AVS)	Multi-link rear suspension with coil springs and stabilizer bar; FOX® QS3 adjustable monotube shock absorbers with internal bypass and rear piggyback reservoirs	Multi-link rear suspension with coil springs and stabilizer bar; Old Man Emu® monotube shock absorbers with end stop control and rear piggyback reservoirs
Towing				
Towing capacity (lb.) [43]	6,000	5,800	5,800	5,800
Tow rating	–	–	SAE J2807 towing rating-compliant	–
Towing hitch	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors	Integrated towing receiver hitch and wiring harness with 4- and 7-pin connectors
Transmissions				
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic
Warranties & Maintenance				
Basic warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion perforation warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles

	Limited(4x4)	Platinum (4x4)	TRD Pro (i-FORCE MAX 4x4)	Trailhunter (4x4)
Restraint warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Hybrid system warranty[44]	8 years / 100,000 miles	8 years / 100,000 miles	8 years / 100,000 miles	8 years / 100,000 miles
Hybrid battery warranty[45]	10 years / 150,000 miles	10 years / 150,000 miles	10 years / 150,000 miles	10 years / 150,000 miles
ToyotaCare maintenance plan[46]	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles
ToyotaCare roadside assistance coverage [46]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities				
Curb weight (lb.)	5370	5390	5455	5500
GCWR (lb.)	TBD	TBD	TBD	TBD
GVWR (lb.)	6505	6505	6505	6505
Payload (lb.)	TBD	TBD	TBD	TBD
Standard seating capacity	5	5	5	5
Available seating capacity	–	–	–	–
Cargo volume (cu. ft.) behind front/second-row seats[47]	82.6 / 42.6	82.6 / 42.6	82.6 / 42.6	82.6 / 42.6
Cargo volume (cu. ft.) behind front/second-row/available third-row seats[47]	–	–	–	–
Fuel tank capacity (gal.)	19	19	19	19
Wheels & Tires				
Wheel type	Alloy	Alloy	Matte-black flow-formed TRD alloy	Bronze-finished alloy
Wheel size (in.)	20	20	18	18
Tire type	All-season	All-season	Toyo Open Country A/T III All-terrain	Toyo Open Country A/T III All-terrain
Tire size	P265/55R20	P265/55R20	P265/70R18	P265/70R18
Spare	Space-saver, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body

Disclaimers

1. Toyota Safety Sense effectiveness depends on many factors including road, weather and vehicle conditions. Drivers are responsible for their own safe driving. Always pay attention to your surroundings and drive safely. See *Owner's Manual* for limitations.
2. Apple CarPlay requires a compatible iPhone with an active data plan. Check compatibility at www.apple.com/ios/carplay/. Operability depends on network availability, a cellular connection and GPS signal. Services vary by vehicle and are subject to change at any time without notice. Data charges may apply. To learn more, go to www.toyota.com/audio-multimedia/. To learn more about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-notice/. Apple CarPlay and iPhone are registered trademarks of Apple Inc.
3. Wireless use of Android auto requires a compatible Android 11.0+ phone and compatible active data plan. Check [androidauto/](http://androidauto.com) requirements for compatibility. Operability depends on network availability, a cellular connection and GPS signal. Services subject to change at any time without notice. Data charges may apply. To learn more, go to www.toyota.com/audio-multimedia/. To learn more about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-notice/. Android and Android Auto are trademarks of Google LLC.
4. Do not rely exclusively on Blind Spot Monitor. Look over shoulder and use turn signal. See *Owner's Manual* for limitations.
5. Do not rely exclusively on the Rear Cross-Traffic Alert. Visually confirm clearance during use. See *Owner's Manual* for limitations.
6. Wireless charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models.
7. FOX is a registered trademark of FOX Factory, Inc.
8. JBL is a registered trademark of Harman International Industries, Inc.
9. Digital Key requires active Remote Connect subscription. Use only if aware of circumstances surrounding vehicle it is legal safe to do so (e.g., do not remotely start a gas engine vehicle in an enclosed space or if vehicle is occupied by a child). Remote Connect services vary by vehicle and are subject to change at any time without notice. Services depend on 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Further, if and when 4G network changes or is discontinued, or the underlying technology required to support service becomes obsolete, then the services will not work and will need to be discontinued. Digital Key also requires Bluetooth connectivity. Not available on manual transmissions. Services require account registration through Toyota App and acceptance of Connected Services Terms of Use at

www.toyota.com/content/dam/toyota/privacyvts/pdf/connected-services-terms-use.pdf and Master Data Consent. Data charges may apply. For Toyota Connected Services' vehicle-generated data collection, use, sharing, and retention practices and agreements, see www.toyota.com/support/privacy-notice/. Trial period begins on original purchase or lease date of new vehicle. Paid subscription required after trial (if applicable). Terms of Use apply.

10. Rigid Industries is a registered trademark of JST Performance, LLC d/b/a Rigid Industries.
11. Do not overload your vehicle. See *Owner's Manual* for weight limits and restrictions.
12. A compatible Bluetooth enabled phone must be paired. Phone performance depends on software, coverage and carrier. The Bluetooth word mark and logos are registered trademarks of Bluetooth SIG, Inc. Use of such marks by Toyota is under license.
13. Service will automatically stop at the end of your trial subscription period unless you decide to continue service. Trial is non-transferable. If you do not wish to enjoy your trial, you can cancel by calling the number below. All SiriusXM services require a subscription, each sold separately by SiriusXM after the trial period. Service subject to the SiriusXM Customer Agreement and Privacy Policy, visit siriusxm.com for complete terms and how to cancel which includes online methods or calling 1-866-635-2349. Some services and features are subject to device capabilities and location availability. Satellite service not available in AK & HI. Content varies by SiriusXM subscription plan. All fees, content and features are subject to change. SiriusXM and related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries.
14. Toyota Connected Services vary by vehicle and are subject to change at any time without notice. Services depend on 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded, including access to response center and emergency support. Further, if and when 4G network changes or is discontinued, or the underlying technology required to support service becomes obsolete, then the Connected Services will not work, and Toyota will need to discontinue impacted services. Services require account registration through the Toyota app and acceptance of the Connected Services Terms of Use at www.toyota.com/content/dam/toyota/privacyvts/pdf/connected-services-terms-use.pdf and Master Data Consent. Data charges may apply. For Toyota Connected Services' vehicle-generated data collection, use, sharing and retention practices and agreements, see www.toyota.com/support/privacy-notice/. All trials begin on original purchase or lease date of new vehicle, with the exception of Wi-Fi for which trial begins at time of activation. Paid subscription required after trial (if applicable).
15. Drive Connect services may vary and are subject to change at any time without notice. Availability and accuracy depend on 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Further, if and when 4G network changes or is discontinued, or the underlying technology required to support service becomes obsolete, then services will not work, and will need to be discontinued. Services require account registration through Toyota App and acceptance of Connected Services Terms of Use at www.toyota.com/content/dam/toyota/privacyvts/pdf/connected-services-terms-use.pdf and Master Data Consent. Data charges may apply. For Toyota Connected Services' vehicle-generated data collection, use, sharing, and retention practices and agreements, see www.toyota.com/support/privacy-notice/. Trial period begins on original purchase or lease date of new vehicle. Services may vary and are subject to change without notice. Requires app download/registration, acceptance of Terms of Use and subscription after trial (if applicable). Data charges may apply.
16. Safety Connect services vary by vehicle and are subject to change at any time without notice. Services depend on 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded, including access to response center and emergency support. Further, if and when 4G network changes or is discontinued, or the underlying technology required to support service becomes obsolete, then the services will not work, and will need to be discontinued. Stolen vehicle police report required to use Stolen Vehicle Locator. Services require account registration through Toyota App and acceptance of Connected Services Terms of Use at www.toyota.com/content/dam/toyota/privacyvts/pdf/connected-services-terms-use.pdf and Master Data Consent. Data charges may apply. For Toyota Connected Services' vehicle-generated data collection, use, sharing, and retention practices and agreements, see www.toyota.com/support/privacy-notice/.
17. Service Connect services vary by vehicle and are subject to change at any time without notice. Services depend on 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Further, if and when 4G network changes or is discontinued, or the underlying technology required to support service becomes obsolete, then the services will not work, and will need to be discontinued. Information provided is based on the last time data was collected from vehicle and is not real time data. Services require account registration through Toyota App and acceptance of Connected Services Terms of Use at www.toyota.com/content/dam/toyota/privacyvts/pdf/connected-services-terms-use.pdf and Master Data Consent. Data charges may apply. For Toyota Connected Services' vehicle-generated data collection, use, sharing, and retention practices and agreements, see www.toyota.com/support/privacy-notice/.
18. Service not available everywhere or in every vehicle. Depends on 4G cellular network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Up to 5 devices can be supported using in-vehicle connectivity. Services subject to change at any time without notice. The Wi-Fi Connect trial begins at the time of enrollment and expires the earlier of 3GB data use or the 1-month trial period ends. Paid subscription required after trial. Integrated Streaming requires separate subscriptions to third-party provider services. Data charges may apply. Valid in the contiguous U.S. and Alaska. Go to myvehicle.att.com/#/toyota/learn?language=en&country=US for terms and conditions. The Wi-Fi Connect trial begins at the time of enrollment and expires the earlier of 3GB data use or the 1-month trial period ends.
19. Rated for 12 volts/10 amps. See *Owner's Manual* for additional limitations and details.
20. HomeLink and HomeLink® house icon are registered trademarks of Gentex Corporation.
21. Do not exceed 120V. See *Owner's Manual* for additional limitations and details.
22. Crawl Control is designed for driving on difficult terrain at low speeds and assists driver by controlling acceleration and braking, allowing the driver to focus on steering. See *Owner's Manual* for additional limitations.
23. This floor mat/liner was designed specifically for use in your model and model year vehicle and SHOULD NOT be used in any other vehicle. To avoid potential interference with pedal operation, each mat/liner must be secured with its fasteners. Do not install a floor mat on top of an existing floor mat/liner.
24. Airbag systems supplement the seatbelts and are designed to inflate only under certain conditions and in certain types of severe collisions. Always wear seatbelt, sit upright in middle and as far back in seat as possible to help decrease risk of injury. Do not put

objects in front of an airbag See *Owner's Manual* for limitations.

25. The backup camera does not provide a comprehensive view of the rear area of the vehicle/trailer. When using straight path assist, driver should confirm clearance and is still responsible for safe operation. See *Owner's Manual* for limitations.
26. The Panoramic View Monitor does not provide a comprehensive view of the area surrounding your vehicle. Look around to confirm clearance. See *Owner's Manual* for limitations.
27. Downhill Assist Control is designed to help driver maintain vehicle control and speed on steep, downhill descents and Hill-Start Assist Control is designed to help minimize backward rolling on steep ascents. Neither system is a substitute for safe driving judgment and practices. Factors including speed, grade, surface conditions and driver input can affect the ability of the DAC and HAC to prevent a loss of control. See *Owner's Manual* for additional limitations.
28. The Pre-Collision System (PCS) with Pedestrian Detection (PD) is designed to help reduce the crash speed and damage in certain frontal collisions involving a vehicle, a pedestrian, bicyclist or motorcyclist. PCS w/PD is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of vehicle, pedestrian, bicyclist or motorcyclist and weather, light and road conditions. See *Owner's Manual* for limitations.
29. Smart Stop Technology will reduce power to help the brakes bring vehicle to a stop during certain contemporaneous brake and accelerator pedal applications. See *Owner's Manual* for limitations.
30. Vehicle Stability Control is not a substitute for safe and attentive driving practices. Factors including speed, road conditions, weather and steering input can affect whether VSC will be effective. See *Owner's Manual* for limitations.
31. Dynamic Radar Cruise Control is not a substitute for safe and attentive driving. See *Owner's Manual* for instructions and limitations.
32. Automatic high beams operate at speeds above 21 mph. See *Owner's Manual* for instructions and limitations.
33. Lane Departure Alert with Steering Assist is designed to read visible lane markers under certain conditions. It provides a visual/audible alert and slight steering force when lane departure is detected. It is not a collision-avoidance system or substitute for safe and attentive driving. Effectiveness depends on many factors including road, weather and vehicle conditions. See *Owner's Manual* for limitations.
34. The Lane Tracing Assist (LTA) lane centering function is designed to read visible lane markers and detect other vehicles under certain conditions. It is only operational when DRCC is engaged. See *Owner's Manual* for limitations.
35. Road Sign Assist only recognizes certain road signs. See *Owner's Manual* for limitations.
36. Proactive Driving Assist (PDA) is designed to detect certain objects or curves in the road and provide gentle braking and/or steering support. PDA is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of detected objects and weather, light and road conditions. See *Owner's Manual* for additional limitations and details.
37. Front and Rear Parking Assist with Automatic Braking (PA w/AB) may warn drivers of, and potentially brake for front and rear collisions with certain objects when traveling at low speeds. Drivers should visually confirm clearance during use. See *Owner's Manual* for instructions and limitations.
38. Trailer Merge Warning estimates a trailer's presence and length and may not function for all trailers and under all circumstances. The driver must use mirrors and physically check adjacent lanes before making lane changes.
39. Do not overly rely on the Front Cross-Traffic Alert system. Always visually confirm that it is safe to proceed. See *Owner's Manual* for limitations.
40. Traffic Jam Assist is not an automated driving system, requires driver supervision at all times, and is designed to function on controlled access freeways at speeds of 25 mph or less. Use this system in accordance with applicable laws. Requires an active subscription to Drive Connect, which depends on 4G network availability and other factors outside Toyota's control. Service requires account registration through Toyota App and acceptance of Connected Services Terms of Use at www.toyota.com/content/dam/toyota/privacyvts/pdf/connected-services-terms-use.pdf and Master Data Consent. Data charges may apply. Before operating, refer to *Owner's Manual* for instructions and limitations.
41. Trailer Sway Control (TSC) is an electronic system designed to help the driver maintain vehicle control under certain conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions, weather and driver steering input can all affect whether TSC will be effective in preventing a loss of control. See *Owner's Manual* for limitations.
42. The Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See *Owner's Manual* for limitations and details.
43. Never tow beyond a vehicle's published towing capacities. Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. Follow all instructions in your *Owner's Manual*.
44. Hybrid-related components covered for 8 years from date of first use or 100,000 miles, whichever comes first. HV battery may have longer coverage under emissions warranty. See www.toyota.com/owners/warranty-owners-manuals/ for details.
45. For Toyota hybrid, plug-in hybrid, fuel cell and battery electric vehicles beginning model year 2020, hybrid (HV) battery covered for 10 years from date of first use or 150,000 miles, whichever comes first. Coverage subject to the terms and conditions of New Vehicle Limited Warranty. See www.toyota.com/owners/warranty-owners-manuals/ for details.
46. ToyotaCare covers normal factory scheduled maintenance for 2 years or 25,000 miles, whichever comes first, and 24/7 Roadside Assistance is for 2 years/unlimited mileage. Roadside Assistance does not include parts and fluids, except limited emergency gas delivery. Towing distance up to 25 miles. Restrictions apply. Available in the continental U.S. and Canada. See Toyota dealer for details and exclusions.
47. Cargo and load capacity limited by weight and distribution. Always properly secure cargo and cargo area.
48. Charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models.
49. EPA-estimated 20 city/26 highway/22 combined mpg rating for 2025 4Runner SR5 4x2, TRD Sport 4x2, TRD Sport Premium 4x2; 19 city/25 highway/21 combined mpg rating for 2025 4Runner SR5 4x4, TRD Sport 4x4, TRD Sport Premium 4x4, TRD Off-Road 4x4, TRD Off-Road Premium 4x4; 23 city/24 highway/23 combined mpg rating for 2025 4Runner TRD Off-Road i-FORCE MAX 4x4, TRD Off-Road Premium i-FORCE MAX 4x4, Limited i-FORCE MAX 4x4, Platinum 4x4, TRD Pro 4x4, Trailhunter 4x4; 20 city/24 highway/22 combined

mpg rating for 2025 4Runner Limited 4x2, Limited 4x4. Use for comparison purposes only. Your mileage will vary for many reasons, including your vehicle's condition and how/where you drive. See www.fueleconomy.gov.

- 50. The Toyota 4Runner is designed to meet most off-road driving requirements, but off-roading is inherently dangerous and may result in personal injury or vehicle damage. Toyota encourages responsible operation to help protect you, your vehicle and the environment.
- 51. Bilstein is a registered trademark of ThyssenKrupp Bilstein GmbH FED REP GERMANY.
- 52. Electrical rating for auxiliary switches is pre-set. See *Owner's Manual* for additional details. Exceeding the rating set by Toyota may lead to an increased risk of failure, and, potentially, fire.
- 53. Integrated Trailer Brake Controller is an electronic system that operates in tandem with a trailer equipped with an electric braking system. It is designed to help the driver maintain trailer control by increasing or reducing trailer braking based on trailer weight. It is not a substitute for safe towing practices. Factors including speed, weather, road conditions and driver input can all affect trailer braking control. See *Owner's Manual* for additional limitations and details.
- 54. Installation of a tow hitch receiver or other accessories located near the rear bumper or side-door kick sensors may require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. Water, weather, dirt, and other conditions also may cause the sensor to not operate properly or to operate unintentionally. See *Owner's Manual* for limitations.
- 55. ARB is a registered trademark of ARB Corporation.